

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate www.vevor.com/support

PRY LEVER USER MANUAL

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE



PRY LEVER

Model: WBS-004;

WBS-005;

WBS-006;

WBS-007



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

1. WARNING!

Please carefully review this information before using the product to ensure your safety.










1. Please read this manual carefully before using the product. Failure to do so may result in serious injury.
2. Do not exceed the working range of the crowbar.
3. After use, please wipe dry before storage to avoid rust.
4. Do not use the tool if it is damaged to prevent serious damage from tool failure.
 - (1) Check the overall condition of the product before each use. Are the threads damaged? Are the welds broken? Are there gaps in the parts?
 - (2) Check if the crowbar is working properly before each use. If it's not working properly, refer to the maintenance section for inspection.
 - (3) Exercise caution when troubleshooting and resolve all issues before use.
5. Procedures not specified in this manual must be performed by qualified personnel.

Read and follow the instructions for safe operations. Keep this manual for reference.

2. Product Description

The Pry Lever is made of carbon steel and is treated with a powder coating, which provides high working capacity and durability. The product comes with a single-handle or split-handle, and the length of the crowbar varies depending on the model. It is primarily used for dismantling wooden pallets and removing flooring, and the WBS006 model can also be used for pulling nails.

3.Product Parameter

Item	1	2	3	4
Model	WBS004	WBS005	WBS006	WBS007
Product Image				
Load Capacity	2000 lbs	2000 lbs	2000 lbs	4 Tons
Product Length	45 inches	54 inches	60 inches	60 inches
Handle Length	41 inches	50 inches	53 inches	56.5 inches
Number of Teeth	2	2	2	1
Tooth Width	26 mm	16 mm	40 mm	100 mm
Tooth Spacing	4 inches	4 inches	4 inches	/
Handle Style	Integrated handle	Two-tone split handle	Integrated handle	Integrated handle
Wheels	/	/	/	4 inches
Surface Treatment	Powder coating	Powder coating	Powder coating	Powder coating
Application Examples			 	

4.Usage Guide

1. Unpack the crowbar and check for any transit damage.
2. Choose the appropriate crowbar model based on the weight and size of the object you need to move or manipulate.
3. Place the crowbar under the object to be leveraged, ensuring that the crowbar is firmly inserted.
4. Slowly pull the handle of the crowbar with even force until the object is moved to the desired position.
5. Make sure to use the crowbar on a stable surface and ensure stability during operation.

5.Maintenance

1. After use, clean the crowbar with a dry cloth to remove dust and impurities.
2. Check the screws and connections of the crowbar to ensure that they are tight.
3. Regularly apply rust inhibitor to the crowbar to extend its life.
4. Store the crowbar in a dry, ventilated area, avoiding exposure to a damp environment.

Manufacturer: Shanghaimuxinmuyeyouxiangongsi

Address: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.

Imported to AUS: SIHAO PTY LTD, 1 ROKEVA STREETEASTWOOD NSW 2122 Australia

Imported to USA: Sanven Technology Ltd., Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

EC	REP
-----------	------------

E-CrossStu GmbH
Mainzer Landstr.69, 60329 Frankfurt am Main.

UK	REP
-----------	------------

YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147, Centurion House,
London Road, Staines-upon-Thames, Surrey, TW18 4AX

VEVOR[®]
TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate
www.vevor.com/support