

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate

www.vevor.com/support

GAS FIREPLACE LOGS

**MODEL: SUN-LMZ068-1 /
SUN-LMZ080-1 / SUN-LMZ130-1**

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us.

You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

MODEL: SUN-LMZ068-1 / SUN-LMZ080-1 / SUN-LMZ130-1



SUN-LMZ068-1



SUN-LMZ080-1



SUN-LMZ130-1

NEED HELP? CONTACT US!

Have product questions? Need technical support?
Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.



Warning-To reduce the risk of injury, user must read instructions manual carefully.

1. Read and understand this entire manual before assembling, installing, operating, or servicing this product. Failure to follow these warnings and instructions can cause death, personal injury or damage to valuable property.
2. Every time you operate the parts of the high-temperature Gas Logs, please use heat-resistant gloves to avoid burns.
3. Children should only use it with adult supervision.
4. Please wait for the fireplace to cool sufficiently before storing it to prevent burns.
5. Carbon monoxide is a colorless and transparent gas that must be discharged safely to avoid accumulation in a closed environment.
6. It is best to place a carbon monoxide detector in the space of the stove.
7. Never let children and pets near the stove, it will be very hot.
8. Try to install safety protection devices, and be careful not to let children touch their hands.
9. When using the fireplace, please put it on the fire-resistant floor to prevent the floor from catching fire.
10. Please keep the air well ventilated when use of use of the Gas Logs in tents or extended spaces.
11. Pay attention to the choice of fuel. Or paint-treated wood will discharge harmful toxins when it burns.

SAVE THIS MANUAL

model	SUN-LMZ068-1	SUN-LMZ080-1	SUN-LMZ130-1
Quantity (pcs)	10	6	8
product size	363*113*50mm *4pcs 357*100*51mm *2pcs 295*77*43mm* 2pcs 280*64*38mm* 2pcs	380*103*83mm *2pcs 380*88*69 mm 3pcs 380*97*60mm 1pcs	560*120*45mm *2pcs 455*105*43mm *2pcs 408*109*40mm *2pcs 340*142*52mm *2pcs
net weight	2.93kg	2.71kg	3.4kg

INSTRUCTIONS

1. Why are my Gas Logs turning black?

Gas Logs can turn black for a variety of reasons.

One reason is that the Gas Logs are not getting enough oxygen, resulting in insufficient combustion. This can be caused by several factors, such as:

The chimney is too small or has restricted airflow. The damper is closed or not working properly. Something is blocking the air supply. The chimney is improperly constructed or not vented properly. If the Gas Logs are burning too hot, they will turn black. This can be caused by a gas valve that opens too far or a pilot burner that is set too high. It's best to have this addressed by a professional service person.

Gas logs turn black due to soot formation caused by clogged burner ports and wrongly placed fire logs. The purpose of fire logs is to ensure that the gas burns cleanly, so when placed improperly they block the natural path of the flames, causing soot build up and turning the logs black.

2. Do gas logs require maintenance?

Gas log sets require no daily maintenance but should be inspected annually by a professional. Logs need to be inspected for cracks and breaks and replaced if they are not in sound condition. Valves, pipes and gas connections should also be inspected to ensure they are in good repair. Vent-free log sets should have the ember bed and logs cleaned to remove any buildup. If you have vented gas logs, you'll need to have your chimney inspected and swept once a year, too.

3. How To Clean Soot From Gas Fire Logs?

If you want to clean the soot from your gas fire logs, you must wait for them to cool down before you start.

Once you remove them from the fireplace, you should put them onto some newspaper to prevent making a mess.

Once you have done this, you can follow these steps to clean your gas fireplace logs.

1. Wipe the logs clean with a rag. You can remove any soot that is clinging to the logs with a dry and soft rag. Wipe it over the whole log, and the soot should brush off.

2. Clean the logs with a damp rag. Once you have finished the previous step, you can go in with a clean rag dampened with a small amount of water.

The water should be lukewarm, and you should always wring out any excess moisture. You can then wipe it over the logs to remove any excess soot.

3. You should only ever use a cleaner if approved in the owner's fireplace manual. Otherwise, you should avoid this. If you are ever unsure, then you should test it on a small and inconspicuous area of the log before going in for full cleaning.

4. If this soot has built up in small crevices, then you can use a soft bristled paintbrush or cotton swab to remove it.

5. Finally, you can vacuum up any soot that has been left behind. This will ensure that the soot does not spread throughout your home. All that is left to do is dispose of the newspaper and return the logs to their exact position within the fireplace.

Manufacturer: Shanghaimuxinmuyeyouxiangongsi

Address: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.

Imported to AUS: SIHAO PTY LTD. 1 ROKEVA STREET- EASTWOOD NSW 2122 Australia

Imported to USA: Sanven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr.69, 60329 Frankfurt am Main.
E-mail: e-crossstu@outlook.com
Tel.: +49 69332967674



YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147, Centurion House,
London Road, Staines-upon-Thames, Surrey, TW18 4AX
H2YHUK@gmail.com
Tel.: +44 07514-677868

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate

www.vevor.com/support