

Technical Support and E-Warranty Certificate www.vevor.com/support

ROLLING GARDEN SEAT


USER MANUAL

We continue to be committed to provide you tools with competitive price. "Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and doses not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.



ROLLING GARDEN SEAT

Model: TC4501S-BL,TC4501S-GN



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

CustomerService@vevor.com

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our us r manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

IMPORTANT SAFEGUARDS

Read this instruction before using this product. Failure to do so can result in serious injury.

Assembly precautions

1. Assemble only as instructed. Improper assembly can create hazards.

2. Wear ANSI-approved safety goggles and heavy-duty work gloves during assembly.

- 3. Keep the assembly area clean and well lit.
- 4. Keep bystanders out of the area during assembly.

5. Do not assemble when tired or when under the influence of alcohol, drugs or medication.

6. The product capabilities apply to properly and completely assembled products only.

7. For additional information regarding the parts listed in the following pages, please refer to the Assembly Diagram of this manual. Unwrap and separate all parts in a clean work area.

8. For safety reasons, this hardware is recommended to be installed by 2 people

WARNING:

- 1. This is not a toy. Not for use by children.
- 2. Maximum load capacity of Steering seat: 300lb.
- 3. Maximum load capacity of plastic tray: 5lb.
- 4. Do NOT overinflate the tires. Maximum pressure is 30psi.

5. Do NOT use on inclines; the seat may tip. Ensure the rolling Garden Seat is on a level, firm surface.

6. Do NOT operate if any part is damaged or broken.

7. Be careful not to trap fingers or hands in any of the moving parts when opening and closing the Rolling Garden Seat.

SAVE THESE INSTRUCTIONS


SPECIFICATIONS

Model	TC4501S-BL
Product Size	760*450*960mm
Color	Blue


Model	TC4501S-GN
Product Size	760*450*960mm
Color	Green


COMPONENTS

x1	x1	x1	x1
A Frame	B Plastic Tray	🕒 Seat	D Basket
x4	x1	x1	×1
Wheels	Handle Connector	G Rear Axle	Rear Tray Support
<u>ه م</u> x3	د. ۲۱ x1	x2	
Reinforcing Plates	Steering Link Connector	🚯 Axle Brackets	Handle





Assembly Instructions







STEP2






STEP5





STEP7



Address: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi Shanghai Imported to AUS: SIHAO PTY LTD, 1 ROKEVA STREETEASTWOOD NSW 2122 Australia Imported to USA: Sanven Technology Ltd.Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



SHUNSHUN GmbH Römeräcker 9 Z2021,76351 Linkenheim-Hochstetten,Germany



Pooledas Group Ltd Unit 5 Albert Edward House, The Pavilions Preston, United Kingdom

Made In China

