VEVOR®

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate www.vevor.com/support

WHEELBARROW CART

USER MANUAL


We continue to be committed to provide you tools with competitive price.
"Save Half","Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

WHEELBARROW CART

WB-1000



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction,please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

Safety precautions

WARNING:

Read this instructions before using this product. Failure to do so can result in serious injury. the basic precautions should always be followed,including the following:

The dual wheel wheelbarrow cart may not be used or stored in hazardous areas. It is not allowed to use the appliance in hazardous locations.

The dual wheel wheelbarrow cart must be checked to ensure that it is in proper working order and is operating safely prior to use. Otherwise,the appliance must not be used.

Use as intended only. The dual wheel wheelbarrow cart are not suitable for loading corrosive materials. Because they will plastic dump the material on garden carts.


The operator must use the dual wheel wheelbarrow cart properly. He must consider the local conditions and must pay attention to third parties,in particular children,when working with the dual wheel wheelbarrow cart.

This dual wheel wheelbarrow cart is not intended for use by persons (including children) with reduced physical,sensory or mental abilities or lacking experience and/or knowledge,unless they are super- vised by a person responsible for their safety or are instructed by these persons on the use of the device. Children should be supervised,to ensure that they do not play with the dual wheel wheelbarrow cart.


Please use the dual wheel wheelbarrow cart according to the weight indicated in the manual. Do not load more than the marked weight, as this will damage the dual wheel wheelbarrow cart.

SAVE THESE INSTRUCTIONS


Product List




A-Tray




B-Leg*2




C-Wheel




D-Alxe




E-Leg Brace












F-Handle*4




G-Nose Guard




H-Wheel Bracket*2


 **I**-Tray Wedge*2	 **J**-Tray Brace*2
 **K**-Cross Brace*2	 **L**-Mooden pin*2
 **M**-M8 x 70MM*2 BOLT (For tray,handles and legs)	 **N**-M8 x 60MM*4 BOLT (For handles and wheel bracket)
 **O**-M8 x 50MM*2 BOLT (For nose guard)	 **P**-M8 x 20MM*2 BOLT For Tray braces
 **Q**-M8 x 20MM*2 BOLT For leg brace	 **R**-M8 x 110MM*2 BOLT For tray,handles and legs


A
F
J
F
I
L
K
H
G
E
D
B
C


Product Description




Attach the tray wedge I to the tray A,using bolt R and M.




Place the tray upside down,use wooden pins (L) to connect upper handle (F) attach handle F to the tray A




Attach Cross Brace K and leg B to the leg, reinforce with nuts.




Attach leg brace E to leg B using bolt Q.



Attach nose guard handle G using bolt O.




Attach wheel bracket H and tray braces J to handle F using bolt N.



Attach axle D to wheel G attach wheel bracket H to Axle D,attach bracket H to handle F using bolt N.Attach tray braces J to tray A using bolt P.

The maximum load capacity should not exceed 120kg.



The assembly is complete.

Manufacturer: Shanghaimuxinmuyeyouxiangongsi
Address: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.
Imported to AUS: SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD NSW 2122 Australia
Imported to USA: Sanven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

EC	REP

E-CrossStu GmbH
Mainzer Landstr.69, 60329 Frankfurt am Main.

UK	REP

YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147, Centurion House, London Road, Staines-upon-Thames, Surrey, TW18 4AX

VEVOR®

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate

www.vevor.com/support