

# **VEVOR<sup>®</sup>**

## **TOUGH TOOLS, HALF PRICE**

Technical Support and E-Warranty Certificate [www.vevor.com/support](http://www.vevor.com/support)

# **IMPACT SOCKET SET USER MANUAL**

We continue to be committed to provide you tools with competitive price. "Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

# VEVOR<sup>®</sup>

TOUGH TOOLS, HALF PRICE

## IMPACT SOCKET SET

**MODEL:** SX21D4300/ SX38DST2900/ SX38D15000/SX38MST1400/  
SX38SD11000/ SX38SST1200/ SX38SSD2500/ SX38MUN1400/  
SX1238MSSD590/ SX1D8000



### NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

**Technical Support and E-Warranty Certificate**  
**[www.vevor.com/support](http://www.vevor.com/support)**

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

## SAFETY INSTRUCTION AND PRECAUTIONS



### **WARNING:**

1. Comply with safety operating procedures: Before use, thoroughly understand the usage methods and safety precautions of the tool to prevent accidents.
2. Regular inspection and maintenance: Regularly check the wear and tear of tools, replace damaged parts in a timely manner, and ensure stable tool performance.
3. Storage method: Place the tools in a dry, ventilated, and dark environment to avoid factors such as moisture, high temperature, and collision that may affect the tool's lifespan.
4. Classified storage: Classify and store various tools for easy and quick access during use.

### Select and Use

1. Choose a sleeve that is suitable for your own use. Different work purposes and working conditions require the selection of different sleeves.
2. Choose standardized sleeves as much as possible for easy replacement and maintenance.
3. Before using the sleeve, check whether the axis of the sleeve and the tool are consistent to ensure correct application.
4. When using the sleeve, it is important to follow the correct operating method and avoid excessive twisting to avoid damaging the tool.
5. When using a socket, an appropriate wrench should be used instead of other tools.
6. When using a sleeve, the correct torque and speed should be selected according to the work needs.

## Model list

SN	Model	Qty	Type	socket List
1	SX21D43000	43	1/2"SAE	<p>19pcs* deep 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2"</p> <p>19pcs* shallow 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2"</p> <p>1pc cardan joint</p> <p>4pcs* extension rods (3", 5", 10", 15")</p>
2	SX38DST2900	29	3/8"Metric /SAE	<p>11*SAE: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"</p> <p>15 pcs Metric: 8、9、10、11、12、13、14、15、16、17、18、19、20、21、22mm</p> <p>1 pc cardan join</p> <p>2 pcs extension rods (6、10)</p>
3	SX38D15000	15	3/8"Metric deep	8、9、10、11、12、13、14、15、16、17、18、19、20、21、22mm
4	SX38MST1400	14	3/8"Metric shallow	7、8、9、10、11、12、13、14、15、16、17、18、19、20 mm
5	SX38SD11000	11	3/8"SAE deep	5/16", 3/8", 7/16", 1/2", 9/16", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
6	SX38SST1200	12	3/8"SAE shallow	5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"

7	SX38SSD2500	25	3/8"SAE deep&shallow	12 pcs shallow: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1" 12 pcs deep: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1" 1*cardan joint
8	SX38MUN140 0	14	3/8 "metric rotary sleeve depth	10 pcs 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm Extension rods (3, 6) 1/4 "-3/8" adapter 1pc Universal joint
9	SX1238MSSD 590	59	Multiple combinations of 1/2 ", 3/8" Metric/SAE depth	14 pcs 1/2 "SAE (deep): 3/8", 7/16 ", 1/2", 9/16 ", 5/8", 11/16 ", 3/4", 13/16 ", 7/8", 15/16 ", 1", 1-1/16 ", 1-1/8", 1-1/4" 18pcs 1/2 "metric (shallow): 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27, 30, 32mm 9 pcs of 3/8 "SAE (deep): 5/16", 3/8 ", 7/16", 1/2 ", 9/16", 5/8 ", 11/16", 3/4 ", 13/16" 14 pcs 3/8 "metric (shallow): 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm 2pcs 3 "extension rods: 1/2" dr, 3/8 "dr; 2 pcs socket adapters: 1/2 "F to 3/8" M, 3/8 "F to 1/2" M
10	SX1D8000	8	1" Metric deep	27, 30, 32, 33, 35, 36, 38, 41mm

# Maintenance

1. After using the sleeve, it should be cleaned in a timely manner and coated with an appropriate amount of lubricating oil to extend the service life of the sleeve.
2. After not using the sleeve for a long time, it should be placed in a dry and ventilated place to avoid rusting and affecting its use.
3. Regularly check the wear and damage of the sleeve, and replace damaged components in a timely manner.

**Address:** Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.

**Imported to AUS:** SIHAO PTY LTD. 1 ROKEVA STREET EASTWOOD NSW 2122 Australia

**Imported to USA:** Sanven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

Made In China



E-CrossStu GmbH  
Mainzer Landstr.69, 60329 Frankfurt am Main.



YH CONSULTING LIMITED.  
C/O YH Consulting Limited Office 147, Centurion House,  
London Road, Staines-upon-Thames, Surrey, TW18 4AX



**VEVOR**<sup>®</sup>  
TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate  
[www.vevor.com/support](http://www.vevor.com/support)