

Technical Support and E-Warranty Certificate www.vevor.com/support

FOLDING PLASTIC CRATE MODEL: X-6275

We continue to be committed to provide you tools with competitive price. "Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us.

You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.



MODEL: X-6275



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

SAFETY INSTRUCTIONS

1. Do not allow children to use, beware of clamping hands !

2. Do not overload.

3. The plastic box should be put gently to avoid damage caused by uneven force when landing.

4. The goods should be placed evenly to avoid the sharp surface directly pressing on the bottom of the case.

5. Throwing the goods in the plastic turnover box from a height is strictly prohibited.

Model	X-6275
Quantity	3 Sets/Box
Color	Black
Volume	65L
Product Size	595*390*315mm
Folded Thickness	55mm
Load Capacity	30kg

MODEL AND PARAMETERS

FOLDING / STORAGE



 $(\ensuremath{\underline{1}})$ Lay it flat and take off the lid.



2 Lift upward



③ Press firmly outward on the bottom edges of both sides of the side panel.





④ Check that the folding box is tightly closed and finished.

NOTE: When folding, please follow the reverse steps above.

MAINTENANCE

1. The boxes should be avoided from sunlight exposure, so as not to cause aging and shorten the service life.

2. Do not overload.

Manufacturer: Shanghaimuxinmuyeyouxiangongsi Address: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN. Imported to AUS: SIHAO PTY LTD, 1 ROKEVA STREETEASTWOOD NSW 2122 Australia Imported to USA: Sanven Technology Ltd., Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH Mainzer Landstr.69, 60329 Frankfurt am Main.

YH CONSULTING LIMITED. C/O YH Consulting Limited Office 147, Centurion House, London Road, Staines-upon-Thames, Surrey, TW18 4AX



Technical Support and E-Warranty Certificate www.vevor.com/support