

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate www.vevor.com/support

Felt Garage Mat

MODEL: GM

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

FELT GARAGE MAT

MODEL:GM



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.



NOTICE: Please retain instructions for future needs.

Flammable: This product will ignite and burn if brought into contact with an open flame.

NO.	Model	Materials	Product Size (ft)	Thickness (mm)	Colour
1	GM-01	POLYESTER FELT+TPE	3*5	2.4	Dark Grey
2	GM-02		4.9*6		
3	GM-03		6.6*8.5		
4	GM-04		7.33*17 (7'4"*17')		
5	GM-05		7.33*20 (7'4"*20')		
6	GM-06		7.5*19 (7'6"*19')		
7	GM-07		8.83*22 (8'10"*22')		

Material introduction



Felt surface



TPE backing

Process Characteristics

- ◆ Garage Mat--Protects garage floor surface clean.
- ◆ Absorbent felt material.
- ◆ Tear Resistant.
- ◆ TPE non-slip backing-Helps to keep the oil mat securely in place and prevents it from moving around.
- ◆ Washable-simply scrub with soap, lay flat to dry, it is best not to machine wash.
- ◆ Easy to cut-You can create the shape that fit your own garage.

EASY TO INSTALL-No tape required

- ◆ Single-side adhesive method

Place the mat in the position.

Fix to the floor with single-sided adhesive (not provide) or double-sided adhesive complete.



Address: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi
Shanghai

Imported to AUS: SIHAO PTY LTD. 1 ROKEVA STREET EASTWOOD
NSW 2122 Australia

Imported to USA: Sanven Technology Ltd. Suite 250, 9166 Anaheim Place,
Rancho Cucamonga, CA 91730

UK	REP
-----------	------------

Pooledas Group Ltd
Unit 5 Albert Edward House, The Pavilions
Preston, United Kingdom

EC	REP
-----------	------------

SHUNSHUN GmbH
Römeräcker 9 Z2021, 76351
Linkenheim-Hochstetten, Germany

Made In China

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate

www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technique Assistance et certificat de garantie électronique

www.vevor.com/support

Tapis de garage en feutre

MODÈLE : GM

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

FELT GARAGE MAT

MODÈLE : GM



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.



AVIS: Veuillez conserver les instructions pour de futures besoins.

Inflammable : Ce produit s'enflammera et brûlera s'il est mis en contact avec une flamme nue.

NO N.	Modèle	Matériaux	Taille du produit (pieds)	Épaisseur (mm)	Couleur
1	GM-01	FEUTRE POLYESTER +TPE	3*5	2.4	Gris foncé
2	GM-02		4,9*6		
3	GM-03		6,6*8,5		
4	GM-04		7,33*17 (7'4"*17')		
5	GM-05		7,33*20 (7'4"* 20')		
6	GM-06		7,5*19(7' 6 "" 19')		
7	GM-07		8,83*22 (8' 10 "" 22')		

Présentation du matériel



Felt surface

TPE backing

Caractéristiques du processus

- ◆ Tapis de garage : protège la surface du sol du garage propre .
- ◆ Matériau en feutre absorbant .
- ◆ Résistant aux déchirures .
- ◆ Envers antidérapant TP E - Aide à maintenir le tapis d'huile bien en place et l'empêche de bouger .
- ◆ Lavable : frottez simplement avec du savon, laissez sécher à plat , il est préférable de ne pas laver en machine .
- ◆ Facile à découper : vous pouvez créer la forme qui correspond à votre propre garage .

FACILE À INSTALLER - Aucun ruban adhésif requis

- ◆ Méthode d'adhésif sur un seul côté

Placez le tapis en position .

Fixer au sol avec Adhésif simple face (non fourni) ou adhésif double face complet .



Adresse : Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi
Shanghai

Importé en Australie : SIHAO PTY LTD . 1 ROKEVA STREETASTWOOD
NSW 2122 Australie

Importé aux États-Unis : Sanven Technology Ltd.Suite 250, 9166
Anaheim Place, Rancho Cucamonga, CA 91730

UK	REP
-----------	------------

Pooledas Group Ltd
Unit 5 Albert Edward House, The Pavilions
Preston, United Kingdom

EC	REP
-----------	------------

SHUNSHUN GmbH
Römeräcker 9 Z2021, 76351
Linkenheim-Hochstetten, Germany

Fabriqué en Chine

VEVOR®

TOUGH TOOLS, HALF PRICE

Technique Assistance et certificat de garantie électronique

www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technisch Support- und E-Garantie-Zertifikat www.vevor.com/support

Garagenmatte aus Filz

MODELL: GM

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

FELT GARAGE MAT

MODELL: GM



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.



BEACHTEN: Bitte bewahren Sie die Anleitung für die Zukunft auf Bedürfnisse.

Entzündlich: Dieses Produkt entzündet sich und brennt, wenn es mit einer offenen Flamme in Berührung kommt.

NEI N.	Model I	Materialien	Produktgröße (Fuß)	Dicke (mm)	Farbe
1	GM-01	POLYESTER FILZ+TPE	3*5	2.4	Dunkelgrau
2	GM-02		4,9*6		
3	GM-03		6,6*8,5		
4	GM-04		7,33*17 (7'4"*17')		
5	GM-05		7,33*20 (7'4"* 20')		
6	GM-06		7,5*19 (7' 6 " 19')		
7	GM-07		8,83*22 (8 ' 10 " 22')		

Materialieführung



Felt surface

TPE backing

Prozessmerkmale

- ◆ Garagenmatte – schützt die Garagenbodenoberfläche sauber .
- ◆ Saugfähiges Filzmaterial .
- ◆ Reißfest .
- ◆ Rutschfeste TP E -Unterseite – Sorgt dafür, dass die Ölmatte sicher an Ort und Stelle bleibt und verhindert, dass sie sich bewegt .
- ◆ Waschbar – einfach mit Seife schrubben, flach zum Trocknen hinlegen , am besten nicht in der Maschine waschen .
- ◆ Einfach zu schneiden – Sie können die Form erstellen, die zu Ihrer eigenen Garage passt .

EINFACH ZU INSTALLIEREN – Kein Klebeband erforderlich

- ◆ Einseitige Klebemethode

Legen Sie die Matte in die Position .

Mit am Boden befestigen einseitig klebend (nicht im Lieferumfang enthalten) oder doppelseitig klebend komplett .



Adresse: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi
Shanghai

Importiert nach AUS: SIHAO PTY LTD . 1 ROKEVA
STREETEASTWOOD NSW 2122 Australien

In die USA importiert: Sanven Technology Ltd. Suite 250, 9166 Anaheim
Place, Rancho Cucamonga, CA 91730

UK	REP
-----------	------------

Pooledas Group Ltd
Unit 5 Albert Edward House, The Pavilions
Preston, United Kingdom

EC	REP
-----------	------------

SHUNSHUN GmbH
Römeräcker 9 Z2021, 76351
Linkenheim-Hochstetten, Germany

In China hergestellt

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technisch Support- und E-Garantiezertifikat

www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Tecnico Supporto e certificato di garanzia elettronica www.vevor.com/support

Tappetino da garage in feltro

MODELLO: G.M

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

FELT GARAGE MAT

MODELLO: G.M



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.



AVVISO: Si prega di conservare le istruzioni per il futuro esigenze.

Infiammabile: questo prodotto si accenderà e brucerà se messo a contatto con una fiamma libera.

NO.	Modello	Materiali	Taglia del prodotto (ft)	Spessore (mm)	Colore
1	GM-01	FELTRO POLIESTERE +TPE	3*5	2.4	Grigio scuro
2	GM-02		4,9*6		
3	GM-03		6,6*8,5		
4	GM-04		7,33*17 (7'4"*17')		
5	GM-05		7,33*20 (7'4"* 20')		
6	GM-06		7,5*19 (7'6"* 19')		
7	GM-07		8,83*22 (8 '10 " * 22 ')		

Introduzione materiale



Felt surface

TPE backing

Caratteristiche del processo

- ◆ Tappetino per garage: protegge la superficie del pavimento del garage in modo pulito .
- ◆ Materiale in feltro assorbente .
- ◆ Resistente allo strappo .
- ◆ Supporto antiscivolo TP E : aiuta a mantenere il tappetino antiolio saldamente in posizione e ne impedisce lo spostamento .
- ◆ Lavabile : basta strofinare con sapone, stenderlo ad asciugare , è meglio non lavare in lavatrice .
- ◆ Facile da tagliare : puoi creare la forma adatta al tuo garage .

FACILE DA INSTALLARE: non è richiesto alcun nastro

- ◆ Metodo adesivo su un solo lato
Posizionare il tappetino nella posizione .
Fissare al pavimento con adesivo monoadesivo (non fornito) o adesivo biadesivo completo .



Indirizzo: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi
Shanghai

Importato in AUS: SIHAO PTY LTD . 1 ROKEVA STREETEASTWOOD
NSW 2122 Australia

Importato negli Stati Uniti: Sanven Technology Ltd.Suite 250, 9166
Anaheim Place, Rancho Cucamonga, CA 91730

UK	REP
-----------	------------

Pooledas Group Ltd
Unit 5 Albert Edward House, The Pavilions
Preston, United Kingdom

EC	REP
-----------	------------

SHUNSHUN GmbH
Römeräcker 9 Z2021, 76351
Linkenheim-Hochstetten, Germany

Made in China

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Tecnico Supporto e certificato di garanzia elettronica

www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Técnico Soporte y certificado de garantía electrónica www.vevor.com/support

Estera de fieltro para garaje

MODELO: GM

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

FELT GARAGE MAT

MODELO: GM



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.



AVISO: Conserve las instrucciones para futuras necesidades.

Inflamable: Este producto se encenderá y arderá si entra en contacto con una llama abierta.

NO.	Modelo	Materiales	Tamaño del producto (pies)	Espesor (mm)	Color
1	GM-01	FILTRO DE POLIÉSTER+ TPE	3*5	2.4	Gris oscuro
2	GM-02		4,9*6		
3	GM-03		6,6*8,5		
4	GM-04		7,33*17 (7'4"*17')		
5	GM-05		7.33*20 (7'4"*20')		
6	GM-06		7,5*19 (7' 6 "" 19')		
7	GM-07		8,83*22 (8 ' 10 "" 22')		

Introducción de materiales



Felt surface

TPE backing

Características del proceso

- ◆ Tapete para garaje: protege la superficie del piso del garaje y la limpia .
- ◆ Material de fieltro absorbente .
- ◆ Resistente al desgarro .
- ◆ Respaldo antideslizante TP E : ayuda a mantener la estera de aceite en su lugar de forma segura y evita que se mueva .
- ◆ Lavable : simplemente frote con jabón, déjelo secar en posición horizontal , es mejor no lavar a máquina .
- ◆ Fácil de cortar : puede crear la forma que se adapte a su propio garaje .

FÁCIL DE INSTALAR: no requiere cinta

- ◆ Método adhesivo de una sola cara

Coloque el tapete en la posición .

Fijar al suelo con Adhesivo de una cara (no incluido) o adhesivo de doble cara completo .



Dirección: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi
Shanghai

Importado a AUS: SIHAO PTY LTD . 1 ROKEVA STREETASTWOOD
NSW 2122 Australia

Importado a EE. UU.: Sanven Technology Ltd.Suite 250, 9166 Anaheim
Place, Rancho Cucamonga, CA 91730

UK	REP
-----------	------------

Pooledas Group Ltd
Unit 5 Albert Edward House, The Pavilions
Preston, United Kingdom

EC	REP
-----------	------------

SHUNSHUN GmbH
Römeräcker 9 Z2021, 76351
Linkenheim-Hochstetten, Germany

Hecho en china

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Técnico Certificado de soporte y garantía electrónica

www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Techniczny Certyfikat wsparcia i e-gwarancji www.vevor.com/support

Filcowa mata garażowa

MODELKA: GM

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

FELT GARAGE MAT

MODELKA: GM



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.



OGŁOSZENIE: Prosimy zachować instrukcje na przyszłość

wymagania.

Produkt łatwopalny: Ten produkt zapali się i spali w przypadku kontaktu z otwartym płomieniem.

NIE	Model	Materiały	Rozmiar produktu (stopy)	Grubość (mm)	Kolor
1	GM-01	FILC POLIESTRO WY+TPE	3*5	2.4	Ciemno szary
2	GM-02		4,9*6		
3	GM-03		6,6*8,5		
4	GM-04		7,33*17 (7'4"*17')		
5	GM-05		7,33*20 (7'4"* 20')		
6	GM-06		7,5*19 (7' 6 "" 19')		
7	GM-07		8,83*22 (8 ' 10 "" 22')		

Wprowadzenie materiału



Felt surface



TPE backing

Charakterystyka procesu

- ◆ Mata garażowa – chroni podłogę garażu w czystości .
- ◆ Chłonny materiał filcowy .
- ◆ Odporny na rozdarcie .
- ◆ Antypoślizgowy spód TP E – pomaga utrzymać matę olejową na miejscu i zapobiega jej przemieszczaniu się .
- ◆ Można prać - wystarczy wyszorować mydłem, rozłożyć na płasko do wyschnięcia , najlepiej nie prać w pralce .
- ◆ Łatwe do cięcia – możesz stworzyć kształt pasujący do Twojego garażu .

ŁATWY W INSTALACJI – Nie wymaga taśmy

- ◆ Metoda klejenia jednostronnego

Umieść matę w pozycji .

Przymocuj do podłogi za pomocą Klej jednostronny (nie zapewniamy) lub Klej dwustronny kompletny .



Adres: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi
Szanghaj

Import do AUS: SIHAO PTY LTD . 1 ROKEVA STREETEASTWOOD
NSW 2122 Australia

Import do USA: Sanven Technology Ltd.Suite 250, 9166 Anaheim Place,
Rancho Cucamonga, CA 91730

UK	REP
-----------	------------

Pooledas Group Ltd
Unit 5 Albert Edward House, The Pavilions
Preston, United Kingdom

EC	REP
-----------	------------

SHUNSHUN GmbH
Römeräcker 9 Z2021, 76351
Linkenheim-Hochstetten, Germany

Wyprodukowano w Chinach

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Techniczny Certyfikat wsparcia i e-gwarancji

www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technisch Ondersteuning en e-garantiecertificaat www.vevor.com/support

Vilten garagemat

MODEL: GM

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

FELT GARAGE MAT

MODEL: GM



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.



KENNISGEVING: Bewaar de instructies voor de toekomst behoeften.

Ontvlambaar: Dit product zal ontbranden en verbranden als het in contact komt met open vuur.

NE E.	Model	Materialen	Product grootte (ft)	Dikte (mm)	Kleur
1	GM-01	POLYESTER VILT+TPE	3*5	2.4	Donker grijs
2	GM-02		4,9*6		
3	GM-03		6,6*8,5		
4	GM-04		7,33*17 (7'4"*17')		
5	GM-05		7,33*20 (7'4"* 20 ')		
6	GM-06		7,5*19 (7' 6 "" 19 ')		
7	GM-07		8,83*22 (8 ' 10 "" 22 ')		

Materiaal introductie



Felt surface

TPE backing

Proceskenmerken

- ◆ Garagemat - Beschermt het oppervlak van de garagevloer schoon .
- ◆ Absorberend viltmateriaal .
- ◆ Scheurbestendig .
- ◆ Antisliplaag van TP E -Houdt de oliemat veilig op zijn plaats en voorkomt dat deze beweegt .
- ◆ Wasbaar - eenvoudig met zeep schrobben, plat laten drogen , het beste niet in de machine wassen .
- ◆ Gemakkelijk te snijden - U kunt de vorm creëren die bij uw eigen garage past .

EENVOUDIG TE INSTALLEREN-Geen tape nodig

- ◆ Enkelzijdige lijm methode

Plaats de mat in de positie .

Bevestig aan de vloer met enkelzijdig klevend (niet meegeleverd) of dubbelzijdig klevend compleet .



Adres: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi
Shanghai

Geïmporteerd naar AUS: SIHAO PTY LTD . 1 ROKEVA
STREETEASTWOOD NSW 2122 Australië

Geïmporteerd naar de VS: Sanven Technology Ltd.Suite 250, 9166
Anaheim Place, Rancho Cucamonga, CA 91730

UK	REP
-----------	------------

Pooledas Group Ltd
Unit 5 Albert Edward House, The Pavilions
Preston, United Kingdom

EC	REP
-----------	------------

SHUNSHUN GmbH
Römeräcker 9 Z2021, 76351
Linkenheim-Hochstetten, Germany

Gemaakt in China

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technisch Ondersteuning en e-garantiecertificaat

www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Teknisk Support och e-garanticertifikat www.vevor.com/support

Filt garagematta

MODELL: GM

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

FELT GARAGE MAT

MODELL: GM



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.



LÄGGA MÄRKE TILL: Spara instruktionerna för framtiden

behov.

Brandfarligt: Denna produkt kommer att antändas och brinna om den kommer i kontakt med öppen låga.

NE J.	Model I	Material	Produktstorlek (ft)	Tjocklek (mm)	Färg
1	GM-01	POLYESTER FILT+TPE	3*5	2.4	Mörkgrå
2	GM-02		4,9*6		
3	GM-03		6,6*8,5		
4	GM-04		7,33*17 (7'4"*17')		
5	GM-05		7,33*20 (7'4"* 20')		
6	GM-06		7,5*19 (7'6"* 19')		
7	GM-07		8,83*22 (8 '10"*22')		

Materialintroduktion



Processegenskaper

- ◆ Garagematta - Skyddar garagegolvet yta ren .
- ◆ Absorberande filtmaterial .
- ◆ Rivtålig .
- ◆ TP E halkfri baksida - hjälper till att hålla oljemattan säkert på plats och förhindrar att den rör sig .
- ◆ Tvättbart - skrubba helt enkelt med tvål, lägg plant att torka, det är bäst att inte tvätta i maskin .
- ◆ Lätt att skära - Du kan skapa formen som passar ditt eget garage .

LÄTT ATT INSTALLERA - Inget band krävs

- ◆ Enkelsidig limmetod

Placera mattan på plats .

Fäst i golvet med enkelsidigt klister (inte tillhandahåller) eller dubbelsidigt klister komplett .



Address: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi
Shanghai

Importerad till AUS: SIHAO PTY LTD . 1 ROKEVA STREETEASTWOOD
NSW 2122 Australien

Importerad till USA: Sanven Technology Ltd.Suite 250, 9166 Anaheim
Place, Rancho Cucamonga, CA 91730

UK	REP
-----------	------------

Pooledas Group Ltd
Unit 5 Albert Edward House, The Pavilions
Preston, United Kingdom

EC	REP
-----------	------------

SHUNSHUN GmbH
Römeräcker 9 Z2021, 76351
Linkenheim-Hochstetten, Germany

Tillverkad i Kina

VEVOR®

TOUGH TOOLS, HALF PRICE

Teknisk Support och e-garanticertifikat

www.vevor.com/support