

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate www.vevor.com/support

HIGH PRESSURE AIRLESS SPRAYER ACCESSORIES USER MANUAL

MODEL:TAPJ818

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR[®]
TOUGH TOOLS, HALF PRICE

**HIGH PRESSURE
AIRLESS SPRAYER**



TAPJ818

Note: The actual product you receive determines its look.






NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

Important safety instructions

	Warning - To reduce the risk of injury, the user must read the instructions manual carefully.
	Warning- Be sure to wear ear protectors when using this product.
	Warning- Be sure to wear eye protectors when using this product.
	Warning- Be sure to wear dust masks when using this product.
	Warning- Be sure to wear gloves when using this product.

WARNING!


1. Maximum working nozzle: $\leq 0.31\text{in}/0.79\text{mm}$.
2. Maximum unloading pressure flow of machine $\leq 8\text{L}/\text{min}$.
3. Maximum spraying flow of machine $\leq 4\text{L}/\text{min}$.
4. The filter of the spray gun must be cleaned every day.
5. It is strictly prohibited to use on large models (Gh833 Hc970 and so on).
6. Use on putty machine is strictly prohibited.

2. Product Introduce

This product is a high pressure airless sprayer machine accessory, mainly including spray gun, extension rod, high pressure pipe, and nozzle.

3.Product Structure

Accessories name



4. Parameter

Items	Model	TAPJ818
1	Maximum gun pressure(psi)	3600
2	Import and export thread specification	1/4" 、 7/8"
3	Hose maximum pressure(psi)	3600
4	Hose length(m)	15
5	Nozzle type	517
6	Extension rod length(mm)	300

Manufacturer: Shanghaimuxinmuyeyouxiangongsi

Address: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.

Imported to AUS: SIHAO PTY LTD, 1 ROKEVA STREETEASTWOOD NSW 2122 Australia

Imported to USA: Sanven Technology Ltd., Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr.69, 60329 Frankfurt am Main.



YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147, Centurion House,
London Road, Staines-upon-Thames, Surrey, TW18 4AX

VEVOR[®]
TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate
www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technique Certificat d'assistance et de garantie électronique

www.vevor.com/support

PULVÉRISATEUR SANS AIR HAUTE PRESSION ACCESSOIRES MANUEL D'UTILISATION

MODÈLE : TAPJ818

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR[®]

TOUGH TOOLS, HALF PRICE

**HIGH PRESSURE
AIRLESS SPRAYER**



TAPJ818

Remarque : le produit réel que vous recevez détermine son apparence.






NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

Consignes de sécurité importantes

	Avertissement - Pour réduire le risque de blessure, l'utilisateur doit lire attentivement le manuel d'instructions.
	Avertissement – Assurez-vous de porter des protections auditives lorsque vous utilisez ce produit.
	Avertissement – Assurez-vous de porter des lunettes de protection lorsque vous utilisez ce produit.
	Avertissement – Assurez-vous de porter des masques anti-poussière lorsque vous utilisez ce produit.
	Avertissement – Assurez-vous de porter des gants lorsque vous utilisez ce produit.

AVERTISSEMENT!


7. Buse de travail maximale : $\leq 0,31 \text{ po}/0,79 \text{ mm}$.
8. Débit de pression de déchargement maximal de la machine $\leq 8 \text{ L/min}$.
9. Débit de pulvérisation maximal de la machine $\leq 4 \text{ L/min}$.
10. Le filtre du pistolet pulvérisateur doit être nettoyé tous les jours.
11. C'est strictement interdit d'utilisation sur les grands modèles (Gh833 Hc970 et ainsi de suite) .
12. L'utilisation sur une machine à mastic est strictement interdite .

2. Présentation du produit

Ce produit est un pulvérisateur airless haute pression accessoire de machine , comprenant principalement un pistolet pulvérisateur, une tige d'extension, un tuyau haute pression et une buse .

3. Structure du produit

Nom des accessoires



5. Paramètre

Articles	Modèle	TAPJ818
1	Pression maximale du pistolet (psi)	3600
2	Spécifications de thread d'importation et d'exportation	1/4" , 7/8"
3	Pression maximale du tuyau (psi)	3600
4	Longueur du tuyau (m)	15
5	Type de buse	517
6	Longueur de la tige d'extension (mm)	300

Fabricant : Shanghaimuxinmuyeyouxiangongsi

Adresse : Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, Shanghai 200000 CN.

Importé en Australie : SIHAO PTY LTD, 1 ROKEVA STREET, ASTWOOD NSW 2122 Australie

Importé aux États-Unis : Sanven Technology Ltd., Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr.69, 60329 Frankfurt am Main.



YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147, Centurion House,
London Road, Staines-upon-Thames, Surrey, TW18 4AX

VEVOR[®]
TOUGH TOOLS, HALF PRICE

Technique Certificat d'assistance et de garantie électronique
www.vevor.com/support

VEVOR®

TOUGH TOOLS, HALF PRICE

Technisch Support und E-Garantie-Zertifikat www.vevor.com/support

- HOCHDRUCKSPRITZGERÄT ZUBEHÖR BENUTZERHANDBUCH MODELL:TAPJ818

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR[®]
TOUGH TOOLS, HALF PRICE

**HIGH PRESSURE
AIRLESS SPRAYER**



TAPJ818

Hinweis: Das tatsächliche Produkt, das Sie erhalten, bestimmt sein Aussehen.






NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

Wichtige Sicherheitshinweise

	Achtung – Um das Verletzungsrisiko zu verringern, muss der Benutzer die Bedienungsanleitung sorgfältig lesen .
	Warnung: Tragen Sie bei der Verwendung dieses Produkts unbedingt einen Gehörschutz.
	Warnung: Tragen Sie bei der Verwendung dieses Produkts unbedingt einen Augenschutz.
	Warnung: Tragen Sie bei der Verwendung dieses Produkts unbedingt eine Staubmaske.
	Achtung: Tragen Sie bei der Verwendung dieses Produkts unbedingt Handschuhe.

WARNUNG!


13. Maximale Arbeitsdüse: $\leq 0,31$ Zoll/ $0,79$ mm .
14. Maximaler Entladedruckfluss der Maschine ≤ 8 l/min .
15. Maximaler Sprühfluss der Maschine ≤ 4 l/min .
16. Der Filter der Spritzpistole muss gereinigt werden alle Tag.
17. Es ist streng Die Verwendung bei großen Modellen (GH833, HC970 usw.) ist verboten .
18. Die Verwendung auf Spachtelmaschinen ist strengstens untersagt .

2. Produkteinführung

Bei diesem Produkt handelt es sich um ein Airless-Hochdruckspritzgerät Maschinenzubehör , hauptsächlich bestehend aus Spritzpistole, Verlängerungsstange , Hochdruckrohr und Düse .

3.Produktstruktur

Zubehörname



6. Parameter

Artikel	Modell	TAPJ818
1	Maximaler Pistolendruck (psi)	3600
2	Threadspezifikation importieren und exportieren	1/4" , 7/8"
3	Maximaler Schlauchdruck (psi)	3600
4	Schlauchlänge (m)	15
5	Düsentyp	517
6	Länge der Verlängerungsstange (mm)	300

Hersteller: Shanghaimuxinmuyeyouxiangongsi

Adresse: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, Shanghai 200000 CN.

Nach AUS importiert: SIHAO PTY LTD, 1 ROKEVA
STREETEASTWOOD NSW 2122 Australien

Importiert in die USA: Sanven Technology Ltd., Suite 250, 9166 Anaheim
Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr.69, 60329 Frankfurt am Main.



YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147, Centurion House,
London Road, Staines-upon-Thames, Surrey, TW18 4AX

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technisch Support und E-Garantie-Zertifikat

www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Tecnico Supporto e certificato di garanzia elettronica www.vevor.com/support

SPRUZZATORE AIRLESS AD ALTA PRESSIONE ACCESSORI MANUALE

D'USO

MODELLO:TAPJ818

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR[®]
TOUGH TOOLS, HALF PRICE

**HIGH PRESSURE
AIRLESS SPRAYER**



TAPJ818

Nota: l'aspetto del prodotto che riceverai ne determina l'aspetto.






NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

Importanti istruzioni di sicurezza

	Attenzione - Per ridurre il rischio di lesioni, l'utente deve leggere attentamente il manuale di istruzioni.
	Attenzione: assicurarsi di indossare protezioni acustiche quando si utilizza questo prodotto.
	Attenzione: assicurarsi di indossare protezioni per gli occhi quando si utilizza questo prodotto.
	Attenzione: assicurarsi di indossare maschere antipolvere quando si utilizza questo prodotto.
	Attenzione: assicurarsi di indossare guanti quando si utilizza questo prodotto.

AVVERTIMENTO!


19. Ugello di lavoro massimo: $\leq 0,31$ pollici/ $0,79$ mm .
20. Portata massima della pressione di scarico della macchina ≤ 8 L/min .
21. Portata massima di spruzzatura della macchina ≤ 4 L/min .
22. Il filtro della pistola a spruzzo deve essere pulito ogni giorno.
23. È strettamente vietato l'uso su modelli di grandi dimensioni (Gh833 Hc970 e così via) .
24. È severamente vietato l'uso su macchine per stucco .

2. Presentazione del prodotto

Questo prodotto è uno spruzzatore airless ad alta pressione accessori della macchina , tra cui principalmente pistola a spruzzo, prolunga, tubo ad alta pressione e ugello .

3.Struttura del prodotto

Nome degli accessori



7. Parametro

Elementi	Modello	TAPJ818
1	Pressione massima della pistola (psi)	3600
2	Specifica del thread di importazione ed esportazione	1/4" 、 7/8"
3	Pressione massima del tubo (psi)	3600
4	Lunghezza del tubo (m)	15
5	Tipo di ugello	517
6	Lunghezza asta di prolunga (mm)	300

Produttore: Shanghaimuxinmuyeyouxiangongsi

Indirizzo: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.

Importato in AUS: SIHAO PTY LTD, 1 ROKEVA STREETEASTWOOD NSW 2122 Australia

Importato negli USA: Sanven Technology Ltd., Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr.69, 60329 Frankfurt am Main.



YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147, Centurion House,
London Road, Staines-upon-Thames, Surrey, TW18 4AX

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Tecnico Supporto e certificato di garanzia elettronica

www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Técnico Soporte y certificado de garantía electrónica www.vevor.com/support

**PULVERIZADOR AIRLESS DE ALTA
PRESIÓN ACCESORIOS MANUAL DE
USUARIO
MODELO:TAPJ818**

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

**HIGH PRESSURE
AIRLESS SPRAYER**



TAPJ818

Nota: El producto real que usted recibe determina su apariencia.






NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

Instrucciones de seguridad importantes

	Advertencia - Para reducir el riesgo de lesiones, el usuario debe leer atentamente el manual de instrucciones.
	Advertencia: Asegúrese de usar protectores auditivos cuando utilice este producto.
	Advertencia: Asegúrese de usar protectores para los ojos cuando utilice este producto.
	Advertencia: Asegúrese de usar máscaras contra el polvo cuando utilice este producto.
	Advertencia: Asegúrese de usar guantes al utilizar este producto.

¡ADVERTENCIA!


25. Boquilla de trabajo máxima: $\leq 0,31$ pulgadas/ $0,79$ mm .
26. Caudal máximo de presión de descarga de la máquina ≤ 8 L/min .
27. Caudal máximo de pulverización de la máquina ≤ 4 L/min .
28. El filtro de la pistola pulverizadora debe limpiarse cada día.
29. Es estrictamente Prohibido su uso en modelos grandes (Gh833 Hc970, etc.) .
30. Su uso en máquinas de masilla está estrictamente prohibido .

2. Presentación del producto

Este producto es un pulverizador sin aire de alta presión. Accesorio de máquina , que incluye principalmente pistola pulverizadora, varilla de extensión, tubo de alta presión y boquilla .

3. Estructura del producto

Nombre de los accesorios



8. Parámetro

Elementos	Modelo	TAPJ818
1	Presión máxima de la pistola (psi)	3600
2	Importar y exportar especificaciones de subprocesos	1/4" 、 7/8"
3	Presión máxima de la manguera (psi)	3600
4	Longitud de la manguera (m)	15
5	Tipo de boquilla	517
6	Longitud de la varilla de extensión (mm)	300

Fabricante: Shanghai muxinmuyeyouxiangongsi

Dirección: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.

Importado a AUS: SIHAO PTY LTD, 1 ROKEVA STREET EASTWOOD NSW 2122 Australia

Importado a EE. UU.: Sanven Technology Ltd., Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

EC	RE
----	----

E-CrossStu GmbH
Mainzer Landstr.69, 60329 Frankfurt am Main.

UK	RE
----	----

YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147, Centurion House,
London Road, Staines-upon-Thames, Surrey. TW18 4AX

VEVOR[®]
TOUGH TOOLS, HALF PRICE

Técnico Certificado de soporte y garantía electrónica
www.vevor.com/support

VEVOR®

TOUGH TOOLS, HALF PRICE

Teknisk Support och e-garanticertifikat www.vevor.com/support

HÖGTRYCKS LUFTLÖS SPRUTA TILLBEHÖR ANVÄNDARMANUAL MODELL:TAPJ818

We continue to be committed to provide you tools with competitive price. "Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR[®]
TOUGH TOOLS, HALF PRICE

**HIGH PRESSURE
AIRLESS SPRAYER**



TAPJ818

Obs: Den faktiska produkten du får avgör dess utseende.






NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

Viktiga säkerhetsinstruktioner

	Varning - För att minska risken för skada måste användaren läsa bruksanvisningen noggrant .
	Varning- Var noga med att bära hörselskydd när du använder denna produkt.
	Varning- Var noga med att bära ögonskydd när du använder denna produkt.
	Varning- Var noga med att bära dammmasker när du använder denna produkt.
	Varning- Var noga med att bära handskar när du använder denna produkt.

VARNING!


31. Maximalt arbetsmunstycke: $\leq 0,31 \text{ in} / 0,79 \text{ mm}$.
32. Maximalt avlastningstryckflöde för maskinen $\leq 8 \text{ L/min}$.
33. Maximalt sprutflöde för maskinen $\leq 4 \text{ L/min}$.
34. Spraypistolens filter måste rengöras varje dag.
35. Jag är strikt förbjudet att använda på stora modeller (Gh833 Hc970 och så vidare) .
36. Användning på kittmaskin är strängt förbjuden .

2. Produktintroducera

Denna produkt är en högtrycksspruta maskintillbehör , huvudsakligen inklusive sprutpistol, förlängningsstång , högtrycksrör och munstycke .

3. Produktstruktur

Namn på tillbehör



9. Parameter

Föremål	Modell	TAPJ818
1	Maximalt pistoltryck (psi)	3600
2	Importera och exportera trådspecifikation	1/4" , 7/8"
3	Slangens maximala tryck (psi)	3600
4	Slanglängd (m)	15
5	Typ av munstycke	517
6	Förlängningsstavens längd (mm)	300

Tillverkare: Shanghaimuxinmuyeyouxiangongsi

Adress: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.

Importerad till AUS: SIHAO PTY LTD, 1 ROKEVA STREETEASTWOOD NSW 2122 Australien

Importerad till USA: Sanven Technology Ltd., Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr.69, 60329 Frankfurt am Main.



YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147, Centurion House,
London Road, Staines-upon-Thames, Surrey, TW18 4AX

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Teknisk Support och e-garanticertifikat

www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Techniczny Wsparcie i certyfikat gwarancji elektronicznej www.vevor.com/support

**NATRYSK BEZPOWIETRZNY
WYSOKOCIŚNIENIOWY INSTRUKCJA
OBSŁUGI AKCESORIÓW
MODEL:TAPJ818**

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

**HIGH PRESSURE
AIRLESS SPRAYER**



TAPJ818

Uwaga: Wygląd produktu, który otrzymasz, ma wpływ na jego faktyczny wygląd.






NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

Ważne instrukcje bezpieczeństwa

	Ostrzeżenie - Aby zminimalizować ryzyko obrażeń, użytkownik powinien uważnie przeczytać instrukcję obsługi.
	Ostrzeżenie: Podczas stosowania tego produktu należy używać ochronników słuchu.
	Ostrzeżenie: Podczas stosowania tego produktu należy nosić okulary ochronne.
	Ostrzeżenie: Podczas stosowania tego produktu należy nosić maskę przeciwpyłową.
	Ostrzeżenie: Podczas stosowania tego produktu należy nosić rękawiczki.

OSTRZEŻENIE!


37. Maksymalna średnica dyszy roboczej: $\leq 0,31$ cala/0,79 mm .
38. Maksymalny przepływ ciśnienia rozładowczego maszyny ≤ 8 l/min .
39. Maksymalny przepływ natrysku maszyny ≤ 4 l/min .
40. Filtr pistoletu natryskowego należy czyścić co dzień.
41. To jest ściśle zabronione do stosowania w dużych modelach (Gh833, Hc970 itd.) .
42. Stosowanie na maszynie szpachlowej jest surowo zabronione .

2. Wprowadzenie produktu

Ten produkt to bezpowietrzny opryskiwacz wysokociśnieniowy akcesoria do maszyn , obejmujące głównie pistolet natryskowy, pręt przedłużający, rurę wysokociśnieniową i dyszę .

3.Struktura produktu

Nazwa akcesoriów



10. Parametr

Rzeczy	Model	TAPJ818
1	Maksymalne ciśnienie pistoletu (psi)	3600
2	Importowanie i eksportowanie specyfikacji gwintu	1/4" , 7/8"
3	Maksymalne ciśnienie węża (psi)	3600
4	Długość węża (m)	15
5	Typ dyszy	517
6	Długość pręta przedłużającego (mm)	300

Producent: Shanghaimuxinmuyeyouxiangongsi

Adres: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, szanghaj 200000 CN.

Importowane do AUS: SIHAO PTY LTD, 1 ROKEVA
STREETEASTWOOD NSW 2122 Australia

Importowane do USA: Sanven Technology Ltd., Suite 250, 9166 Anaheim
Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr.69, 60329 Frankfurt am Main.



YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147, Centurion House,
London Road, Staines-upon-Thames, Surrey, TW18 4AX

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Techniczny Wsparcie i certyfikat e-gwarancji

www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technisch Ondersteuning en E-garantiecertificaat www.vevor.com/support

HOGЕ DRUK AIRLESS SPROEIER

ACCESSOIRES

GEBRUIKERSHANDLEIDING

MODEL:TAPJ818

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

**HIGH PRESSURE
AIRLESS SPRAYER**



TAPJ818

Let op: het uiterlijk van het product is afhankelijk van het daadwerkelijke product dat u ontvangt.






NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

Belangrijke veiligheidsinstructies

	Waarschuwing - Om het risico op letsel te verkleinen, moet de gebruiker de gebruiksaanwijzing zorgvuldig lezen.
	Waarschuwing: draag altijd gehoorbescherming wanneer u dit product gebruikt.
	Waarschuwing: draag altijd een oogbescherming wanneer u dit product gebruikt.
	Waarschuwing: draag altijd een stofmasker wanneer u dit product gebruikt.
	Waarschuwing: Draag handschoenen wanneer u dit product gebruikt.

WAARSCHUWING!


43. Maximale werksproeier: $\leq 0,31$ inch/ $0,79$ mm .
44. Maximale ontlaadstroom van de machine ≤ 8 L/min .
45. Maximale spuitstroom van de machine ≤ 4 L/min .
46. Het filter van het spuitpistool moet elke 24 uur worden schoongemaakt. dag.
47. Het is strikt Niet toegestaan op grote modellen (Gh833 Hc970 enzovoort) .
48. Gebruik op een plamuurmachine is ten strengste verboden .

2. Productintroductie

Dit product is een hogedruk airless spuitmachine machine- accessoire , voornamelijk bestaande uit spuitpistool, verlengstang, hogedrukleiding en spuitmond .

3.Productstructuur

Naam accessoires



11. Parameter

Artikelen	Model	TAPJ818
1	Maximale pistooldruk (psi)	3600
2	Specificatie voor import- en exportthreads	1/4" 、 7/8"
3	Maximale slangdruk (psi)	3600
4	Slanglengte (m)	15
5	Type sproeier	517
6	Verlengstanglengte (mm)	300

Fabrikant: Shanghaimuxinmuyeyouxiangongsi

Adres: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.

Geïmporteerd naar AUS: SIHAO PTY LTD, 1 ROKEVA
STREETEASTWOOD NSW 2122 Australië

Geïmporteerd naar de VS: Sanven Technology Ltd., Suite 250, 9166
Anaheim Place, Rancho Cucamonga, CA 91730

EC**RE**

E-CrossStu GmbH

Mainzer Landstr.69, 60329 Frankfurt am Main.

UK**RE**

YH CONSULTING LIMITED.

C/O YH Consulting Limited Office 147, Centurion House,
London Road, Staines-upon-Thames, Surrey, TW18 4AX

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technisch Ondersteuning en E-garantiecertificaat

www.vevor.com/support