VEVOR®

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate www.vevor.com/support

RECHARGEABLE NAIL DRILL

MODEL: SN358S

We continue to be committed to provide you tools with competitive price.
"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®
TOUGH TOOLS, HALF PRICE

RECHARGEABLE NAIL DRILL

MODEL: SN358S



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

	**Warning-**To reduce the risk of injury, user must read instructions manual carefully.
	**CORRECT DISPOSAL** This product is subject to the provision of European Directive 2012/19/EC. The symbol showing a wheelie bin crossed through indicates that the product requires separate refuse collection in the European Union. This applies to the product and all accessories marked with this symbol. Products marked as such may not be discarded with normal domestic waste, but must be taken to a collection point for recycling electrical and electronic devices
	To minimize hazards to health and the environment at the end of this product's life， laws dealing with Waste Electrical and Electronic Equipment（WEEE）and The Waste Battery Directive require you to dispose of this product at a suitable collection facility where it will be sent in order to remove the batteries and for appropriate recycling.Please contact your local authorities for more details on recycling and safe disposal of these in your area.
	Compliance is a EC & UK security certification.
 **WRRING**	Move away from any potential source of ignition immediately if the battery leaks or emits an unusual odor. When you notice unusual smell, heat, discoloration, deformation, or any other unusual situations in the process of using, charging, or storing batteries, you should immediately remove them from the device or charger and stop using them.

FCC INFORMATION

CAUTION: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment!

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

1) This product may cause harmful interference.

2)This product must accept any interference received, including interference that may cause undesired operation.

WARNING: Changes or modifications to this product not expressly approved by the party.responsible for compliance could void the user's authority to operate the product.

Note: This product has been tested and found to comply with the limits for a Class B digital device pursuant to Part 15 of the FCC Rules, These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This product generates, uses and can radiate radio frequency energy, and if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this product does cause harmful interference to radio or television reception,which can be determined by turning the product off and on, the user is encouraged to try to correct the interference by one or more of the following measures.

· Reorient or relocate the receiving antenna.

· Increase the distance between the product and receiver.

· Connect the product to an outlet on a circuit different from that to which the receiver is connected.

· Consult the dealer or an experienced radio/TV technician for assistance.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

IMPORTANT SAFEGUARDS

Thank you for using this product. In order to make sure that you can operate the machine correctly, read this instruction carefully before operation and keep it properly for future reference. Please be sure to read the precautions and safety rules on this page to ensure your safe use.

This manual will outline safety warnings and precautions, operating, maintenance and cleaning. The warnings and instructions reviewed in this manual cannot cover all possible conditions and situations that may occur. Caution and common sense are not built into this product, since we believe that the uses will comply with these codes. If you have any problems, please call us. Do not try to fix the problems yourself, or it will cause injury or property damage.

Please read ALL the instructions before using your machine.

1. If the battery is low, please charge it in time.
2. Do not let children, minors, and pets get close to or touch the machine.
3. Do not immerse the appliance in water or any other liquid.
4. Do not disassemble the product.
5. Using any accessories or attachments that are not provided or recommended by the manufacturer may cause injury.
6. Please start to use after the collect is fixed well.
7. Do not leave the product hanging over the edge of table or counter or let it come into contact with any hot surfaces.
8. Do not place the product on or near hot air, electric burners or heaters.
9. Do not apply this unit to any other purposes than the indicated usage.
10. KEEP IT OUT OF CHILDREN'S REACH.
11. DO NOT CLEAN IT WITH ANY ABRASIVE MATERIAL.
12. Please clean it regularly, at least once a month.
13.This appliance is not intended for use by persons (including children) with educed physical, sensory or mental capabilities, or lack of experience or knowledge, unless they have been given supervision or instruction concerning the use of the appliance by a person responsible for their safe.
14. When twist the lock chuck in using, the power of the main motor will stop immediately to protect the machine. (The motor is easy to be damaged and the life

of the motor will be reduced in this way,so please be cautious in operation).
15. If the nail drill machine is re-started, the speed control dial need to be adjusted to the speed "0", and the power supply will be restarted.
16. Please start to use after the collect is fixed well.
17. Please stop the machine once any abnormal movement/noise is noticed during operation.
18. Please adjust the speed gradually,not abruptly.
19. Please do not touch any rotating part when the machine is working.
20. Please stop the machine at first to change the direction.
21. Please do not place a cloth or anything else on the ventilation slides of the controller,and keep the dust away from it.
22. Please keep the plug out from the power supply after stop the machine.

TIPS

1. Product can go into service after 4 hours of charging. (When used for the first time.)
2. This device is equipped with a security protection system. Hand piece will stop working when the overload protection function is started to avoid overheat due to improper operation. Just turn off the power and restart the machine for continuous use.
3. The slight burning smell from the handle motor is normal due to the heat dissipation.
4. When replacing the grinding head of the grinding handle, clean the dust around the socket before replacing it.
Prevent dust from entering the handle and causing noise.
5. The internal parts of the handle are relatively precise, so be sure to handle them with care to avoid bumps.
6. If you need to use it with water during pre-processing, the water should not exceed the grinding head to avoid the height of the grinding rod.At high speed, water flows back into the handle, causing parts to rust. Correct operation can greatly extend the grinding time
The service life of the machine!
7. Please cut off the power before replacing the grinding head, and be sure to

insert the grinding head into the bottom of the chuck. If you do not insert the grinding head into the bottom of the chuck, the grinding head may easily fall off due to vibration, which will bring risks.
8. Standard grinding heads should be used, and bent, deformed, or broken grinding heads must not be used.
9. In working condition, when the handle is not in use, the grinding head should remain clamped.

BEFORE USING

1. Before using the appliance for the first time, peel off any promotional and packaging materials and check that the product is clean and dust-free.
2. Please dispose of all plastic bags carefully and keep them away from children and pets.
3. Check all components provided according to the list in this manual.

PRODUCT PARAMETERS

Model	**SN358S**
Power adapter In put	AC100-240V 50/60Hz
Power adapter Out Put	DC12V 2A
Rotating speed	0-35000RPM

Note: Please use the correct power source voltage.

COMPOSITIONS


① Digital Display Screen
② Three Core Socket (Avoid bad contact with the DC plug)
③ Speed Control Button ④ Host and Forward/Reverse Button
⑤ Hand piece Holder ⑥ Power Supply Socket

⑦ Belt Clip
⑧ Acetone Resistant Finish Control Box
⑨Test Bar Bit
⑩ Handle Sleeve
⑪ Lock Chuck
⑫ Hand piece Base
⑬ Power Adapter
⑭ Smart Desktop Charge Base





















OPERATION

1.Connect the appropriate adapter into the **power supply** socket to charge the nail drill.



2. Then connect the hand piece into the three core socket.



3. Upload the desired nail drill bit.



4. Variable Speed Control Button with Play/Pause Function

A.Turn on the Button, the Speed is increased by "01"×1000 RPM, Adjust the Higher Speed by increased to "05"x1000 RPM.

B. Press on the Button to start Play/Pause Function

Press one, the Machine is immediately in Pause State.

Press two, the machine will restart in Play State.



5. Forward/Reverse Button

The Default Direction is "F"(Forward Direction), Press one to change into "R" Reverse Direction.

Press two, Press one to change into "F" Forward Direction again.



HAND PIECE OPERATION

1.Holding hand piece in hand and turning the set ring toward "🔓" (clockwise) direction until you hear the “click”.

2.Take out the test bar.

3.Insert your desired bit into the bottom of the collet.

4.Turning back the set ring to "🔒" (anti-clockwise) direction until the collet is secured.











Attention: Please note that there is a lock icon on the product and follow the instructions.




CLEANING AND STORAGE


1. If the machine is not to be used for a long period of time,Remove power, clean and cover it and store it in a dry and safe place.
2. Wipe with a soft, dry cloth. Be sure to keep the product dry
3. Please keep accessories and products together.

INTRODUCTION TO GRINDING HEAD







Suitable for removing the inside of nailsDead skin on your hands, dead skin on your handsAnd polish away the residuals in the nailNail polish




Suitable for nail repair, lightRemoval of gel and nail polishCan polish thicker sealsAnd carved glue, etc.




Suitable for removingthe edges of nailsThe dead skin of the nail and the dead skin of thenail grooveYou can also polish the inside ofthenail Residual nail polish



Small cylindrical head: For nail surface treatment



Large cylindrical head: For nail surface treatment And close



Main spindle + sand ring: Used for nail surface removal andending

ERROR CODE

Problems	Solution
E1: The handle is blocked	1. The handle is in the unlocked state. 2. The bearing is rusty and stuck or does not rotate smoothly. 3. The motor bearings do not rotate smoothly. 4. PCB circuit failure.
E2: Low battery prompt	If the battery loses power, it will alarm and needs to be charged before it can be restored
E3: No handle connected	1. The handle wire is disconnected. 2. The handle socket is not connected to the motherboard. 3. PCB circuit failure.
E4: Motor phase loss	1. The handle wire is broken and one of the wires is blocked. 2. The connection between the handle plug and the host socket is too loose and the contact is poor. 3. There is poor contact between the motor and the handle cord plug. 4. Connect the carbon brush handle. 5. PCB circuit failure.
E5: PCB power circuit failure	Damage to related components of the boost circuit causing abnormal 24V power supply
E6: Phase voltage sampling circuit fault	Possible reasons: Welding of the phase sampling resistor on the motherboard or MCU.

Manufacturer: Shanghaimuxinmuyeyouxiangongsi
Address: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.
Imported to AUS: SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD NSW 2122 Australia
Imported to USA: Sanven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

EC	REP

E-CrossStu GmbH
Mainzer Landstr.69, 60329
Frankfurt am Main.

UK	REP

YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147, Centurion House, London Road, Staines-upon-Thames, Surrey, TW18 4AX

VEVOR®

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate

www.vevor.com/support

Machine Translated by Google

VEVOR®

TOUGH TOOLS, HALF PRICE

Machine Translated by Google

VEVOR®
TOUGH TOOLS, HALF PRICE

ONGLES RECHARGEABLES PERCER

MODÈLE : SN358S




BESOIN D'AIDE? CONTACTEZ-NOUS!

Vous avez des questions sur les produits ? Besoin d'une assistance technique ? N'hésitez pas à nous

contacter : Support technique et certificat de garantie électronique
www.vevor.com/support

Il s'agit des instructions originales, veuillez lire attentivement toutes les instructions du manuel avant de l'utiliser. VEVOR se réserve une interprétation claire de notre manuel d'utilisation. L'apparence du produit dépend du produit que vous avez reçu. Veuillez nous pardonner que nous ne vous informerons plus s'il y a des mises à jour technologiques ou logicielles sur notre produit.

Machine Translated by Google

Machine Translated by Google

Machine Translated by Google

Machine Translated by Google


Machine Translated by Google

Machine Translated by Google














Machine Translated by Google











Machine Translated by Google

3. Téléchargez le foret à ongles souhaité.



4. Bouton de contrôle de vitesse variable avec fonction lecture/pause A.

Allumez le bouton, la vitesse est augmentée de « 01 » × 1000 tr/min, ajustez la vitesse plus élevée en augmentant à « 05 » x 1000 tr/min.

B. Appuyez sur le bouton pour démarrer la fonction Lecture/Pause.

Appuyez sur un bouton, la machine est immédiatement en état de pause.

Appuyez sur deux, la machine redémarrera en état de lecture.



Machine Translated by Google

5. Bouton avant/arrière

La direction par défaut est "F" (direction avant), appuyez sur une pour passer à "R". Direction inverse.

Appuyez sur deux, appuyez sur un pour passer à nouveau à la direction avant « F ».



FONCTIONNEMENT DE LA PIÈCE À MAIN

1. Tenir la pièce à main en main et tourner la bague de réglage vers " (dans le sens des aiguilles d'une montre) jusqu'à ce que vous entendiez le « clic ».
2. Retirez la barre de test.
3. Insérez l'embout souhaité dans le bas de la pince.
4. Retourner l'anneau réglé pour qu'il " (sens inverse des aiguilles d'une montre) jusqu'à ce que la pince soit sécurisé.






Machine Translated by Google










Machine Translated by Google





Suitable for removing the inside of nailsDead skin on your hands, dead skin on your handsAnd polish away the residuals in the nailNail polish


Suitable for nail repair, lightRemoval of gel and nail polishCan polish thicker sealsAnd carved glue, etc.


Suitable for removingthe edges of nailsThe dead skin of the nail and the dead skin of thenail grooveYou can also polish the inside ofthenail Residual nail polish


Small cylindrical head: For nail surface treatment


Large cylindrical head: For nail surface treatment And close


Main spindle + sand ring: Used for nail surface removal andending

Machine Translated by Google

Machine Translated by Google

Fabricant : Shanghaimuxinmuyeyouxiangongsi
Adresse : Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, Shanghai 200000 CN.
Importé en Australie : SIHAO PTY LTD. 1 RUE ROKEVAASTWOOD NSW 2122 Australie
Importé aux États-Unis : Sanven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH

Mainzer Landstr.69, 60329
Francfort-sur-le-Main.



YH CONSULTING LIMITÉE.

C/O YH Consulting Limited Bureau 147, Centurion House, London Road, Staines-upon-Thames, Surrey, TW18 4AX

Machine Translated by Google

VEVOR®

TOUGH TOOLS, HALF PRICE

Machine Translated by Google

VEVOR®

TOUGH TOOLS, HALF PRICE

Machine Translated by Google

VEVOR®
TOUGH TOOLS, HALF PRICE

WIEDERAUFLADBARER NAGEL BOHREN

MODELL: SN358S




BRAUCHEN SIE HILFE? KONTAKTIERE UNS!

Haben Sie Fragen zum Produkt? Benötigen Sie technische Unterstützung? Bitte kontaktieren Sie uns:

Technischer Support und E-Garantiezertifikat www.vevor.com/support

Dies ist die Originalanleitung. Bitte lesen Sie alle Bedienungsanleitungen sorgfältig durch, bevor Sie das Gerät in Betrieb nehmen. VEVOR behält sich eine klare Auslegung unserer Bedienungsanleitung vor. Das Aussehen des Produkts hängt von dem Produkt ab, das Sie erhalten haben. Bitte entschuldigen Sie, dass wir Sie nicht erneut informieren, wenn es zu unserem Produkt technische oder Software-Updates gibt.

Machine Translated by Google

Machine Translated by Google

Machine Translated by Google

Machine Translated by Google


Machine Translated by Google

Machine Translated by Google














Machine Translated by Google











Machine Translated by Google

3. Laden Sie den gewünschten Nagelbohrer hoch.



4. Variable Geschwindigkeitssteuerungstaste mit Wiedergabe-/Pause-Funktion A. Wenn

Sie die Taste einschalten, wird die Geschwindigkeit um „01“ x 1000 U/min erhöht. Stellen Sie die höhere

Geschwindigkeit ein, indem Sie sie auf „05“ x 1000 U/min erhöhen.

B. Drücken Sie die Taste, um die Wiedergabe-/Pause-Funktion zu starten.

Drücken Sie einmal, das Gerät befindet sich sofort im Pause-Zustand.

Drücken Sie zwei, das Gerät wird im Wiedergabestatus neu gestartet.



Machine Translated by Google

5. Vorwärts-/Rückwärtstaste

Die Standardrichtung ist „F“ (Vorwärtsrichtung). Drücken Sie eine Taste, um in „R“ zu wechseln.
Richtung umkehren.

Drücken Sie zwei, drücken Sie eins, um wieder in die Vorwärtsrichtung „F“ zu wechseln.



HANDSTÜCKBETRIEB

1. Halten Sie das Handstück in der Hand und drehen Sie den Stellring in " Richtung „ (im Uhrzeigersinn), bis Sie ein „Klicken“ hören.

2. Nehmen Sie den Teststab heraus.

3. Setzen Sie den gewünschten Bohrer in die Unterseite der Spannzange ein.

4. Durch Zurückdrehen des Stellringes ist die " (gegen den Uhrzeigersinn) Richtung bis zur Spannzange Sicherung gesichert.






Machine Translated by Google










Machine Translated by Google





Suitable for removing the inside of nailsDead skin on your hands, dead skin on your handsAnd polish away the residuals in the nailNail polish


Suitable for nail repair, lightRemoval of gel and nail polishCan polish thicker sealsAnd carved glue, etc.


Suitable for removingthe edges of nailsThe dead skin of the nail and the dead skin of thenail grooveYou can also polish the inside ofthenail Residual nail polish


Small cylindrical head: For nail surface treatment


Large cylindrical head: For nail surface treatment And close


Main spindle + sand ring: Used for nail surface removal andending

Machine Translated by Google

Machine Translated by Google

Hersteller: Shanghaimuxinmuyeyouxiangongsi
Adresse: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, Shanghai 200000 CN.
Importiert nach AUS: SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD NSW 2122 Australien
In die USA importiert: Sanven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH

Mainzer Landstr.69, 60329
Frankfurt am Main.



YH CONSULTING LIMITED.

C/O YH Consulting Limited Büro 147, Centurion House, London Road, Staines-upon-Thames, Surrey, TW18 4AX

Machine Translated by Google

VEVOR®

TOUGH TOOLS, HALF PRICE

Machine Translated by Google

VEVOR®

TOUGH TOOLS, HALF PRICE

Machine Translated by Google

VEVOR®
TOUGH TOOLS, HALF PRICE

CHIODO RICARICABILE

TRAPANO

MODELLO: SN358S




HO BISOGNO DI AIUTO? CONTATTACI!

Hai domande sul prodotto? Hai bisogno di supporto tecnico? Non esitate a contattarci:

Supporto tecnico e certificato di garanzia elettronica www.vevor.com/support

Queste sono le istruzioni originali, leggere attentamente tutte le istruzioni del manuale prima dell'uso. VEVOR si riserva una chiara interpretazione del nostro manuale d'uso. L'aspetto del prodotto sarà soggetto al prodotto ricevuto. Ti preghiamo di perdonarci se non ti informeremo più se sono presenti aggiornamenti tecnologici o software sul nostro prodotto.

Machine Translated by Google

Machine Translated by Google

Machine Translated by Google

Machine Translated by Google


Machine Translated by Google

Machine Translated by Google














Machine Translated by Google











Machine Translated by Google

3. Carica la punta per trapano per unghie desiderata.



4. Pulsante di controllo della velocità variabile con funzione di riproduzione/pausa A. Accendere il pulsante, la velocità aumenta di "01"×1000 giri/min, regolare la velocità più alta aumentando a "05"x1000 giri/min.

B. Premere il pulsante per avviare la funzione Riproduci/ Pausa. Premere uno, la macchina è immediatamente in stato di pausa. Premi due, la macchina si riavvierà in Play State.



Machine Translated by Google

5. Pulsante Avanti/Indietro

La direzione predefinita è "F" (direzione avanti), premine uno per passare a "R"
Direzione inversa.

Premere due, premere uno per cambiare nuovamente in direzione avanti "F".



FUNZIONAMENTO DEL MANIPOLO

1.Tenere il manipolo in mano e ruotare l'anello di regolazione verso la direzione "
" (in senso orario) finché non si sente il "clic".
2.Estrarre la barra di prova.

3.Inserire la punta desiderata nella parte inferiore della pinza.

4.Riportare l'anello impostato su per " " (senso antiorario) fino alla pinza
fissarlo.






Machine Translated by Google










Machine Translated by Google





Suitable for removing the inside of nailsDead skin on your hands, dead skin on your handsAnd polish away the residuals in the nailNail polish


Suitable for nail repair, lightRemoval of gel and nail polishCan polish thicker sealsAnd carved glue, etc.


Suitable for removingthe edges of nailsThe dead skin of the nail and the dead skin of thenail grooveYou can also polish the inside ofthenail Residual nail polish


Small cylindrical head: For nail surface treatment


Large cylindrical head: For nail surface treatment And close


Main spindle + sand ring: Used for nail surface removal andending

Machine Translated by Google

Machine Translated by Google

Produttore: Shanghaimuxinmuyeyouxiangongsi
Indirizzo: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.
Importato in AUS: SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD NSW 2122Australia
Importato negli Stati Uniti: Sanven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH

Mainzer Landstr.69, 60329
Francoforte sul Meno.



YH CONSULENZA LIMITATA.

C/O YH Consulting Limited Office 147, Centurion House, London Road, Staines-upon-Thames, Surrey, TW18 4AX

Machine Translated by Google

VEVOR®

TOUGH TOOLS, HALF PRICE

Machine Translated by Google

VEVOR®

TOUGH TOOLS, HALF PRICE

Machine Translated by Google

VEVOR®
TOUGH TOOLS, HALF PRICE

CLAVO RECARGABLE PERFORAR

MODELO: SN358S




¿NECESITAS AYUDA? ¡CONTÁCTENOS!

¿Tiene preguntas sobre el producto? ¿Necesita soporte técnico? No dude en contactarnos: Soporte técnico y certificado de garantía electrónica www.vevor.com/support

Estas son las instrucciones originales; lea atentamente todas las instrucciones del manual antes de operar. VEVOR se reserva una interpretación clara de nuestro manual de usuario. La apariencia del producto estará sujeta al producto que recibió. Perdone que no le informaremos nuevamente si hay actualizaciones de tecnología o software en nuestro producto.

Machine Translated by Google

Machine Translated by Google

Machine Translated by Google

Machine Translated by Google


Machine Translated by Google

Machine Translated by Google














Machine Translated by Google











Machine Translated by Google

3. Cargue la broca para clavos que desee.



4. Botón de control de velocidad variable con función de reproducción/pausa A.

Encienda el botón, la velocidad aumenta en "01"×1000 RPM, ajuste la velocidad más alta aumentando a "05"x1000 RPM.

B. Presione el botón para iniciar la función Reproducir/Pausar.

Presione uno, la máquina entrará inmediatamente en estado de pausa.

Presione dos, la máquina se reiniciará en estado de reproducción.



Machine Translated by Google

5. Botón de avance/retroceso

La dirección predeterminada es "F" (dirección de avance), presione uno para cambiar a "R"
Direccion contraria.

Presione dos, presione uno para cambiar nuevamente a la dirección de avance "F".



OPERACIÓN DE LA PIEZA DE MANO

1. Sostenga la pieza de mano en la mano y gire el anillo de ajuste en dirección "🔓"
(en el sentido de las agujas del reloj) hasta que escuche el "clic".
2. Saca la barra de prueba.
3. Inserte la broca que desee en la parte inferior del collar.
4.Girar hacia atrás el anillo de ajuste "🔒" (en el sentido contrario a las agujas del reloj) hasta que el collar para asegurarlo.






Machine Translated by Google










Machine Translated by Google





Suitable for removing the inside of nailsDead skin on your hands, dead skin on your handsAnd polish away the residuals in the nailNail polish


Suitable for nail repair, lightRemoval of gel and nail polishCan polish thicker sealsAnd carved glue, etc.


Suitable for removingthe edges of nailsThe dead skin of the nail and the dead skin of thenail grooveYou can also polish the inside ofthenail Residual nail polish


Small cylindrical head: For nail surface treatment


Large cylindrical head: For nail surface treatment And close


Main spindle + sand ring: Used for nail surface removal andending

Machine Translated by Google

Machine Translated by Google

Fabricante: Shanghaimuxinmuyeyouxiangongsi
Dirección: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.
Importado a AUS: SIHAO PTY LTD. 1 ROKEVA CALLE ASTWOOD
Nueva Gales del Sur 2122 Australia
Importado a EE. UU.: Sanven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH

Mainzer Landstr.69, 60329
Fráncfort del Meno.



YH CONSULTING LIMITADO.

C/O YH Consulting Limited Oficina 147, Centurion House, London Road, Staines-upon-Thames, Surrey, TW18 4AX

Machine Translated by Google

VEVOR®

TOUGH TOOLS, HALF PRICE

Machine Translated by Google

VEVOR®

TOUGH TOOLS, HALF PRICE

Machine Translated by Google

VEVOR®
TOUGH TOOLS, HALF PRICE

GWÓŹDZIE DOŁADOWANE

WIERTARKA

MODEL: SN358S




POTRZEBUJĘ POMOCY? SKONTAKTUJ SIĘ Z NAMI!

Masz pytania dotyczące produktu? Potrzebujesz wsparcia technicznego? Prosimy o kontakt: Wsparcie techniczne i certyfikat e-gwarancji www.vevor.com/support

To jest oryginalna instrukcja. Przed przystąpieniem do obsługi prosimy o dokładne zapoznanie się ze wszystkimi instrukcjami. VEVOR zastrzega sobie jasną interpretację naszej instrukcji obsługi. Wygląd produktu zależy od produktu, który otrzymałeś. Proszę wybaczyć nam, że nie będziemy ponownie informować Państwa, jeśli pojawią się jakieś aktualizacje technologii lub oprogramowania naszego produktu.

Machine Translated by Google

Machine Translated by Google

Machine Translated by Google

Machine Translated by Google


Machine Translated by Google

Machine Translated by Google














Machine Translated by Google











Machine Translated by Google

3. Załaduj żądane wiertło do paznokci.



4. Przycisk sterowania zmienną prędkością z funkcją odtwarzania/pauzy A. Włącz

przycisk, prędkość zostanie zwiększona o „01” × 1000 obr./min. Dostosuj wyższą prędkość, zwiększając ją do „05”

x 1000 obr./min.

B. Naciśnij przycisk, aby uruchomić funkcję odtwarzania/pauzy. Naciśnij

jeden raz, urządzenie natychmiast przejdzie w stan pauzy.

Naciśnij dwa, urządzenie uruchomi się ponownie w stanie odtwarzania.



Machine Translated by Google

5. Przycisk do przodu/do tyłu

Domyślny kierunek to „F” (kierunek do przodu). Naciśnij jeden, aby zmienić na „R”.
Odwrotny kierunek.

Naciśnij dwa, naciśnij jeden, aby ponownie zmienić kierunek do przodu na „F”.



OBSŁUGA RĘCZNIKA

1. Trzymając rękojeść w dłoni i obracając pierścień ustalający w kierunku
" (zgodnie z ruchem wskazówek zegara), aż usłyszysz „kliknięcie”.
2. Wyjmij pasek testowy.
3. Włóż żądany bit w spód tulei zaciskowej.
4.Powrotne odkręcenie pierścienia nastawczego " " (w kierunku przeciwnym do ruchu wskazówek zegara) aż do tulei zaciskowej jest zabezpieczone.






Machine Translated by Google










Machine Translated by Google





Suitable for removing the inside of nailsDead skin on your hands, dead skin on your handsAnd polish away the residuals in the nailNail polish


Suitable for nail repair, lightRemoval of gel and nail polishCan polish thicker sealsAnd carved glue, etc.


Suitable for removingthe edges of nailsThe dead skin of the nail and the dead skin of thenail grooveYou can also polish the inside ofthenail Residual nail polish


Small cylindrical head: For nail surface treatment


Large cylindrical head: For nail surface treatment And close


Main spindle + sand ring: Used for nail surface removal andending

Machine Translated by Google

Machine Translated by Google

Producent: Shanghaimuxinmuyeyouxiangongsi
Adres: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, szanghaj 200000 CN.
Import do AUS: SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD
Nowa Południowa Walia 2122 Australia
Import do USA: Sanven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr.69, 60329
Frankfurt nad Menem.



YH CONSULTING SPÓŁKA Z OGRANICZONĄ ODPOWIEDZIALNOŚCIĄ.
C/O YH Consulting Limited Office 147, Centurion House, London Road, Staines-upon-Thames, Surrey, TW18 4AX

Machine Translated by Google

VEVOR®

TOUGH TOOLS, HALF PRICE

Machine Translated by Google

VEVOR®

TOUGH TOOLS, HALF PRICE

Machine Translated by Google

VEVOR®
TOUGH TOOLS, HALF PRICE

OPLAADBARE SPIJKER

OEFENING

MODEL: SN358S




HULP NODIG? NEEM CONTACT MET ONS OP!

Heeft u productvragen? Technische ondersteuning nodig? Neem gerust contact met ons op:
Technische

ondersteuning en e-garantiecertificaat www.vevor.com/support

Dit is de originele instructie. Lees alle instructies in de handleiding zorgvuldig door voordat u ermee aan de slag gaat. VEVOR behoudt zich een duidelijke interpretatie van onze gebruikershandleiding voor. Het uiterlijk van het product is afhankelijk van het product dat u heeft ontvangen. Vergeef ons alstublieft dat we u niet opnieuw zullen informeren als er technologie- of software-updates zijn voor ons product.

Machine Translated by Google

Machine Translated by Google

Machine Translated by Google

Machine Translated by Google


Machine Translated by Google

Machine Translated by Google














Machine Translated by Google











Machine Translated by Google

3. Upload de gewenste nagelboor.



4. Knop voor variabele snelheidsregeling met afspeel-/pauzefunctie A. Zet de knop

aan, de snelheid wordt verhoogd met "01"×1000 RPM, pas de hogere snelheid aan door deze te verhogen tot

"05"x1000 RPM.

B. Druk op de knop om de afspeel-/pauzefunctie te starten. Druk op één

knop, de machine staat onmiddellijk in de pauzestatus.

Druk op twee, de machine zal opnieuw opstarten in de afspeelstatus.



Machine Translated by Google

5. Vooruit-/achteruitknop

De standaardrichting is "F" (voorwaartse richting), druk op één om te veranderen in "R" Tegengestelde richting.

Druk op twee, druk op één om weer naar "F" voorwaartse richting te veranderen.



HANDSTUKBEDIENING

1. Houd het handstuk in de hand en draai de stelring richting " (met de klok mee) totdat u een "klik" hoort.
2. Haal de teststaaf eruit.
3. Steek het gewenste bit in de onderkant van de spantang.
4. Het terugdraaien van de stelring is " " (tegen de klok in) richting tot aan de spantang beveiligd.






Machine Translated by Google










Machine Translated by Google





Suitable for removing the inside of nailsDead skin on your hands, dead skin on your handsAnd polish away the residuals in the nailNail polish


Suitable for nail repair, lightRemoval of gel and nail polishCan polish thicker sealsAnd carved glue, etc.


Suitable for removingthe edges of nailsThe dead skin of the nail and the dead skin of thenail grooveYou can also polish the inside ofthenail Residual nail polish


Small cylindrical head: For nail surface treatment


Large cylindrical head: For nail surface treatment And close


Main spindle + sand ring: Used for nail surface removal andending

Machine Translated by Google

Machine Translated by Google

Fabrikant: Shanghaimuxinmuyeyouxiangongsi
Adres: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.
Geïmporteerd naar AUS: SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD NSW 2122 Australië
Geïmporteerd naar de VS: Sanven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH

Mainzer Landstr.69, 60329
Frankfurt am Main.



YH CONSULTING LIMITED.

C/O YH Consulting Limited Office 147, Centurion House, London Road, Staines-upon-Thames, Surrey, TW18 4AX

Machine Translated by Google

VEVOR®

TOUGH TOOLS, HALF PRICE

Machine Translated by Google

VEVOR®

TOUGH TOOLS, HALF PRICE

Machine Translated by Google

VEVOR®
TOUGH TOOLS, HALF PRICE

UPPLADDNINGSBAR SPIK BORRA

MODELL: SN358S




BEHÖVS HJÄLP? KONTAKTA OSS!

Har du produktfrågor? Behöver du teknisk support? Kontakta oss gärna: **Teknisk support och e-garanticertifikat www.vevor.com/support**

Detta är den ursprungliga instruktionen, läs alla instruktioner noggrant innan du använder den. VEVOR reserverar sig för en tydlig tolkning av vår användarmanual. Utseendet på produkten är beroende av den produkt du fått. Ursäkta oss att vi inte kommer att informera dig igen om det finns någon teknik eller mjukvaruuppdateringar på vår produkt.

Machine Translated by Google

Machine Translated by Google

Machine Translated by Google

Machine Translated by Google


Machine Translated by Google

Machine Translated by Google














Machine Translated by Google











Machine Translated by Google

3. Ladda upp önskad spikborr.



4. Variabel hastighetskontrollknapp med uppspelnings-/
pausfunktion A. Slå på knappen, hastigheten ökas med "01"×1000 rpm, justera
den högre hastigheten med ökad till "05"x1000 rpm.
B. Tryck på knappen för att starta uppspelnings-/
pausfunktionen. Tryck på en, maskinen är omedelbart i pausläge.
Tryck två, maskinen startar om i Play State.



Machine Translated by Google

5. Framåt/bakåt-knapp

Standardriktningen är "F" (riktning framåt), tryck på en för att ändra till "R"
Omvänd riktning.

Tryck två, tryck en för att ändra till "F" framåtriktning igen.



HANDDELSFUNKTION

1. Håll handstycket i handen och vrid inställningsringen mot "🔓" (medurs) tills du hör ett "klick".

2.Ta ut teststången.

3. Sätt i önskad bit i botten av hylsan.

4.Vrid tillbaka inställningsringen till är "🔒" (moturs) riktning tills spännhylsan säkrad.






Machine Translated by Google










Machine Translated by Google





Suitable for removing the inside of nailsDead skin on your hands, dead skin on your handsAnd polish away the residuals in the nailNail polish


Suitable for nail repair, lightRemoval of gel and nail polishCan polish thicker sealsAnd carved glue, etc.


Suitable for removingthe edges of nailsThe dead skin of the nail and the dead skin of thenail grooveYou can also polish the inside ofthenail Residual nail polish


Small cylindrical head: For nail surface treatment


Large cylindrical head: For nail surface treatment And close


Main spindle + sand ring: Used for nail surface removal andending

Machine Translated by Google

Machine Translated by Google

Tillverkare: Shanghaimuxinmuyeyouxiangongsi
Adress: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.
Importerad till AUS: SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD NSW 2122 Australien
Importerad till USA: Sanven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr.69, 60329
Frankfurt am Main.



YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147, Centurion House, London Road, Staines-upon-Thames, Surrey, TW18 4AX

Machine Translated by Google

VEVOR®

TOUGH TOOLS, HALF PRICE