

Technical Support and E-Warranty Certificate www.vevor.com/support

INSTRUCTION FOR CAT CAGE

MODEL:CH448


We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.





CH448



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

WARNING:

Read this material before using this product. Failure to do so can result in serious injury.

Assembly precautions

- 1. Assemble only according to these instructions. Improper assembly can create hazards.
- 2. In order to ensure your own safety, please make sure to ANSI-approved safety goggles and heavy-duty work gloves when installing this product.
- 3. Keep the assembly area clean and well lit.
- 4. Keep bystanders out of the area during assembly.
- Do not assemble when tired or when under the influence of alcohol, drugs or medication.
- 6. Product capabilities apply to properly and completely assembled product only.
- 7. Assemble on a flat, level, hard and smooth surface capable of safely supporting a fully loaded cat cage.

Use precautions

TO PREVENT SERIOUS INJURY AND DEATH FROM TIPPING:

- 1. DO NOT SIT OR STAND ON THIS ITEM.
- This product is not a toy. Do not allow children to play with or near this item.Please keep small spare parts out of children's reach.
- 3. Use only on a flat, level, hard and smooth surface capable of safely supporting a fully loaded cat cage.
- 4. Use as intended only.
- 5. Inspect before every use; do not use if parts are loose or damaged.

SAVE THESE INSTRUCTIONS


SPECIFICATIONS

Model	CH448		
Product Size	1800*880*1690mm		
Color	Gray		

COMPONENTS

Notice:


- 1. Various specifications of screws are used in the installation of this product. Pay attention to the correct use of screw specifications according to the instruction manual.
- 2.Please wear gloves when installing.




Assembly Instructions

Please be noted that the side with wire nailed on is back side, should be inward when assembly


Pay attention to the up and bottom orientation of part #9 and part #1, the end with 2 pre-drilled holes is bottom as shown in the figure Assembling part #1, #5, #9, #16 with screw (B)x6 as shown, then secure part #9 to part #16 with screw (A)x2 downwards




Secure part #1 to part #5 with screw (A)x2 downwards, then assemble part #4 and part #8 with screw (A) x6 as shown, please pay attention to the up and bottom orientation of part #4, the end with 2 pre-drilled holes is bottom as shown in the figure




Assemble part #3 and part #7 with screw (A) x6 as shown, please pay attention to the up and bottom orientation of part #3, the end with 2 pre-drilled holes is bottom as shown in the figure, then secure part #3 to part #7 with screw (A)x2 downwards




Secure part #4 to part #8 with screw (A)x2 downwards, then assemble part #9 and part #16 with screw (B) x6 as shown, please pay attention to the up and bottom orientation of part #9, the end with 2 pre-drilled holes is bottom as shown, then secure part #9 to part #16 with screw (A)x2 downwards








Requires two people to install the shelf at designated position, one person is inside the cage holding the shelf while the other person is outside locking the screws through the pre-drilled holes as shown X4


STEP:6

















Assemble part #1 and #5, part #3 and #7 with screw (B) x12 as shown, please pay attention to the up and bottom orientation of part #1 and #3, the end with 2 pre-drilled holes is bottom as shown in the figure, then secure part #1 to part #5 with screw (A)x2 downwards



Secure part #3 to part #7 with screw (A)x2 downwards, then assemble part #2 and part #6 (open the doors) with screw (A) x6 as shown STEP:14







Install roofs with screw (C)x16 as shown, please be noted the edge of roof is 1.57 inch from the house underneath **Cx16**

STEP:17

Install part #20x2 with screw (D)x12 as shown to cover the gap between roofs





Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.



Imported to USA: Sanven Technology Ltd., Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate www.vevor.com/support



Technical Support and E-Warranty Certificate www.vevor.com/support

INSTRUCTION FOR CAT CAGE


MODEL:CH448

Wir sind weiterhin bestrebt, Ihnen Werkzeuge zu wettbewerbsfähigen Preisen anzubieten. "Sparen Sie die Hälfte", "Halber Preis" oder andere ähnliche Ausdrücke, die wir verwenden, stellen nur eine Schätzung der Ersparnis dar, die Sie beim Kauf bestimmter Werkzeuge bei uns im Vergleich zu den großen Topmarken erzielen können, und decken nicht unbedingt alle von uns angebotenen Werkzeugkategorien ab. Wir möchten Sie freundlich daran erinnern, bei Ihrer Bestellung bei uns sorgfältig zu prüfen, ob Sie im Vergleich zu den großen Topmarken tatsächlich die Hälfte sparen.



CAT CAGE

CH448



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technischer Support und E-Garantie-Zertifikat www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

WARNING:

Read this material before using this product. Failure to do so can result in serious injury.

Assembly precautions

- 1. Assemble only according to these instructions. Improper assembly can create hazards.
- In order to ensure your own safety, please make sure to ANSI-approved safety goggles and heavy-duty work gloves when installing this product.
- 3. Keep the assembly area clean and well lit.
- Keep bystanders out of the area during assembly.
- 5. Do not assemble when tired or when under the influence of alcohol, drugs or medication.
- 6. Product capabilities apply to properly and completely assembled product only.
- 7. Assemble on a flat, level, hard and smooth surface capable of safely supporting a fully loaded cat cage.

Use precautions

TO PREVENT SERIOUS INJURY AND DEATH FROM TIPPING:

- 1. DO NOT SIT OR STAND ON THIS ITEM.
- 2. This product is not a toy. Do not allow children to play with or near this item. Please keep small spare parts out of children's reach.
- Use only on a flat, level, hard and smooth surface capable of safely supporting a fully loaded cat cage.
- 4. Use as intended only.
- Inspect before every use; do not use if parts are loose or damaged.

SAVE THESE INSTRUCTIONS


SPECIFICATIONS

Model	CH448	
Product Size	1800*880*1690mm	
Color	Gray	

COMPONENTS

Notice:


- 1. Various specifications of screws are used in the installation of this product. Pay attention to the correct use of screw specifications according to the instruction manual.
- 2.Please wear gloves when installing.



Assembly Instructions

Please be noted that the side with wire nailed on is back side, should be inward when assembly


Pay attention to the up and bottom orientation of part #9 and part #1, the end with 2 pre-drilled holes is bottom as shown in the figure Assembling part #1, #5, #9, #16 with screw (B)x6 as shown, then secure part #9 to part #16 with screw (A)x2 downwards




Secure part #1 to part #5 with screw (A)x2 downwards, then assemble part #4 and part #8 with screw (A) x6 as shown, please pay attention to the up and bottom orientation of part #4, the end with 2 pre-drilled holes is bottom as shown in the figure STEP:2


Assemble part #3 and part #7 with screw (A) x6 as shown, please pay attention to the up and bottom orientation of part #3, the end with 2 pre-drilled holes is bottom as shown in the figure, then secure part #3 to part #7 with screw (A)x2 downwards STEP:3


Secure part #4 to part #8 with screw (A)x2 downwards, then assemble part #9 and part #16 with screw (B) x6 as shown, please pay attention to the up and bottom orientation of part #9, the end with 2 pre-drilled holes is bottom as shown, then secure part #9 to part #16 with screw (A)x2 downwards







Requires two people to install the shelf at designated position, one person is inside the cage holding the shelf while the other person is outside locking the screws through the pre-drilled holes as shown ALL HARMAN STEP:6






Install sleeping box on shelf as shown and secure the box with screw (D)x4 from the bottom Dx4 STEP:9










STEP:13


Assemble part #1 and #5, part #3 and #7 with screw (B) x12 as shown, please pay attention to the up and bottom orientation of part #1 and #3, the end with 2 pre-drilled holes is bottom as shown in the figure, then secure part #1 to part #5 with screw (A)x2 downwards Bx6 Bx6

16










Install part #20x2 with screw (D)x12 as shown to cover the gap between roofs Dx12 STEP:18



Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, Shanghai 200000 CN.

EC REP

E-CrossStu GmbH.

Mainzer Landstr.69, 60329 Frankfurt am Main.

UK REP

YH CONSULTING LIMITED.

C/O YH Consulting Limited Office 147, Centurion House, London Road, Staines-upon-Thames, Surrey, TW18 4AX

Importiert in die USA: Sanven Technology Ltd., Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730





Technical Support and E-Warranty Certificate www.vevor.com/support



Technical Support and E-Warranty Certificate www.vevor.com/support

INSTRUCTION FOR CAT CAGE

MODEL:CH448


Nous continuons à nous engager à vous fournir des outils à des prix compétitifs.

« Économisez la moitié », « Moitié prix » ou toute autre expression similaire utilisée par nous ne représente qu'une estimation des économies que vous pourriez réaliser en achetant certains outils chez nous par rapport aux grandes marques et ne couvre pas nécessairement toutes les catégories d'outils que nous proposons. Nous vous rappelons de bien vouloir vérifier soigneusement lorsque vous passez une commande chez nous si vous économisez réellement la moitié par rapport aux grandes marques.



CAT CAGE

CH448



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Assistance technique et certificat de garantie électronique www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

WARNING:

Read this material before using this product. Failure to do so can result in serious injury.

Assembly precautions

- 1. Assemble only according to these instructions. Improper assembly can create hazards.
- In order to ensure your own safety, please make sure to ANSI-approved safety goggles and heavy-duty work gloves when installing this product.
- 3. Keep the assembly area clean and well lit.
- Keep bystanders out of the area during assembly.
- 5. Do not assemble when tired or when under the influence of alcohol, drugs or medication.
- 6. Product capabilities apply to properly and completely assembled product only.
- 7. Assemble on a flat, level, hard and smooth surface capable of safely supporting a fully loaded cat cage.

Use precautions

TO PREVENT SERIOUS INJURY AND DEATH FROM TIPPING:

- 1. DO NOT SIT OR STAND ON THIS ITEM.
- 2. This product is not a toy. Do not allow children to play with or near this item. Please keep small spare parts out of children's reach.
- Use only on a flat, level, hard and smooth surface capable of safely supporting a fully loaded cat cage.
- 4. Use as intended only.
- Inspect before every use; do not use if parts are loose or damaged.

SAVE THESE INSTRUCTIONS


SPECIFICATIONS

Model	CH448	
Product Size	1800*880*1690mm	
Color	Gray	

COMPONENTS

Notice:


- 1. Various specifications of screws are used in the installation of this product. Pay attention to the correct use of screw specifications according to the instruction manual.
- 2.Please wear gloves when installing.



Assembly Instructions

Please be noted that the side with wire nailed on is back side, should be inward when assembly


Pay attention to the up and bottom orientation of part #9 and part #1, the end with 2 pre-drilled holes is bottom as shown in the figure Assembling part #1, #5, #9, #16 with screw (B)x6 as shown, then secure part #9 to part #16 with screw (A)x2 downwards




Secure part #1 to part #5 with screw (A)x2 downwards, then assemble part #4 and part #8 with screw (A) x6 as shown, please pay attention to the up and bottom orientation of part #4, the end with 2 pre-drilled holes is bottom as shown in the figure STEP:2


Assemble part #3 and part #7 with screw (A) x6 as shown, please pay attention to the up and bottom orientation of part #3, the end with 2 pre-drilled holes is bottom as shown in the figure, then secure part #3 to part #7 with screw (A)x2 downwards STEP:3


Secure part #4 to part #8 with screw (A)x2 downwards, then assemble part #9 and part #16 with screw (B) x6 as shown, please pay attention to the up and bottom orientation of part #9, the end with 2 pre-drilled holes is bottom as shown, then secure part #9 to part #16 with screw (A)x2 downwards







Requires two people to install the shelf at designated position, one person is inside the cage holding the shelf while the other person is outside locking the screws through the pre-drilled holes as shown ALL HARMAN STEP:6






Install sleeping box on shelf as shown and secure the box with screw (D)x4 from the bottom Dx4 STEP:9










STEP:13

Assemble part #1 and #5, part #3 and #7 with screw (B) x12 as shown, please pay attention to the up and bottom orientation of part #1 and #3, the end with 2 pre-drilled holes is bottom as shown in the figure, then secure part #1 to part #5 with screw (A)x2 downwards Bx6 Bx6


Secure part #3 to part #7 with screw (A)x2 downwards, then assemble part #2 and part #6 (open the doors) with screw (A) x6 as shown STEP:14







Install part #20x2 with screw (D)x12 as shown to cover the gap between roofs Dx12 STEP:18



Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.

EC REP

E-CrossStu GmbH.

Mainzer Landstr.69, 60329 Francfort-sur-le-Main.

UK REP

YH CONSULTING LIMITÉE.

A/S YH Consulting Limited Bureau 147, Centurion House, London Road, Staines-upon-Thames, Surrey, TW18 4AX

Importé aux États-Unis : Sanven Technology Ltd., Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730





Technical Support and E-Warranty Certificate www.vevor.com/support



Technical Support and E-Warranty Certificate www.vevor.com/support

INSTRUCTION FOR CAT CAGE

MODEL:CH448


Wij streven er voortdurend naar om u gereedschappen tegen concurrerende prijzen te leveren.

"Save Half", "Half Price" of andere soortgelijke uitdrukkingen die wij gebruiken, geven alleen een schatting van de
besparingen die u kunt behalen door bepaalde gereedschappen bij ons te kopen in vergelijking met de grote topmerken
en betekent niet noodzakelijkerwijs dat alle categorieën gereedschappen die wij aanbieden, worden gedekt. Wij
herinneren u eraan om zorgvuldig te controleren of u daadwerkelijk de helft bespaart in vergelijking met de grote topmerken
wanneer u een bestelling bij ons plaatst.



CAT CAGE

CH448



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technische ondersteuning en e-garantiecertificaat www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

WARNING:

Read this material before using this product. Failure to do so can result in serious injury.

Assembly precautions

- 1. Assemble only according to these instructions. Improper assembly can create hazards.
- In order to ensure your own safety, please make sure to ANSI-approved safety goggles and heavy-duty work gloves when installing this product.
- 3. Keep the assembly area clean and well lit.
- Keep bystanders out of the area during assembly.
- 5. Do not assemble when tired or when under the influence of alcohol, drugs or medication.
- 6. Product capabilities apply to properly and completely assembled product only.
- 7. Assemble on a flat, level, hard and smooth surface capable of safely supporting a fully loaded cat cage.

Use precautions

TO PREVENT SERIOUS INJURY AND DEATH FROM TIPPING:

- 1. DO NOT SIT OR STAND ON THIS ITEM.
- 2. This product is not a toy. Do not allow children to play with or near this item. Please keep small spare parts out of children's reach.
- Use only on a flat, level, hard and smooth surface capable of safely supporting a fully loaded cat cage.
- 4. Use as intended only.
- Inspect before every use; do not use if parts are loose or damaged.

SAVE THESE INSTRUCTIONS


SPECIFICATIONS

Model	CH448	
Product Size	1800*880*1690mm	
Color	Gray	

COMPONENTS

Notice:


- 1. Various specifications of screws are used in the installation of this product. Pay attention to the correct use of screw specifications according to the instruction manual.
- 2.Please wear gloves when installing.



Assembly Instructions

Please be noted that the side with wire nailed on is back side, should be inward when assembly


Pay attention to the up and bottom orientation of part #9 and part #1, the end with 2 pre-drilled holes is bottom as shown in the figure Assembling part #1, #5, #9, #16 with screw (B)x6 as shown, then secure part #9 to part #16 with screw (A)x2 downwards




Secure part #1 to part #5 with screw (A)x2 downwards, then assemble part #4 and part #8 with screw (A) x6 as shown, please pay attention to the up and bottom orientation of part #4, the end with 2 pre-drilled holes is bottom as shown in the figure STEP:2


Assemble part #3 and part #7 with screw (A) x6 as shown, please pay attention to the up and bottom orientation of part #3, the end with 2 pre-drilled holes is bottom as shown in the figure, then secure part #3 to part #7 with screw (A)x2 downwards STEP:3


Secure part #4 to part #8 with screw (A)x2 downwards, then assemble part #9 and part #16 with screw (B) x6 as shown, please pay attention to the up and bottom orientation of part #9, the end with 2 pre-drilled holes is bottom as shown, then secure part #9 to part #16 with screw (A)x2 downwards







Requires two people to install the shelf at designated position, one person is inside the cage holding the shelf while the other person is outside locking the screws through the pre-drilled holes as shown ALL HARMAN STEP:6






Install sleeping box on shelf as shown and secure the box with screw (D)x4 from the bottom Dx4 STEP:9










STEP:13

Assemble part #1 and #5, part #3 and #7 with screw (B) x12 as shown, please pay attention to the up and bottom orientation of part #1 and #3, the end with 2 pre-drilled holes is bottom as shown in the figure, then secure part #1 to part #5 with screw (A)x2 downwards Bx6 Bx6


Secure part #3 to part #7 with screw (A)x2 downwards, then assemble part #2 and part #6 (open the doors) with screw (A) x6 as shown STEP:14







Install part #20x2 with screw (D)x12 as shown to cover the gap between roofs Dx12 STEP:18



Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.

EC REP

E-CrossStu GmbH.

Mainzer Landstr.69, 60329 Frankfurt am Main.

UK REP

YH CONSULTING LIMITED.

C/O YH Consulting Limited Kantoor 147, Centurion House, London Road, Staines-upon-Thames, Surrey, TW18 4AX

Geïmporteerd naar de VS: Sanven Technology Ltd., Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730





Technical Support and E-Warranty Certificate www.vevor.com/support



Technical Support and E-Warranty Certificate www.vevor.com/support

INSTRUCTION FOR CAT CAGE

MODEL:CH448


Vi fortsätter att vara engagerade i att ge dig verktyg till konkurrenskraftiga priser.

"Spara hälften", "halva priset" eller andra liknande uttryck som används av oss representerar bara en uppskattning av besparingar du kan dra nytta av att köpa vissa verktyg hos oss jämfört med de stora toppmärkena och betyder inte nödvändigtvis att täcka alla kategorier av verktyg som erbjuds av oss. Du påminns vänligen om att noggrant kontrollera när du gör en beställning hos oss om du faktiskt sparar hälften i jämförelse med de främsta stora varumärkena.



CAT CAGE

CH448



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Teknisk support och e-garanticertifikat www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

WARNING:

Read this material before using this product. Failure to do so can result in serious injury.

Assembly precautions

- 1. Assemble only according to these instructions. Improper assembly can create hazards.
- In order to ensure your own safety, please make sure to ANSI-approved safety goggles and heavy-duty work gloves when installing this product.
- 3. Keep the assembly area clean and well lit.
- Keep bystanders out of the area during assembly.
- 5. Do not assemble when tired or when under the influence of alcohol, drugs or medication.
- 6. Product capabilities apply to properly and completely assembled product only.
- 7. Assemble on a flat, level, hard and smooth surface capable of safely supporting a fully loaded cat cage.

Use precautions

TO PREVENT SERIOUS INJURY AND DEATH FROM TIPPING:

- 1. DO NOT SIT OR STAND ON THIS ITEM.
- 2. This product is not a toy. Do not allow children to play with or near this item. Please keep small spare parts out of children's reach.
- Use only on a flat, level, hard and smooth surface capable of safely supporting a fully loaded cat cage.
- 4. Use as intended only.
- Inspect before every use; do not use if parts are loose or damaged.

SAVE THESE INSTRUCTIONS


SPECIFICATIONS

Model	CH448	
Product Size	1800*880*1690mm	
Color	Gray	

COMPONENTS

Notice:


- 1. Various specifications of screws are used in the installation of this product. Pay attention to the correct use of screw specifications according to the instruction manual.
- 2.Please wear gloves when installing.



Assembly Instructions

Please be noted that the side with wire nailed on is back side, should be inward when assembly


Pay attention to the up and bottom orientation of part #9 and part #1, the end with 2 pre-drilled holes is bottom as shown in the figure Assembling part #1, #5, #9, #16 with screw (B)x6 as shown, then secure part #9 to part #16 with screw (A)x2 downwards




Secure part #1 to part #5 with screw (A)x2 downwards, then assemble part #4 and part #8 with screw (A) x6 as shown, please pay attention to the up and bottom orientation of part #4, the end with 2 pre-drilled holes is bottom as shown in the figure STEP:2


Assemble part #3 and part #7 with screw (A) x6 as shown, please pay attention to the up and bottom orientation of part #3, the end with 2 pre-drilled holes is bottom as shown in the figure, then secure part #3 to part #7 with screw (A)x2 downwards STEP:3


Secure part #4 to part #8 with screw (A)x2 downwards, then assemble part #9 and part #16 with screw (B) x6 as shown, please pay attention to the up and bottom orientation of part #9, the end with 2 pre-drilled holes is bottom as shown, then secure part #9 to part #16 with screw (A)x2 downwards







Requires two people to install the shelf at designated position, one person is inside the cage holding the shelf while the other person is outside locking the screws through the pre-drilled holes as shown ALL HARMAN STEP:6






Install sleeping box on shelf as shown and secure the box with screw (D)x4 from the bottom Dx4 STEP:9










STEP:13


Assemble part #1 and #5, part #3 and #7 with screw (B) x12 as shown, please pay attention to the up and bottom orientation of part #1 and #3, the end with 2 pre-drilled holes is bottom as shown in the figure, then secure part #1 to part #5 with screw (A)x2 downwards Bx6 Bx6

16










Install part #20x2 with screw (D)x12 as shown to cover the gap between roofs Dx12 STEP:18



Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.

EC REP

E-CrossStu GmbH.

Mainzer Landstr.69, 60329 Frankfurt am Main.



YH CONSULTING LIMITED.

C/O YH Consulting Limited Office 147, Centurion House, London Road, Staines-upon-Thames, Surrey, TW18 4AX

Importerad till USA: Sanven Technology Ltd., Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730





Technical Support and E-Warranty Certificate www.vevor.com/support



Technical Support and E-Warranty Certificate www.vevor.com/support

INSTRUCTION FOR CAT CAGE

MODEL:CH448


Seguimos comprometidos a brindarle herramientas a precios competitivos.

"Ahorre la mitad", "mitad de precio" o cualquier otra expresión similar que utilicemos solo representa una estimación del ahorro que podría obtener al comprar ciertas herramientas con nosotros en comparación con las principales marcas y no necesariamente significa que cubra todas las categorías de herramientas que ofrecemos. Le recordamos que, al realizar un pedido con nosotros, verifique cuidadosamente si realmente está ahorrando la mitad en comparación con las principales marcas.



CAT CAGE

CH448



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Soporte técnico y certificado de garantía electrónica www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

WARNING:

Read this material before using this product. Failure to do so can result in serious injury.

Assembly precautions

- 1. Assemble only according to these instructions. Improper assembly can create hazards.
- In order to ensure your own safety, please make sure to ANSI-approved safety goggles and heavy-duty work gloves when installing this product.
- 3. Keep the assembly area clean and well lit.
- Keep bystanders out of the area during assembly.
- 5. Do not assemble when tired or when under the influence of alcohol, drugs or medication.
- 6. Product capabilities apply to properly and completely assembled product only.
- 7. Assemble on a flat, level, hard and smooth surface capable of safely supporting a fully loaded cat cage.

Use precautions

TO PREVENT SERIOUS INJURY AND DEATH FROM TIPPING:

- 1. DO NOT SIT OR STAND ON THIS ITEM.
- 2. This product is not a toy. Do not allow children to play with or near this item. Please keep small spare parts out of children's reach.
- Use only on a flat, level, hard and smooth surface capable of safely supporting a fully loaded cat cage.
- 4. Use as intended only.
- Inspect before every use; do not use if parts are loose or damaged.

SAVE THESE INSTRUCTIONS


SPECIFICATIONS

Model	CH448	
Product Size	1800*880*1690mm	
Color	Gray	

COMPONENTS

Notice:


- 1. Various specifications of screws are used in the installation of this product. Pay attention to the correct use of screw specifications according to the instruction manual.
- 2.Please wear gloves when installing.



Assembly Instructions

Please be noted that the side with wire nailed on is back side, should be inward when assembly


Pay attention to the up and bottom orientation of part #9 and part #1, the end with 2 pre-drilled holes is bottom as shown in the figure Assembling part #1, #5, #9, #16 with screw (B)x6 as shown, then secure part #9 to part #16 with screw (A)x2 downwards




Secure part #1 to part #5 with screw (A)x2 downwards, then assemble part #4 and part #8 with screw (A) x6 as shown, please pay attention to the up and bottom orientation of part #4, the end with 2 pre-drilled holes is bottom as shown in the figure STEP:2


Assemble part #3 and part #7 with screw (A) x6 as shown, please pay attention to the up and bottom orientation of part #3, the end with 2 pre-drilled holes is bottom as shown in the figure, then secure part #3 to part #7 with screw (A)x2 downwards STEP:3


Secure part #4 to part #8 with screw (A)x2 downwards, then assemble part #9 and part #16 with screw (B) x6 as shown, please pay attention to the up and bottom orientation of part #9, the end with 2 pre-drilled holes is bottom as shown, then secure part #9 to part #16 with screw (A)x2 downwards







Requires two people to install the shelf at designated position, one person is inside the cage holding the shelf while the other person is outside locking the screws through the pre-drilled holes as shown ALL HARMAN STEP:6






Install sleeping box on shelf as shown and secure the box with screw (D)x4 from the bottom Dx4 STEP:9










STEP:13


Assemble part #1 and #5, part #3 and #7 with screw (B) x12 as shown, please pay attention to the up and bottom orientation of part #1 and #3, the end with 2 pre-drilled holes is bottom as shown in the figure, then secure part #1 to part #5 with screw (A)x2 downwards Bx6 Bx6

16










Install part #20x2 with screw (D)x12 as shown to cover the gap between roofs Dx12 STEP:18



Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.

EC REP

Empresa E-CrossStu GmbH.

Mainzer Landstr.69, 60329 Fráncfort del Meno.



YH CONSULTING LIMITADA.

C/O YH Consulting Limited Oficina 147, Centurion House, London Road, Stainesupon-Thames, Surrey, TW18 4AX

Importado a EE. UU.: Sanven Technology Ltd., Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730





Technical Support and E-Warranty Certificate www.vevor.com/support



Technical Support and E-Warranty Certificate www.vevor.com/support

INSTRUCTION FOR CAT CAGE

MODEL:CH448


Continuiamo a impegnarci per fornirvi strumenti a prezzi competitivi.

"Risparmia la metà", "Metà prezzo" o qualsiasi altra espressione simile da noi utilizzata rappresenta solo una stima del risparmio che potresti ottenere acquistando determinati utensili con noi rispetto ai principali marchi principali e non significa necessariamente coprire tutte le categorie di utensili da noi offerti. Ti ricordiamo gentilmente di verificare attentamente quando effettui un ordine con noi se stai effettivamente risparmiando la metà rispetto ai principali marchi principali.



CAT CAGE

CH448



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Supporto tecnico e certificato di garanzia elettronica www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

WARNING:

Read this material before using this product. Failure to do so can result in serious injury.

Assembly precautions

- 1. Assemble only according to these instructions. Improper assembly can create hazards.
- In order to ensure your own safety, please make sure to ANSI-approved safety goggles and heavy-duty work gloves when installing this product.
- 3. Keep the assembly area clean and well lit.
- Keep bystanders out of the area during assembly.
- 5. Do not assemble when tired or when under the influence of alcohol, drugs or medication.
- 6. Product capabilities apply to properly and completely assembled product only.
- 7. Assemble on a flat, level, hard and smooth surface capable of safely supporting a fully loaded cat cage.

Use precautions

TO PREVENT SERIOUS INJURY AND DEATH FROM TIPPING:

- 1. DO NOT SIT OR STAND ON THIS ITEM.
- 2. This product is not a toy. Do not allow children to play with or near this item. Please keep small spare parts out of children's reach.
- Use only on a flat, level, hard and smooth surface capable of safely supporting a fully loaded cat cage.
- 4. Use as intended only.
- Inspect before every use; do not use if parts are loose or damaged.

SAVE THESE INSTRUCTIONS


SPECIFICATIONS

Model	CH448	
Product Size	1800*880*1690mm	
Color	Gray	

COMPONENTS

Notice:


- 1. Various specifications of screws are used in the installation of this product. Pay attention to the correct use of screw specifications according to the instruction manual.
- 2.Please wear gloves when installing.



Assembly Instructions

Please be noted that the side with wire nailed on is back side, should be inward when assembly


Pay attention to the up and bottom orientation of part #9 and part #1, the end with 2 pre-drilled holes is bottom as shown in the figure Assembling part #1, #5, #9, #16 with screw (B)x6 as shown, then secure part #9 to part #16 with screw (A)x2 downwards




Secure part #1 to part #5 with screw (A)x2 downwards, then assemble part #4 and part #8 with screw (A) x6 as shown, please pay attention to the up and bottom orientation of part #4, the end with 2 pre-drilled holes is bottom as shown in the figure STEP:2


Assemble part #3 and part #7 with screw (A) x6 as shown, please pay attention to the up and bottom orientation of part #3, the end with 2 pre-drilled holes is bottom as shown in the figure, then secure part #3 to part #7 with screw (A)x2 downwards STEP:3


Secure part #4 to part #8 with screw (A)x2 downwards, then assemble part #9 and part #16 with screw (B) x6 as shown, please pay attention to the up and bottom orientation of part #9, the end with 2 pre-drilled holes is bottom as shown, then secure part #9 to part #16 with screw (A)x2 downwards







Requires two people to install the shelf at designated position, one person is inside the cage holding the shelf while the other person is outside locking the screws through the pre-drilled holes as shown ALL HARMAN STEP:6






Install sleeping box on shelf as shown and secure the box with screw (D)x4 from the bottom Dx4 STEP:9










STEP:13

Assemble part #1 and #5, part #3 and #7 with screw (B) x12 as shown, please pay attention to the up and bottom orientation of part #1 and #3, the end with 2 pre-drilled holes is bottom as shown in the figure, then secure part #1 to part #5 with screw (A)x2 downwards Bx6 Bx6


Secure part #3 to part #7 with screw (A)x2 downwards, then assemble part #2 and part #6 (open the doors) with screw (A) x6 as shown STEP:14







Install part #20x2 with screw (D)x12 as shown to cover the gap between roofs Dx12 STEP:18



Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.

EC REP

Azienda: E-CrossStu GmbH.

Mainzer Landstr.69, 60329 Francoforte sul Meno.



CONSULENZA YH LIMITATA.

C/O YH Consulting Limited Ufficio 147, Centurion House, London Road, Stainesupon-Thames, Surrey, TW18 4AX

Importato negli USA: Sanven Technology Ltd., Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730





Technical Support and E-Warranty Certificate www.vevor.com/support



Technical Support and E-Warranty Certificate www.vevor.com/support

INSTRUCTION FOR CAT CAGE


MODEL:CH448

Nadal staramy się oferować Państwu narzędzia w konkurencyjnych cenach. "Oszczędź połowę", "Połowa ceny" lub inne podobne wyrażenia używane przez nas stanowią jedynie szacunkowe oszczędności, jakie możesz uzyskać, kupując u nas określone narzędzia w porównaniu z głównymi markami i niekoniecznie oznaczają one objęcie wszystkich kategorii narzędzi oferowanych przez nas. Uprzejmie przypominamy, aby dokładnie sprawdzić, czy składając u nas zamówienie faktycznie oszczędzasz połowę w porównaniu z głównymi markami.



CAT CAGE

CH448



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Wsparcie techniczne i certyfikat gwarancji elektronicznej www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

WARNING:

Read this material before using this product. Failure to do so can result in serious injury.

Assembly precautions

- 1. Assemble only according to these instructions. Improper assembly can create hazards.
- In order to ensure your own safety, please make sure to ANSI-approved safety goggles and heavy-duty work gloves when installing this product.
- 3. Keep the assembly area clean and well lit.
- Keep bystanders out of the area during assembly.
- 5. Do not assemble when tired or when under the influence of alcohol, drugs or medication.
- 6. Product capabilities apply to properly and completely assembled product only.
- 7. Assemble on a flat, level, hard and smooth surface capable of safely supporting a fully loaded cat cage.

Use precautions

TO PREVENT SERIOUS INJURY AND DEATH FROM TIPPING:

- 1. DO NOT SIT OR STAND ON THIS ITEM.
- 2. This product is not a toy. Do not allow children to play with or near this item. Please keep small spare parts out of children's reach.
- Use only on a flat, level, hard and smooth surface capable of safely supporting a fully loaded cat cage.
- 4. Use as intended only.
- Inspect before every use; do not use if parts are loose or damaged.

SAVE THESE INSTRUCTIONS


SPECIFICATIONS

Model	CH448	
Product Size	1800*880*1690mm	
Color	Gray	

COMPONENTS

Notice:


- 1. Various specifications of screws are used in the installation of this product. Pay attention to the correct use of screw specifications according to the instruction manual.
- 2.Please wear gloves when installing.



Assembly Instructions

Please be noted that the side with wire nailed on is back side, should be inward when assembly


Pay attention to the up and bottom orientation of part #9 and part #1, the end with 2 pre-drilled holes is bottom as shown in the figure Assembling part #1, #5, #9, #16 with screw (B)x6 as shown, then secure part #9 to part #16 with screw (A)x2 downwards




Secure part #1 to part #5 with screw (A)x2 downwards, then assemble part #4 and part #8 with screw (A) x6 as shown, please pay attention to the up and bottom orientation of part #4, the end with 2 pre-drilled holes is bottom as shown in the figure STEP:2


Assemble part #3 and part #7 with screw (A) x6 as shown, please pay attention to the up and bottom orientation of part #3, the end with 2 pre-drilled holes is bottom as shown in the figure, then secure part #3 to part #7 with screw (A)x2 downwards STEP:3


Secure part #4 to part #8 with screw (A)x2 downwards, then assemble part #9 and part #16 with screw (B) x6 as shown, please pay attention to the up and bottom orientation of part #9, the end with 2 pre-drilled holes is bottom as shown, then secure part #9 to part #16 with screw (A)x2 downwards







Requires two people to install the shelf at designated position, one person is inside the cage holding the shelf while the other person is outside locking the screws through the pre-drilled holes as shown ALL HARMAN STEP:6






Install sleeping box on shelf as shown and secure the box with screw (D)x4 from the bottom Dx4 STEP:9










STEP:13


Assemble part #1 and #5, part #3 and #7 with screw (B) x12 as shown, please pay attention to the up and bottom orientation of part #1 and #3, the end with 2 pre-drilled holes is bottom as shown in the figure, then secure part #1 to part #5 with screw (A)x2 downwards Bx6 Bx6

16










Install part #20x2 with screw (D)x12 as shown to cover the gap between roofs Dx12 STEP:18



Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, szanghaj 200000 CN.



Firma E-CrossStu GmbH.

Mainzer Landstr.69, 60329 Frankfurt nad Menem.



YH CONSULTING LIMITED.

C/O YH Consulting Limited Biuro 147, Centurion House, London Road, Staines-upon-Thames, Surrey, TW18 4AX

Importowane do USA: Sanven Technology Ltd., Suite 250, 9166 Anaheim Place, Rancho Cucamonga, Kalifornia 91730





Technical Support and E-Warranty Certificate www.vevor.com/support