

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate www.vevor.com/support

PEX TUBE

MODEL:PE-XA/PE-XB

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR[®]

TOUGH TOOLS, HALF PRICE

PEX TUBE

MODEL:PE-XA/PE-XB



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

PE-Xa ANTIOXIDANT FLOOR HEATING PIPES

The pipe underground is one of the core components of the floor heating system, and it is also one of the decisive factors to determine whether the whole system can run without fault for a long time.

heating pipe is made by the peroxide cross-linking polyethylene (PE-Xa) material. The cross-linking process is to use peroxide to form a chemical bond between the molecular chains of polyethylene, forming a three-dimensional network structure which creates a tough durable, high pressure and high temperature resistant pipe material.

PRODUCT FEATURES

- 1.Excellent creep rupture strength and high temperature stability
- 2.The maximum temperature (failure) in a short time can reach 100 °C
- 3.Significant memory (self-healing ability)
- 4.It can expand rapidly and reduce slowly
- 5.Good impact strength, low temperature impact strength can be as low as - 50 ° C
- 6.Excellent chemical resistance and wear resistance
- 7.No damage due to small scratches

PE-Xb OXYGEN FLOOR HEATING PIPES

PEX-b pipe is made of polyethylene as the main material. It adopts innovative two-step silane and cross-linking technology to form chemical covalent bond between the molecular chains of polyethylene, forming a three-dimensional network structure, so it has excellent heat resistance and comprehensive mechanical and physical properties.

It has been widely used in building indoor and outdoor cold and hot water

supply, floor heating and heating pipeline system, and is regarded as the new generation of green pipe with the best comprehensive performance.

PRODUCT FEATURES

- 1、 With advanced steam cross linking technology, the cross linking degree is even, which ensures the stability of product quality, and the texture is solid and full of toughness.
- 2、 The inner wall of the pipeline is smooth, with small resistance, not easy to scale, improving heating efficiency, energy saving and environmental protection.
- 3、 Good temperature and pressure resistance, long-term use temperature up to 95 °C.
- 4、 Easy to bend, easy to install, fast, less pipe fittings, easy to install.
- 5、 It has good friction resistance and can resist slight abrasion and scratch during transportation and construction.

Parameter Table

PEX Tubing Size	Inside Diameter (ID)	Outside Diameter (OD)
3/8"	0.360"	0.500"
1/2"	0.485"	0.625"
5/8"	0.584"	0.750"
3/4"	0.681"	0.875"
1"	0.875"	1.125"

Address: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi
Shanghai

Imported to AUS: SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD
NSW 2122 Australia

Imported to USA: Sanven Technology Ltd. Suite 250, 9166 Anaheim
Place, Rancho Cucamonga, CA 91730



Pooledas Group Ltd
Unit 5 Albert Edward House, The Pavilions
Preston, United Kingdom



SHUNSHUN GmbH
Römeräcker 9 Z2021, 76351
Linkenheim-Hochstetten, Germany

Made In China

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate

www.vevor.com/support