

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate <https://www.vevor.com/support>

PROJECTION SCREEN

USER MANUAL

MODEL NO.: QC-168

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Projection Screen

MODEL NO.: QC-168



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.



WARNING:

Please read this manual carefully before using the product. Failure to do so may result in serious injury. SAVE THIS MANUAL

Inflatable movie screen storage precautions

1. Do not use fingers or hard objects to touch the screen surface. Do not splash milk, fruit juice or other chemical doses to the screen surface. Keep the screen far away from high temperature objects or fire.
2. If the screen is dirty, wash it gently with a clean cloth or a cotton ball. Do not use organic solvents to clean the screen surface.
3. Avoid strong squeezing as much as possible.
4. Avoid storing in a cool and humid place, try to keep it dry.
5. Keep ventilated and stay away from fire4. Keep the inflation fan on when using it.

TECHNICAL SPECIFICATIONS

Model	QC-168	
Rating(s)	AC120V, 60Hz, 100W	AC220-240V, 50Hz, 100W
Product Size	168 inch	
Product Dimensions(LxWxH)	3400*1550*2600 mm	
Packing Size(LxWxH)	400*310*250 mm	
Net Weight (kg)	4.75	
Gross Weight (kg)	5.5	

PACKAGE CONTENTS



Storage bag*1



Projection



Frame*1



Iron Stakes*6



strong ropes*4




Blower*1
(The blower is built into the product)

ASSEMBLY STEPS



1 Lay out frame, close deflation zipper.

1



2 Turn on the blower, inflate in 2 minutes.

2



3 Attach the white screen to the black frame.

3



Let it stand up, attach the wind cord.

COMPLETION



Manufacturer: Shanghaimuxinmuyeyouxiangongsi

Address: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.

Imported to AUS: SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD NSW 2122 Australia

Imported to USA: Sanven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

EC	REP
-----------	------------

E-CrossStu GmbH
Mainzer Landstr.69, 60329 Frankfurt am Main.

UK	REP
-----------	------------

YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147, Centurion House, London Road, Staines-upon-Thames, Surrey, TW18 4AX



Technical Support and E-Warranty Certificate
www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Techniczny Wsparcie i certyfikat gwarancji elektronicznej

<https://www.vevor.com/support>

EKRAN PROJEKCYJNY

INSTRUKCJA OBSŁUGI

NR MODELU: QC-168

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

Projection Screen

NR MODELU: QC-168



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.



OSTRZEŻENIE:

Przed użyciem produktu należy uważnie przeczytać tę instrukcję. Nieprzestrzeganie jej może spowodować poważne obrażenia.

ZACHOWAJ TĘ INSTRUKCJĘ

Środki ostrożności dotyczące przechowywania nadmuchiwanego ekranu filmowego

1. Nie dotykaj powierzchni ekranu palcami ani twardymi przedmiotami. Nie rozchlapuj mleka, soku owocowego ani innych dawek chemicznych na powierzchnię ekranu. Trzymaj ekran z dala od przedmiotów o wysokiej temperaturze lub ognia.
2. Jeśli ekran jest brudny, umyj go delikatnie czystą szmatką lub wacikiem. Nie używaj rozpuszczalników organicznych do czyszczenia powierzchni ekranu.
3. Unikaj mocnego ściskania, o ile to możliwe.
4. Unikaj przechowywania w chłodnym i wilgotnym miejscu, staraj się, aby było suche.
5. Przechowywać w miejscu wentylowanym i trzymać się z dala od ognia.
4. Podczas korzystania z urządzenia należy trzymać włączony wentylator.

DANE TECHNICZNE

Model	QC-168	
Ocena(y)	AC120V, 60Hz, 100W	AC220-240V, 50Hz, 100W
Produkt Rozmiar	168 cali	
Wymiary produktu (dł. x szer. x wys.)	Wymiary: 3400*1550*2600 mm	
Rozmiar opakowania (dł. x szer. x wys.)	Wymiary: 400*310*250 mm	
Masa netto (kg)	4,75	
Masa brutto (kg)	5.5	

ZAWARTOŚĆ OPAKOWANIA



Storage bag*1



Projection



Frame*1



Iron Stakes*6



strong ropes*4




Blower*1
(The blower is built
into the product)

KROKI MONTAŻU



①

Lay out frame, close deflation zipper.



②

Turn on the blower, inflate in 2 minutes.



③

Attach the white screen to the black frame.



Let it stand up, attach the wind cord.

UKOŃCZENIE



Producent: Shanghaimuxinmuyeyouxiangongsi

Adres: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, szanghaj 200000 CN.

Importowane do AUS: SIHAO PTY LTD. 1 ROKEVA
STREETEASTWOOD NSW 2122 Australia

Importowane do USA: Sanven Technology Ltd. Suite 250, 9166 Anaheim
Place, Rancho Cucamonga, CA 91730

EC	REP
-----------	------------

E-CrossStu GmbH
Mainzer Landstr.69, 60329 Frankfurt am Main.

UK	REP
-----------	------------

YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147, Centurion
House, London Road, Staines-upon-Thames, Surrey,
TW18 4AX

VEVOR[®]
TOUGH TOOLS, HALF PRICE

Techniczny Wsparcie i certyfikat e-gwarancji
www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technisch Support und E-Garantie-Zertifikat <https://www.vevor.com/support>

PROJEKTIONSLEINWAND BENUTZERHANDBUCH

MODELLNR.: QC-168

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

Projection Screen

MODELLNR.: QC-168



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.



WARNUNG:

Bitte lesen Sie dieses Handbuch sorgfältig durch, bevor Sie das Produkt verwenden. Andernfalls kann es zu schweren Verletzungen kommen. BEWAHREN SIE DIESES HANDBUCH AUF

Vorsichtsmaßnahmen bei der Lagerung aufblasbarer Filmleinwände

1. Berühren Sie die Bildschirmoberfläche nicht mit Fingern oder harten Gegenständen. Spritzen Sie keine Milch, Fruchtsäfte oder andere Chemikalien auf die Bildschirmoberfläche. Halten Sie den Bildschirm von heißen Gegenständen oder Feuer fern.
2. Wenn der Bildschirm schmutzig ist, waschen Sie ihn vorsichtig mit einem sauberen Tuch oder einem Wattebausch. Verwenden Sie zum Reinigen der Bildschirmoberfläche keine organischen Lösungsmittel.
3. Vermeiden Sie möglichst starkes Drücken.
4. Vermeiden Sie die Lagerung an einem kühlen und feuchten Ort, versuchen Sie, es trocken zu halten.
5. Für Belüftung sorgen und von Feuer fernhalten 4. Lassen Sie den Aufblasventilator während der Verwendung eingeschaltet.

TECHNISCHE DATEN

Modell	QC-168	
Bewertung(en)	Wechselstrom 120 V, 60 Hz, 100 W	AC 220–240 V, 50 Hz, 100 W
Produkt Größe	168 Zoll	
Produktabmessungen (L x B x H)	3400*1550*2600 mm	
Verpackungsgröße (L x B x H)	400*310*250 mm	
Nettogewicht (kg)	4,75	
Bruttogewicht (kg)	5.5	

PACKUNGSGEHALT



Storage bag*1



Projection



Frame*1



Iron Stakes*6



strong ropes*4




Blower*1
(The blower is built
into the product)

MONTAGEANLEITUNG



①



②



③



Lay out frame, close deflation zipper.

Turn on the blower, inflate in 2 minutes.

Attach the white screen to the black frame.

Let it stand up, attach the wind cord.

FERTIGSTELLUNG



Hersteller: Shanghaimuxinmuyeyouxiangongsi
Adresse: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, Shanghai 200000 CN.
Nach AUS importiert: SIHAO PTY LTD. 1 ROKEVA
STREETEASTWOOD NSW 2122 Australien
Importiert in die USA: Sanven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

EC	REP
----	-----

E-CrossStu GmbH
Mainzer Landstr.69, 60329 Frankfurt am Main.

UK	REP
----	-----

YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147, Centurion House, London Road, Staines-upon-Thames, Surrey, TW18 4AX



Technisch Support und E-Garantie-Zertifikat
www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technique Certificat d'assistance et de garantie électronique

<https://www.vevor.com/support>

ÉCRAN DE PROJECTION

MANUEL D' UTILISATION

MODÈLE N° : QC-168

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

Projection Screen

MODÈLE N° : QC-168



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.



AVERTISSEMENT:

Veillez lire attentivement ce manuel avant d'utiliser le produit. Le non-respect de ces instructions peut entraîner des blessures graves.

CONSERVEZ CE MANUEL

Précautions de stockage pour les écrans de cinéma gonflables

1. N'utilisez pas les doigts ou des objets durs pour toucher la surface de l'écran. Ne projetez pas de lait, de jus de fruits ou d'autres produits chimiques sur la surface de l'écran. Gardez l'écran loin des objets à haute température ou du feu.
2. Si l'écran est sale, lavez-le délicatement avec un chiffon propre ou un coton. N'utilisez pas de solvants organiques pour nettoyer la surface de l'écran.
3. Évitez autant que possible de presser trop fort.
4. Évitez de le stocker dans un endroit frais et humide, essayez de le garder au sec.
5. Gardez l'appareil bien aéré et éloignez-le du feu. 4. Gardez le ventilateur de gonflage allumé lorsque vous l'utilisez.

CARACTÉRISTIQUES TECHNIQUES

Modèle	QC-168	
Note(s)	120 V CA, 60 Hz, 100 W	CA 220-240 V, 50 Hz, 100 W
Produit Taille	168 pouces	
Dimensions du produit (L x l x H)	3400*1550*2600 mm	
Taille de l'emballage (L x l x H)	400*310*250 mm	
Poids net (kg)	4,75	
Poids brut (kg)	5.5	

CONTENU DU COLIS



Storage bag*1



Projection



Frame*1



Iron Stakes*6



strong ropes*4




Blower*1
(The blower is built
into the product)

ÉTAPES D'ASSEMBLAGE



①



②



③



Lay out frame, close deflation zipper.

Turn on the blower, inflate in 2 minutes.

Attach the white screen to the black frame.

Let it stand up, attach the wind cord.

ACHÈVEMENT



Fabricant : Shanghaimuxinmuyeyouxiangongsi

Adresse : Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, Shanghai 200000 CN.

Importé en Australie : SIHAO PTY LTD. 1 ROKEVA
STREETEASTWOOD NSW 2122 Australie

Importé aux États-Unis : Sanven Technology Ltd. Suite 250, 9166
Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr.69, 60329 Frankfurt am Main.



YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147, Centurion
House, London Road, Staines-upon-Thames, Surrey,
TW18 4AX



Technique Certificat d'assistance et de garantie électronique
www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technisch Ondersteuning en E-garantiecertificaat <https://www.vevor.com/support>

PROJECTIESCHERM GEBRUIKSAANWIJZING

MODELNUMMER: QC-168

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

Projection Screen

MODELNUMMER: QC-168



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.



WAARSCHUWING:

Lees deze handleiding zorgvuldig door voordat u het product gebruikt. Als u dit niet doet, kan dit leiden tot ernstig letsel. BEWAAR DEZE HANDLEIDING

Voorzorgsmaatregelen voor het opbergen van opblaasbare filmschermen

1. Raak het schermoppervlak niet aan met uw vingers of harde voorwerpen. Spat geen melk, vruchtensap of andere chemische stoffen op het schermoppervlak. Houd het scherm ver weg van hete voorwerpen of vuur.
2. Als het scherm vuil is, was het dan voorzichtig met een schone doek of een wattenbolletje. Gebruik geen organische oplosmiddelen om het schermoppervlak schoon te maken.
3. Vermijd zoveel mogelijk hard knijpen.
4. Bewaar het niet op een koele en vochtige plaats, maar probeer het droog te houden.
5. Zorg voor ventilatie en blijf uit de buurt van vuur4. Laat de opblaasventilator aanstaan wanneer u deze gebruikt.

TECHNISCHE SPECIFICATIES

Model	QC-168	
Beoordeling(en)	AC120V, 60Hz, 100W	AC220-240V, 50Hz, 100W
Product Maat	168 inch	
Productafmetingen (LxBxH)	3400*1550* 2600mm	
Verpakkingsgrootte (LxBxH)	400*310*250mm	
Nettogewicht (kg)	4.75	
Brutogewicht (kg)	5.5	

INHOUD VAN HET PAKKET



Storage bag*1



Projection



Frame*1



Iron Stakes*6



strong ropes*4




Blower*1

(The blower is built into the product)

MONTAGESTAPPEN



①



②



③



Lay out frame, close deflation zipper.

Turn on the blower, inflate in 2 minutes.

Attach the white screen to the black frame.

Let it stand up, attach the wind cord.

VOLTOOIING



Fabrikant: Shanghaimuxinmuyeyouxiangongsi

Adres: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.

Geïmporteerd naar AUS: SIHAO PTY LTD. 1 ROKEVA
STREETEASTWOOD NSW 2122 Australië

Geïmporteerd naar de VS: Sanven Technology Ltd. Suite 250, 9166
Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr.69, 60329 Frankfurt am Main.



YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147, Centurion
House, London Road, Staines-upon-Thames, Surrey,
TW18 4AX



Technisch Ondersteuning en E-garantiecertificaat
www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Teknisk Support och e-garanticertifikat <https://www.vevor.com/support>

PROJEKTIONSDUK ANVÄNDARMANUAL

MODELLNR: QC-168

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

Projection Screen

MODELLNR: QC-168



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

 VARNING:

Läs denna bruksanvisning noggrant innan du använder produkten. Underlåtenhet att göra det kan leda till allvarliga skador. SPARA DENNA MANUAL

Försiktighetsåtgärder för förvaring av uppblåsbar filmskärm

1. Använd inte fingrar eller hårda föremål för att vidröra skärmytan. Stänk inte mjölk, fruktjuice eller andra kemikaliedoser till skärmens yta. Håll skärmen långt borta från föremål med hög temperatur eller eld.
2. Om skärmen är smutsig, tvätta den försiktigt med en ren trasa eller en bomullstuss. Använd inte organiska lösningsmedel för att rengöra skärmens yta.
3. Undvik stark klämning så mycket som möjligt.
4. Undvik att förvara på en sval och fuktig plats, försök att hålla den torr.
5. Håll ventilerat och håll dig borta från eld. Håll uppblåsningsfläkten på när du använder den.

TEKNISKA SPECIFIKATIONER

Modell	QC-168	
Betyg(er)	AC120V, 60Hz, 100W	AC220-240V, 50Hz, 100W
Produkt Storlek	168 tum	
Produktmått (LxBxH)	3400*1550*2600 mm	
Förpackningsstorlek (LxBxH)	400*310*250 mm	
Nettovikt (kg)	4,75	
Bruttovikt (kg)	5.5	

PAKETETS INNEHÅLL



Storage bag*1



Projection



Frame*1



Iron Stakes*6



strong ropes*4




Blower*1
(The blower is built into the product)

MONTERINGSSEG



1 Lay out frame, close deflation zipper.

1



2 Turn on the blower, inflate in 2 minutes.

2



3 Attach the white screen to the black frame.

3



Let it stand up, attach the wind cord.

KOMPLETTERING



Tillverkare: Shanghaimuxinmuyeyouxiangongsi

Address: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.

Importerad till AUS: SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD NSW 2122 Australien

Importerad till USA: Sanven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

EC	REP
-----------	------------

E-CrossStu GmbH
Mainzer Landstr.69, 60329 Frankfurt am Main.

UK	REP
-----------	------------

YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147, Centurion House, London Road, Staines-upon-Thames, Surrey, TW18 4AX

VEVOR[®]
TOUGH TOOLS, HALF PRICE

Teknisk Support och e-garanticertifikat
www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Técnico Certificado de soporte y garantía electrónica

<https://www.vevor.com/support>

PANTALLA DE PROYECCIÓN

MANUAL DEL USUARIO

NÚMERO DE MODELO: QC-168

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

Projection Screen

NÚMERO DE MODELO: QC-168



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.



ADVERTENCIA:

Lea atentamente este manual antes de utilizar el producto. De lo contrario, podría sufrir lesiones graves. GUARDE ESTE MANUAL

Precauciones para el almacenamiento de pantallas de cine inflables

1. No use los dedos ni objetos duros para tocar la superficie de la pantalla. No salpique leche, jugo de frutas ni otras sustancias químicas sobre la superficie de la pantalla. Mantenga la pantalla alejada de objetos a altas temperaturas o del fuego.
2. Si la pantalla está sucia, lávela suavemente con un paño limpio o una bolita de algodón. No utilice disolventes orgánicos para limpiar la superficie de la pantalla.
3. Evite en lo posible apretar con fuerza.
4. Evite almacenarlo en un lugar fresco y húmedo, trate de mantenerlo seco.
5. Manténgalo ventilado y alejado del fuego. 4. Mantenga el ventilador de inflado encendido cuando lo use.

ESPECIFICACIONES TÉCNICAS

Modelo	Control de calidad-168	
Calificación(es)	CA 120 V, 60 Hz, 100 W	CA 220-240 V, 50 Hz, 100 W
Producto Tamaño	168 pulgadas	
Dimensiones del producto (LxAnxAl)	3400*1550*2600 milímetros	
Tamaño del embalaje (LxAnxAl)	400*310*250 milímetros	
Peso neto (kg)	4,75	
Peso bruto (kg)	5.5	

CONTENIDO DEL PAQUETE



Storage bag*1



Projection



Frame*1



Iron Stakes*6



strong ropes*4




Blower*1
(The blower is built
into the product)

PASOS DE MONTAJE



①



②



③



Lay out frame, close deflation zipper.

Turn on the blower, inflate in 2 minutes.

Attach the white screen to the black frame.

Let it stand up, attach the wind cord.

TERMINACIÓN



Fabricante: Shanghaimuxinmuyeyouxiangongsi
Dirección: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.
Importado a AUS: SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD NSW 2122 Australia
Importado a EE. UU.: Sanven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

EC	REP
----	-----

E-CrossStu GmbH
Mainzer Landstr.69, 60329 Frankfurt am Main.

UK	REP
----	-----

YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147, Centurion House, London Road, Staines-upon-Thames, Surrey, TW18 4AX



Técnico Certificado de soporte y garantía electrónica
www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Tecnico Supporto e certificato di garanzia elettronica

<https://www.vevor.com/support>

SCHERMO DI PROIEZIONE

MANUALE D' USO

MODELLO NUMERO: QC-168

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

Projection Screen

MODELLO NUMERO: QC-168



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.



AVVERTIMENTO:

Si prega di leggere attentamente questo manuale prima di utilizzare il prodotto. La mancata osservanza di questa precauzione potrebbe causare gravi lesioni. CONSERVARE QUESTO MANUALE

Precauzioni per lo stoccaggio degli schermi gonfiabili

1. Non usare dita o oggetti duri per toccare la superficie dello schermo. Non spruzzare latte, succo di frutta o altre dosi chimiche sulla superficie dello schermo. Tenere lo schermo lontano da oggetti ad alta temperatura o dal fuoco.
2. Se lo schermo è sporco, lavarlo delicatamente con un panno pulito o un batuffolo di cotone. Non usare solventi organici per pulire la superficie dello schermo.
3. Evitare il più possibile di stringere troppo forte.
4. Evitare di conservare in un luogo fresco e umido, cercare di mantenerlo asciutto.
5. Mantenere ventilato e stare lontano dal fuoco. Tenere accesa la ventola di gonfiaggio quando la si utilizza.

SPECIFICHE TECNICHE

Modello	QC-168	
Valutazione(i)	CA 120 V, 60 Hz, 100 W	AC220-240V, 50Hz, 100W
Prodotto Misurare	168 pollici	
Dimensioni del prodotto (LxWxH)	3400*1550*2600 millimetri	
Dimensioni dell'imbballaggio (LxWxH)	400*310*250 millimetri	
Peso netto (kg)	4.75	
Peso lordo (kg)	5.5	

CONTENUTO DELLA CONFEZIONE



Storage bag*1



Projection



Frame*1



Iron Stakes*6



strong ropes*4




Blower*1
(The blower is built
into the product)

FASI DI MONTAGGIO



①

Lay out frame, close deflation zipper.



②

Turn on the blower, inflate in 2 minutes.



③

Attach the white screen to the black frame.



Let it stand up, attach the wind cord.

COMPLETAMENTO



Produttore: Shanghaimuxinmuyeyouxiangongsi

Indirizzo: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.

Importato in AUS: SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD NSW 2122 Australia

Importato negli USA: Sanven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

EC	REP
-----------	------------

E-CrossStu GmbH
Mainzer Landstr.69, 60329 Frankfurt am Main.

UK	REP
-----------	------------

YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147, Centurion House, London Road, Staines-upon-Thames, Surrey, TW18 4AX



Tecnico Supporto e certificato di garanzia elettronica
www.vevor.com/support