

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate

www.vevor.com/support

RUBBER TIE DOWN STRAPS

MODEL: ZD21 / ZD31 / ZD41 / ZD9~21

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

RUBBER TIE DOWN
STRAPS

MODEL: ZD21 / ZD31 / ZD41 / ZD9~21



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.


SAFETY INSTRUCTION AND PRECAUTIONS

⚠WARNING:

1. Used as intended only. Do not overload.
2. This product has strong elasticity; please reserve it in a cool and dry environment.
3. Used at temperatures ranging from -30 ° C to 40 ° C.

Product Use: bundling and securing objects

Assembly and Use:



Styles	Length(Inches)	Width(Inches)	Thickness(Inches)
A	9	0.78	0.19
B	15	0.78	0.19
C	21	0.78	0.19
D	31	0.78	0.19
E	41	0.78	0.19

1. The natural length of the rubber cord is 9/15/21/31/41 inches (not counting the retractor) , 0.78 inches in width and 0.19 inches in thickness.
2. The diameter of the hook is 3mm, the material is stainless steel, and the open space is 22mm.
3. The correct stress point of the retractor should be the top of the open end. Please do not pull any object beyond the size of the retractor.
4. Rubber cord can stretch to 23-24 inches.
5. The maximum pulling force of the retractor is 200N (please do not exceed this range) .

Address: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi Shanghai

EC REP: SHUNSHUN GmbH.

Römeräcker 9 Z2021,76351 Linkenheim-Hochstetten, Germany

UK REP: Pooledas Group Ltd.

Unit 5 Albert Edward House, The Pavilions Preston, United Kingdom

Imported to AUS: SIHAO PTY LTD.

1 ROKEVA STREETEASTWOOD NSW 2122 Australia

Imported to USA: Sanven Technology Ltd.

Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

Made In China

VEVOR®

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate

www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Assistance technique et certificat de garantie électronique

www.vevor.com/support

SANGLES D'ARRIMAGE EN CAOUTCHOUC

MODÈLE: ZD21 / ZD31 / ZD41 / ZD9~21

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

RUBBER TIE DOWN
STRAPS

MODÈLE: ZD21 / ZD31 / ZD41 / ZD9~21



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.


SAFETY INSTRUCTION AND PRECAUTIONS

⚠️AVERTISSEMENT:

4. A utiliser uniquement comme prévu. Ne pas surcharger.
5. Ce produit a une forte élasticité ; veuillez le conserver dans un environnement frais et sec.
6. Utilisé à des températures allant de -30°C à 40°C.

Utilisation du produit : regroupement et sécurisation d'objets

Montage et utilisation :



Styles	Longueur (pouces)	Largeur (pouces)	Épaisseur (pouces)
UN	9	0,78	0,19
B	15	0,78	0,19
C	21	0,78	0,19
D	31	0,78	0,19
E	41	0,78	0,19

6. La longueur naturelle du cordon en caoutchouc est de 9/15/21/31/41 pouces (sans compter le rétracteur), 0,78 pouces de largeur et 0,19 pouces d'épaisseur.
7. Le diamètre du crochet est de 3 mm, le matériau est en acier inoxydable et l'espace ouvert est de 22 mm.
8. Le point de tension correct du rétracteur doit être le haut de l'extrémité ouverte. Veuillez ne pas tirer sur un objet dépassant la taille du rétracteur.
9. Le cordon en caoutchouc peut s'étirer jusqu'à 23-24 pouces.
10. La force de traction maximale du rétracteur est de 200 N (veuillez ne

pas dépasser cette plage).

Adresse : Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi Shanghai

REPRÉSENTANT CE : SHUNSHUN GmbH .

Römeräcker 9 Z2021,76351 Linkenheim-Hochstetten, Allemagne

REPRÉSENTANT DU ROYAUME-UNI : Pooledas Group Ltd .

Unité 5 Albert Edward House, The Pavilions Preston, Royaume-Uni

Importé en AUS : SIHAO PTY LTD.

1 ROKEVA STREET EASTWOOD NSW 2122 Australie

Importé aux États-Unis : Sanven Technology Ltd.

Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

Fabriqué en Chine

VEVOR®

TOUGH TOOLS, HALF PRICE

Assistance technique et certificat de garantie électronique

www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technischer Support und E-Garantie-Zertifikat

www.vevor.com/support

ZURRGURTE AUS GUMMI

MODELL: ZD21 / ZD31 / ZD41 / ZD9~21

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

RUBBER TIE DOWN
STRAPS

MODELL: ZD21 / ZD31 / ZD41 / ZD9~21



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.


SAFETY INSTRUCTION AND PRECAUTIONS

⚠️ WARNUNG:

7. Nur bestimmungsgemäß verwenden. Nicht überladen.
8. Dieses Produkt hat eine starke Elastizität. Bitte bewahren Sie es an einem kühlen und trockenen Ort auf.
9. Einsetzbar bei Temperaturen von -30°C bis 40°C.

Produktverwendung: Bündelung und Sicherung von Objekten

Montage und Verwendung:



Stil	Länge (Zoll)	Breite (Zoll)	Dicke (Zoll)
A	9	0,78	0,19
B	15	0,78	0,19
C	21	0,78	0,19
D	31	0,78	0,19
E	41	0,78	0,19

11. Die natürliche Länge des Gummibandes beträgt 9/15/21/31/41 Zoll (ohne Aufroller), 0,78 Zoll in der Breite und 0,19 Zoll in der Dicke.

12. Der Durchmesser des Hakens beträgt 3 mm, das Material ist Edelstahl und der offene Raum beträgt 22 mm.

13. Der richtige Belastungspunkt des Retraktors sollte die Oberseite des offenen Endes sein. Bitte ziehen Sie keine Gegenstände heraus, die über die Größe des Retraktors hinausgehen.

14. Das Gummiband lässt sich auf 23–24 Zoll dehnen.

15. Die maximale Zugkraft des Aufrollers beträgt 200N (diesen Bereich bitte nicht überschreiten).

Adresse: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi Shanghai

EG-Vertreter: SHUNSHUN GmbH .

Römeräcker 9 Z2021,76351 Linkenheim-Hochstetten, Deutschland

Britische Vertretung: Pooledas Group Ltd.

Unit 5 Albert Edward House, The Pavilions Preston, Vereinigtes Königreich

Nach AUS importiert: SIHAO PTY LTD.

1 ROKEVA STREETEASTWOOD NSW 2122 Australien

In die USA importiert: Sanven Technology Ltd.

Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

In China hergestellt

VEVOR®

TOUGH TOOLS, HALF PRICE

Technischer Support und E-Garantie-Zertifikat

www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Supporto tecnico e certificato di garanzia elettronica

www.vevor.com/support

CINGHIE DI FISSAGGIO IN GOMMA

MODELLO: ZD21 / ZD31 / ZD41 / DA 9 A 21

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

RUBBER TIE DOWN
STRAPS

MODELLO: ZD21 / ZD31 / ZD41 / DA 9 A 21



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.


SAFETY INSTRUCTION AND PRECAUTIONS

⚠AVVERTIMENTO:

10. Da utilizzare solo come previsto. Non sovraccaricare.
11. Questo prodotto ha una forte elasticità: conservarlo in un ambiente fresco e asciutto.
12. Utilizzabile a temperature comprese tra -30°C e 40°C.

Utilizzo del prodotto: legare e fissare oggetti

Montaggio e utilizzo:



Stili	Lunghezza (pollici)	Larghezza (pollici)	Spessore (pollici)
UN	9	0,78	0,19
B	15	0,78	0,19
C	21	0,78	0,19
D	31	0,78	0,19
E	41	0,78	0,19

16. La lunghezza naturale del cordino di gomma è 9/15/21/31/41 pollici (senza contare il retrattore), 0,78 pollici di larghezza e 0,19 pollici di spessore.

17. Il diametro del gancio è di 3 mm, il materiale è acciaio inossidabile e lo spazio aperto è di 22 mm.

18. Il punto di stress corretto del retrattore dovrebbe essere la parte superiore dell'estremità aperta. Si prega di non tirare alcun oggetto oltre le dimensioni del retrattore.

19. Il cavo di gomma può estendersi fino a 23-24 pollici.

20. La forza di trazione massima del retrattore è 200 N (non superare questo intervallo).

Indirizzo: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi Shanghai

RAPPRESENTANTE DELLA CE: SHUNSHUN GmbH .

Römeräcker 9 Z2021,76351 Linkenheim-Hochstetten, Germania

RAPPRESENTANTE DEL REGNO UNITO: Pooledas Group Ltd.

Unità 5 Albert Edward House, The Pavilions Preston, Regno Unito

Importato in AUS: SIHAO PTY LTD.

1 ROKEVA STREET EASTWOOD NSW 2122 Australia

Importato negli USA: Sanven Technology Ltd.

Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

Made in China

VEVOR®

TOUGH TOOLS, HALF PRICE

Supporto tecnico e certificato di garanzia elettronica

www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Soporte técnico y certificado de garantía electrónica

www.vevor.com/support

CORREAS DE AMARRE DE GOMA

MODELO: ZD21 / ZD31 / ZD41 / ZD9~21

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

RUBBER TIE DOWN
STRAPS

MODELO: ZD21 / ZD31 / ZD41 / ZD9~21



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.


SAFETY INSTRUCTION AND PRECAUTIONS

⚠️ADVERTENCIA:

13. Utilícelo únicamente para el fin previsto. No lo sobrecargue.
14. Este producto tiene una fuerte elasticidad; guárdelo en un ambiente fresco y seco.
15. Se utiliza a temperaturas que oscilan entre -30°C y 40°C.

Uso del producto: agrupar y asegurar objetos

Montaje y uso:



Estilos	Longitud (pulgadas)	Ancho (pulgadas)	Espesor (pulgadas)
A	9	0,78	0,19
B	15	0,78	0,19
do	21	0,78	0,19
D	31	0,78	0,19
mi	41	0,78	0,19

21.La longitud natural del cordón de goma es de 9/15/21/31/41 pulgadas (sin contar el retractor), 0,78 pulgadas de ancho y 0,19 pulgadas de grosor.

22.El diámetro del gancho es de 3 mm, el material es acero inoxidable y el espacio abierto es de 22 mm.

23.El punto de tensión correcto del retractor debe ser la parte superior del extremo abierto. No tire de ningún objeto que supere el tamaño del retractor.

24.El cordón de goma se puede estirar hasta 23-24 pulgadas.

25. La fuerza máxima de tracción del retractor es de 200 N (no exceda este rango).

Dirección: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi Shanghai

REPRESENTANTE CE: SHUNSHUN GmbH .

Römeräcker 9 Z2021,76351 Linkenheim-Hochstetten, Alemania

REPRESENTANTE DEL REINO UNIDO: Pooledas Group Ltd.

Unidad 5 Albert Edward House, The Pavilions Preston, Reino Unido

Importado a AUS: SIHAO PTY LTD.

1 ROKEVA STREET EASTWOOD NSW 2122 Australia

Importado a EE. UU.: Sanven Technology Ltd.

Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

Hecho en china

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Soporte técnico y certificado de garantía electrónica

www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Wsparcie techniczne i certyfikat e-gwarancji

www.vevor.com/support

PASKI MOCUJĄCE GUMOWE

MODEL: ZD21 / ZD31 / ZD41 / ZD9~21

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

RUBBER TIE DOWN
STRAPS

MODEL: ZD21 / ZD31 / ZD41 / ZD9~21



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.


SAFETY INSTRUCTION AND PRECAUTIONS

⚠OSTRZEŻENIE:

16. Stosować wyłącznie zgodnie z przeznaczeniem. Nie przeciążać.
17. Produkt ten charakteryzuje się dużą elastycznością, dlatego należy przechowywać go w chłodnym i suchym miejscu.
18. Stosować w zakresie temperatur od -30°C do 40°C.

Zastosowanie produktu: pakowanie i zabezpieczanie przedmiotów

Montaż i użytkowanie:



Style	Długość (cale)	Szerokość (cale)	Grubość (cale)
A	9	0,78	0,19
B	15	0,78	0,19
C	21	0,78	0,19
D	31	0,78	0,19
mi	41	0,78	0,19

26. Naturalna długość przewodu gumowego wynosi 9/15/21/31/41 cali (nie licząc zwijacza), 0,78 cala szerokości i 0,19 cala grubości.

27. Średnica haka wynosi 3 mm, materiał jest ze stali nierdzewnej, a otwarta przestrzeń wynosi 22 mm.

28. Prawidłowy punkt naprężenia retraktora powinien znajdować się na górze otwartego końca. Nie należy ciągnąć żadnego przedmiotu poza rozmiar retraktora.

29. Sznurek gumowy rozciąga się do długości 23-24 cali.

30. Maksymalna siła naciągu retraktora wynosi 200N (nie należy

przekraczać tego zakresu).

Adres: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi Szanghaj

Przedstawiciel WE: SHUNSHUN GmbH .

Römeräcker 9 Z2021,76351 Linkenheim-Hochstetten, Niemcy

Przedstawiciel Wielkiej Brytanii: Pooledas Group Ltd.

Jednostka 5 Albert Edward House, The Pavilions Preston, Zjednoczone Królestwo

Importowane do AUS: SIHAO PTY LTD.

1 ROKEVA STREETEASTWOOD NSW 2122 Australia

Importowane do USA: Sanven Technology Ltd.

Apartament 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

Wyprodukowano w Chinach

VEVOR®

TOUGH TOOLS, HALF PRICE

Wsparcie techniczne i certyfikat e-gwarancji

www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technische ondersteuning en e-garantiecertificaat

www.vevor.com/support

RUBBEREN SPANBANDEN

MODEL: ZD21 / ZD31 / ZD41 / ZD9~21

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

RUBBER TIE DOWN
STRAPS

MODEL: ZD21 / ZD31 / ZD41 / ZD9~21



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.


SAFETY INSTRUCTION AND PRECAUTIONS

⚠WAARSCHUWING:

19. Alleen gebruiken zoals bedoeld. Niet overbelasten.
20. Dit product heeft een hoge elasticiteit. Bewaar het daarom op een koele en droge plaats.
21. Gebruikt bij temperaturen van -30°C tot 40°C.

Productgebruik: bundelen en beveiligen van objecten

Montage en gebruik:



Stijlen	Lengte (inches)	Breedte (inches)	Dikte (inches)
A	9	0,78	0,19
B	15	0,78	0,19
C	21	0,78	0,19
D	31	0,78	0,19
Ik	41	0,78	0,19

31. De natuurlijke lengte van het rubberen koord is 9/15/21/31/41 inch (exclusief de oprolinrichting), 0,78 inch breed en 0,19 inch dik.

32. De diameter van de haak is 3 mm, het materiaal is roestvrij staal en de open ruimte is 22 mm.

33. Het juiste stresspunt van de retractor moet de bovenkant van het open uiteinde zijn. Trek geen enkel object verder dan de grootte van de retractor.

34. Rubberen koord kan worden uitgerekt tot 23-24 inch.

35. De maximale trekkracht van de retractor bedraagt 200N (overschrijd deze grens niet).

Adres: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi Shanghai

EG-VERTEGENWOORDIGER: SHUNSHUN GmbH .

Römeräcker 9 Z2021,76351 Linkenheim-Hochstetten, Duitsland

VK REP: Pooledas Group Ltd.

Unit 5 Albert Edward House, The Pavilions Preston, Verenigd Koninkrijk

Geïmporteerd naar AUS: SIHAO PTY LTD.

1 ROKEVA STRAAT EASTWOOD NSW 2122 Australië

Geïmporteerd naar de VS: Sanven Technology Ltd.

Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

Gemaakt in China

VEVOR®

TOUGH TOOLS, HALF PRICE

Technische ondersteuning en e-garantiecertificaat

www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Teknisk support och e-garanticertifikat

www.vevor.com/support

BAND AV GUMMI

MODELL: ZD21 / ZD31 / ZD41 / ZD9~21

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

RUBBER TIE DOWN
STRAPS

MODELL: ZD21 / ZD31 / ZD41 / ZD9~21



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.


SAFETY INSTRUCTION AND PRECAUTIONS

⚠️WARNING:

- 22. Används endast som avsett. Överbelasta inte.
- 23. Denna produkt har stark elasticitet; vänligen förvara den i en sval och torr miljö.
- 24. Används vid temperaturer från -30 ° C till 40 ° C.

Produktanvändning: bunta och säkra föremål

Montering och användning:



Stilar	Längd (tum)	Bredd (tum)	Tjocklek (tum)
A	9	0,78	0,19
B	15	0,78	0,19
C	21	0,78	0,19
D	31	0,78	0,19
E	41	0,78	0,19

36. Den naturliga längden på gummisnöret är 9/15/21/31/41 tum (exklusive upprullningsdonet), 0,78 tum i bredd och 0,19 tum i tjocklek.

37. Krokens diameter är 3 mm, materialet är rostfritt stål och det öppna utrymmet är 22 mm.

38. Rätt spänningspunkt för upprullningsdonet bör vara toppen av den öppna änden. Vänligen dra inte något föremål utöver upprullningsdonets storlek.

39. Gummitråd kan sträcka sig till 23-24 tum.

40. Upprullningsdonets maximala dragkraft är 200N (överskrid inte detta område).

Adress: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi Shanghai

EC REP: SHUNSHUN GmbH .

Römeräcker 9 Z2021,76351 Linkenheim-Hochstetten, Tyskland

UK REP: Pooledas Group Ltd.

Enhet 5 Albert Edward House, The Pavilions Preston, Storbritannien

Importerad till AUS: SIHAO PTY LTD.

1 ROKEVA STREETEASTWOOD NSW 2122 Australien

Importerad till USA: Sanven Technology Ltd.

Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

Made In China

VEVOR®

TOUGH TOOLS, HALF PRICE

Teknisk support och e-garanticertifikat

www.vevor.com/support