

# **VEVOR<sup>®</sup>**

## **TOUGH TOOLS, HALF PRICE**

Technical Support and E-Warranty Certificate

[www.vevor.com/support](http://www.vevor.com/support)

# **CHIMNEY CAP USER MANUAL**

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

# VEVOR<sup>®</sup>

TOUGH TOOLS, HALF PRICE

## CHIMNEY CAP User Manual

Model: SSRC-9\*13



### NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

**Technical Support and E-Warranty Certificate**  
**[www.vevor.com/support](http://www.vevor.com/support)**

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.



## Safety & Warning

- Read and understand this entire manual before assembling, installing, operating, or servicing this product. Failure to follow these warnings and instructions can cause death, personal injury or damage valuable property.
- Wear ANSI-approved safety goggles, heavy-duty work gloves and safety shoes during assembly and installation of this product. Keep bystanders out of the area during assembly.
- Do not assemble when tired or under the influence of alcohol, drugs or medication.
- Use as intended only. **TO PREVENT SERIOUS INJURY AND DEATH FROM TIPPING: DO NOT SIT, STAND OR CLIMB ON THIS ITEM.**
- **This product is not a toy. Do not allow children to play with or near this item.**
- Before use, inspect the general condition of the product. Check for: broken, cracked, or bent parts, loose or missing parts, and any condition that may affect the proper function of the product.
- Ensure only genuine parts are used for replacement and repair.

**SAVE THESE INSTRUCTIONS**

## Specifications

Model Series	SSRC-9*13
Chimney Size for Horizontal Installation	Length of the Long External Side: 12.80-13.19 inch/325-335 mm Length of the Short External Side: 8.66-9.06 inch/220-230 mm
Chimney Size for Vertical Installation	Length of the Long Inner Side: $\leq 13.19$ inch/ $\leq 335$ mm Length of the Short Inner Side: $\leq 9.06$ inch/ $\leq 230$ mm Length of the Long External Side: $\geq 15.94$ inch/ $\geq 405$ mm Length of the Short External Side: $\geq 11.73$ inch/ $\geq 298$ mm
Net Weight (kg)	2.3

Gross Weight (kg)	3.0
----------------------	-----

## Figure of the Product



Figure 1

Part	Description	Qty
1	Screw M5*10 (12 PCS Needed for Horizontal Installation or 20 PCS Needed for Vertical Installation.)	24
2	Nut M5 (12 PCS Needed for Horizontal Installation or 20 PCS Needed for Vertical Installation.)	24
3	Expansion Sleeve (8 PCS Needed for Installation)	10
4	Expansion Screw (8 PCS Needed for Installation)	10
5	Bottom Bracket A	2
6	Bottom Bracket B	2
7	Upper Cover	1
8	Grid Piece A	2
9	Grid Piece B	2
10	User Manual	1

## Instructions

A. Check whether the product parts and accessories are complete.




Figure 2

B. Fix the 4 grid pieces with screw M5\*10 and nut M5.




Figure 3

C. Assemble the upper cover to the 4 grid pieces with screw M5\*10 and nut M5.



Figure 4

Two optional installation methods D (Horizontal installation) or E (Vertical installation).

D. For horizontal installation, drill 8  $\Phi 8 \times 40$  holes on the chimney in horizontal direction, use a hammer to press 8 expansion sleeves into these 8 holes, and then firmly install the chimney cap to the chimney with 8 expansion screws.



Figure 5



Figure 6

E. For vertical installation, mount the 4 bottom brackets to the 4 grid pieces with screw M5\*10 and nut M5, drill 8  $\Phi 8 \times 40$  holes on the chimney in vertical direction, use a hammer to press 8 expansion sleeves into these 8 holes, and then firmly install the chimney cap to the chimney with 8 expansion screws.




Figure 7



Figure 8

**Manufacturer:** Shanghaimuxinmuyeyouxiangongsi

**Address:** Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.

**Imported to AUS:** SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD NSW 2122 Australia

**Imported to USA:** Sanven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

<b>UK</b>	<b>REP</b>
-----------	------------

YH CONSULTING LIMITED. C/O YH Consulting Limited Office 147, Centurion House, London Road, Staines-upon-Thames, Surrey, TW18 4AX

<b>EC</b>	<b>REP</b>
-----------	------------

E-CrossStu GmbH  
Mainzer Landstr.69,  
60329 Frankfurt am Main.

**VEVOR<sup>®</sup>**

**TOUGH TOOLS, HALF PRICE**

**Technical Support and E-Warranty Certificate**

**[www.vevor.com/support](http://www.vevor.com/support)**