

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate www.vevor.com/support

DRYWALL SKIMMING BLADE

USER'S MANUAL

**MODEL:XSJ-24-S001/XSJ-24-S005/
XSJ-24-S006/XSJ-24-S007**

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

DRYWALL SKIMMING BLADE

MODEL:XSJ-24-S001/XSJ-24-S005/XSJ-24-S006/XSJ-24-S007



<Picture Only For Reference >

NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

IMPORTANT SAFEGUARDS



WARNING: Read and understand this manual before operating or servicing this product. Failure to follow these warnings and instructions can cause personal injury or damage to valuable property.

1. Avoid children using this product. And this product is not a toy. Do not allow children to play.
2. The edge of the blade is sharp, and extra attention should be paid to safety when using it.
3. Wear ANSI-approved safety goggles and heavy-duty work gloves during use.
4. Product capabilities apply to properly and completely assembled product only.

SAVE THESE INSTRUCTIONS

1.Product Introduction

The putty-taping spatula knife is crafted with premium high-quality stainless steel. The aluminum surface ensures our taping blades remain perfectly straight and flexible. For all the efforts, this sharp blade is simple and practical, offering a higher working efficiency, helping you get into tight seams and joints, and creating a uniform surface that makes your project pop. It is widely applied for internal wall putty, external wall putty, cracking mortar, thermal insulation mortar, plastering gypsum, etc.

2.Application

- 1)Internal and external wall putty scraping.
- 2)Crack resistant mortar.
- 3)Plastering mortar.
- 4)Intermediate coating and scraping of epoxy floor.
- 5)Plastering gypsum.

3.Maintenance

- 1)Keep the blade / blade rack clean, which is conducive to the next use.
- 2)The drywall skimming blade shall be protected from collision and deformation

4.Product specifications

specifications	24in	32in	40in	48in
Product Size (L x W x H) /mm	610*134*55	813*134*55	1016*134*55	1219*134*55
Net Weight /kg	0.73	1	1.16	1.4
Blade Material	Stainless Steel			
Blade Thickness/mm	0.5			
Blade Handle Material	Aluminum			

Manufacturer: Shanghaimuxinmuyeyouxiangongsi

Address: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.

Imported to AUS: SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD NSW 2122 Australia

Imported to USA: Sanven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

UK	REP
-----------	------------

YH CONSULTING LIMITED. C/O YH Consulting Limited Office 147, Centurion House, London Road, Staines-upon-Thames, Surrey, TW18 4AX

EC	REP
-----------	------------

E-CrossStu GmbH
Mainzer Landstr.69,
60329 Frankfurt am Main.

VEVOR®

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate

www.vevor.com/support