

Technical Support and E-Warranty Certificate www.vevor.com/support

# Felt Garage Mat

We continue to be committed to provide you tools with competitive price. "Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.



FELT GARAGE MAT

#### MODEL:GM



## **NEED HELP? CONTACT US!**

Have product questions? Need technical support? Please feel free to contact us:

#### Technical Support and E-Warranty Certificate www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

**I**NOTICE: Please retain instructions for future needs. Flammable: This product will ignite and burn if brought into contact with an

#### open flame.

NO.	Model	Materials	Product Size (ft)	Thickness(mm)	Colour
1	GM-01	POLYESTER FELT+TPE	3*5	2.4	Dark Grey
2	GM-02		4.9*6		
3	GM-03		6.6*8.5		
4	GM-04		7.33*17 (7'4"*17')		
5	GM-05		7.33*20(7'4"*20')		
6	GM-06		7.5*19(7'6"*19')		
7	GM-07		8.83*22(8'10"*22')		

## **Material introduction**



## **Process Characteristics**

- Garage Mat--Protects garage floor surface clean.
- Absorbent felt material.
- Tear Resistant.
- TPE non-slip backing-Helps to keep the oil mat securely in place and prevents it from moving around.
- Washable-simply scrub with soap, lay flat to dry, it is best not to machine wash.
- Easy to cut-You can create the shape that fit your own garage.

## EASY TO INSTALL-No tape required

Single-side adhesive method

Place the mat in the position.

Fix to the floor with single-sided adhesive (not provide) ordouble-sided adhesive complete.



Address: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi Shanghai Imported to AUS: SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD NSW 2122 Australia

**Imported to USA:** Sanven Technology Ltd.Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



Pooledas Group Ltd

Unit 5 Albert Edward House, The Pavilions

Preston, United Kingdom



SHUNSHUN GmbH Römeräcker 9 Z2021, 76351 Linkenheim-Hochstetten, Germany

Made In China

