

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate

www.vevor.com/support

LOCKOUT TAGOUT KIT USER MANUAL

MODEL: BY001

We continue to be committed to provide you tools with competitive price.


"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

LOCKOUT TAGOUT KIT

MODEL: BY001



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

SAFETY INSTRUCTIONS

WARNING:

Read this material before using this product. Failure to do so can result in serious injury.

Assembly precautions

1. Assemble only according to these instructions. Improper assembly can create hazards.
2. Wear safety goggles and duty work gloves during assembly.
3. Keep the assembly area clean and well-lit.
4. Keep bystanders out of the area during assembly.
5. Do not assemble when tired or when under the influence of alcohol, drugs or medication.
6. The product capabilities apply to properly and completely assembled products only.
7. Assemble on a flat, level, hard and smooth surface capable of safely supporting the Lockout Tagout Kit.
8. For additional information regarding the parts listed in the following pages, please refer to the Assembly Diagram of this manual. Unwrap and separate all parts in a clean work area.

Use precautions

1. DO NOT SIT OR STAND ON THIS ITEM.
2. This product is not a toy. Do not allow children to play with or near this item.
3. Do not exceed capacities.
4. Use only on a flat, level, hard and smooth surface capable of safely supporting a fully loaded Lockout Tagout Kit.
5. Use as intended only.
6. Inspect before every use; do not use if parts are loose or damaged.

SAVE THIS MANUAL

PRODUCT PARAMETER	
Model	1000
Material	Aluminum
Weight	150g
Dimensions	100x50x20mm
Power	5W
Frequency	1000Hz
Amplitude	10V
Phase	0°
Impedance	100Ω
Current	10mA
Voltage	10V
Power	5W
Frequency	1000Hz
Amplitude	10V
Phase	0°
Impedance	100Ω
Current	10mA
Voltage	10V
Power	5W
Frequency	1000Hz
Amplitude	10V
Phase	0°
Impedance	100Ω
Current	10mA
Voltage	10V
Power	5W
Frequency	1000Hz
Amplitude	10V
Phase	0°
Impedance	100Ω
Current	10mA
Voltage	10V
Power	5W
Frequency	1000Hz
Amplitude	10V
Phase	0°
Impedance	100Ω
Current	10mA
Voltage	10V
Power	5W
Frequency	1000Hz
Amplitude	10V
Phase	0°
Impedance	100Ω
Current	10mA
Voltage	10V
Power	5W
Frequency	1000Hz
Amplitude	10V
Phase	0°
Impedance	100Ω
Current	10mA
Voltage	10V
Power	5W
Frequency	1000Hz
Amplitude	10V
Phase	0°
Impedance	100Ω
Current	10mA
Voltage	10V
Power	5W
Frequency	1000Hz
Amplitude	10V
Phase	0°
Impedance	100Ω
Current	10mA
Voltage	10V
Power	5W
Frequency	1000Hz
Amplitude	10V
Phase	0°
Impedance	100Ω
Current	10mA
Voltage	10V
Power	5W
Frequency	1000Hz
Amplitude	10V
Phase	0°
Impedance	100Ω
Current	10mA
Voltage	10V
Power	5W
Frequency	1000Hz
Amplitude	10V
Phase	0°
Impedance	100Ω
Current	10mA
Voltage	10V
Power	5W
Frequency	1000Hz
Amplitude	10V
Phase	0°
Impedance	100Ω
Current	10mA
Voltage	10V
Power	5W
Frequency	1000Hz
Amplitude	10V
Phase	0°
Impedance	100Ω
Current	10mA
Voltage	10V
Power	5W
Frequency	1000Hz
Amplitude	10V
Phase	0°
Impedance	100Ω
Current	10mA
Voltage	10V
Power	5W
Frequency	1000Hz
Amplitude	10V
Phase	0°
Impedance	100Ω
Current	10mA
Voltage	10V
Power	5W
Frequency	1000Hz
Amplitude	10V
Phase	0°
Impedance	100Ω
Current	10mA
Voltage	10V
Power	5W
Frequency	1000Hz
Amplitude	10V
Phase	0°
Impedance	100Ω
Current	10mA
Voltage	10V
Power	5W
Frequency	1000Hz
Amplitude	10V
Phase	0°
Impedance	100Ω
Current	10mA
Voltage	10V
Power	5W
Frequency	1000Hz
Amplitude	10V
Phase	0°
Impedance	100Ω
Current	10mA
Voltage	10V
Power	5W
Frequency	1000Hz
Amplitude	10V
Phase	0°
Impedance	100Ω
Current	10mA
Voltage	10V
Power	5W
Frequency	1000Hz
Amplitude	10V
Phase	0°
Impedance	100Ω
Current	10mA
Voltage	10V
Power	5W
Frequency	1000Hz
Amplitude	10V
Phase	0°
Impedance	100Ω
Current	10mA
Voltage	10V
Power	5W
Frequency	1000Hz
Amplitude	10V
Phase	0°
Impedance	100Ω
Current	10mA
Voltage	10V

Model	BY001
Number Of Sets	58
Product Size	558*393*65 mm

PARTS LIST

- 14** Security Padlocks
with 2 keys per lock
- 1** Lockout Tagout Station
- 4** Lockout Tagout Hasps
2 x 1-inch; 2 x 1.5-inch
- 40** Lockout Tagout Tags
- 40** Nylon Zip Ties

58 
Lockout Tagout
Set Included



INSTRUCTIONS

■ COMBINED LOCKOUT STATION



Made from engineering plastic PC. Integrated design, strong and durable.

Thickness: 65mm

■ SAFETY PADLOCK



Unit: mm




■ PA COATED STEEL HASP

- Made from Engineering plastic nylon PA injection molding, galvanized rustproof surface.
- Lock hole diameter: 10.5mm(2/5").
- Lock shackle diameter: 25mm(1") & 38mm (1.5").

PART CODE	SPECIFICATION
BD-K01	Lock shackle 25mm(1")
BD-K02	Lock shackle 38mm(1.5")



■ LOCKOUT TAGOUT



Thickness: 0.45mm
Material: PVC

Manufacturer: Shanghaimuxinmuyeyouxiangongsi

Address: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi
Shanghai

Imported to AUS: SIHAO PTY LTD, 1 ROKEVA STREETEASTWOOD
NSW 2122 Australia

Imported to USA: Sanven Technology Ltd.

Suite 250,9166 Anaheim Place, Rancho Cucamonga, CA 91730



SHUNSHUN GmbH

Römeräcker 9 Z2021,76351

Linkenheim-Hochstetten,Germany

euvertreter@gmail.com

+49 1727041930



Pooledas Group Ltd

Unit 5 Albert Edward House, The

Pavilions Preston, United Kingdom

pooledas123@gmail.com

Tel: 01772418127

Made In China

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate

www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Techniczny Wsparcie i certyfikat e-gwarancji

www.vevor.com/support

ZESTAW DO BLOKOWANIA I ETYKIETOWANIA INSTRUKCJA obsługi

MODEL: BY001

We continue to be committed to provide you tools with competitive price.


"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

LOCKOUT TAGOUT KIT

MODEL: BY001



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

SAFETY INSTRUCTIONS

OSTRZEŻENIE:

**Przeczytaj ten materiał przed użyciem tego produktu.
Nieprzestrzeganie tego może spowodować poważne obrażenia.**

Środki ostrożności podczas montażu

1. Montaż należy wykonywać wyłącznie zgodnie z niniejszą instrukcją. Nieprawidłowy montaż może stwarzać zagrożenia.
2. Podczas montażu należy nosić okulary ochronne i rękawice robocze.
3. Utrzymuj miejsce zgromadzenia w czystości i zapewnij dobre oświetlenie.
4. Nie dopuszczać osób postronnych na teren montażu podczas jego trwania.
5. Nie przychodź na spotkania, jeśli jesteś zmęczony lub pod wpływem alkoholu, narkotyków lub leków.
6. Możliwości produktu odnoszą się wyłącznie do produktów prawidłowo i kompletnie zmontowanych.
7. Zmontuj na płaskiej, równej, twardej i gładkiej powierzchni, która będzie w stanie bezpiecznie utrzymać zestaw Lockout Tagout .
8. Aby uzyskać dodatkowe informacje dotyczące części wymienionych na kolejnych stronach, zapoznaj się ze schematem montażu w tym podręczniku. Rozpakuj i oddziel wszystkie części w czystym miejscu pracy.

Stosuj środki ostrożności

1. NIE SIADAĆ ANI NIE STAWAĆ NA TYM PRZEDMIOCIE.
2. Ten produkt nie jest zabawką. Nie pozwalaj dzieciom bawić się tym przedmiotem ani przebywać w jego pobliżu.
3. Nie przekraczać dopuszczalnych limitów.
4. Stosować wyłącznie na płaskiej, równej, twardej i gładkiej powierzchni, która może bezpiecznie utrzymać w pełni załadowany zestaw Lockout Tagout .
5. Stosować wyłącznie zgodnie z przeznaczeniem.

6. Przed każdym użyciem należy przeprowadzić kontrolę. Nie należy używać produktu, jeśli jakieś części są luźne lub uszkodzone.

ZAPISZ TĘ INSTRUKCJĘ

PRODUCT PARAMETER

Model	BY001
Liczba zestawów	58
Rozmiar produktu	Wymiary: 558*393*65 mm

PARTS LIST

14 Security Padlocks
with 2 keys per lock

58 
Lockout Tagout
Set Included

1 Lockout Tagout Station

4 Lockout Tagout Hasps
2 x 1-inch; 2 x 1.5-inch

40 Lockout Tagout Tags

40 Nylon Zip Ties



INSTRUCTIONS

■ COMBINED LOCKOUT STATION



Made from engineering plastic PC. Integrated design, strong and durable.

Thickness: 65mm

■ SAFETY PADLOCK



Unit: mm




■ PA COATED STEEL HASP

- Made from Engineering plastic nylon PA injection molding, galvanized rustproof surface.
- Lock hole diameter: 10.5mm(2/5").
- Lock shackle diameter: 25mm(1") & 38mm (1.5").

PART CODE	SPECIFICATION
BD-K01	Lock shackle 25mm(1")
BD-K02	Lock shackle 38mm(1.5")



■ LOCKOUT TAGOUT



Thickness: 0.45mm
Material: PVC

Producent: Shanghaimuxinmuyeyouxiangongsi

Adres: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi
Szanghaj

Importowane do AUS: SIHAO PTY LTD, 1 ROKEVA
STREETEASTWOOD NSW 2122 Australia

Importowane do USA: Sanven Technology Ltd.
Apartament 250 , 9166 Anaheim Place, Rancho Cucamonga, CA 91730



SHUNSHUN GmbH
Römeräcker 9 Z2021,76351
Linkenheim-Hochstetten, Germany
euvertreter@gmail.com
+49 1727041930



Pooledas Group Ltd
Unit 5 Albert Edward House, The
Pavilions Preston, United Kingdom
pooledas123@gmail.com
Tel: 01772418127

Wyprodukowano w Chinach

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Techniczny Wsparcie i certyfikat e-gwarancji

www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technisch Support und E-Garantie-Zertifikat

www.vevor.com/support

LOCKOUT-TAGOUT-KIT

Benutzerhandbuch

MODELL: BY001

We continue to be committed to provide you tools with competitive price.


"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR[®]

TOUGH TOOLS, HALF PRICE

LOCKOUT TAGOUT KIT

MODELL: BY001



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

SAFETY INSTRUCTIONS

WARNUNG:

Lesen Sie dieses Material, bevor Sie dieses Produkt verwenden. Andernfalls kann es zu schweren Verletzungen kommen.

Vorsichtsmaßnahmen bei der Montage

1. Führen Sie die Montage nur gemäß dieser Anleitung durch. Eine unsachgemäße Montage kann zu Gefahren führen.
2. Tragen Sie während der Montage eine Schutzbrille und Arbeitshandschuhe.
3. Halten Sie den Versammlungsbereich sauber und gut beleuchtet.
4. Halten Sie während der Montage unbeteiligte Zuschauer vom Bereich fern.
5. Nicht zusammenbauen, wenn Sie müde sind oder unter Einfluss von Alkohol, Drogen oder Medikamenten stehen.
6. Die Produktfunktionen gelten nur für ordnungsgemäß und vollständig montierte Produkte.
7. Lockout-Tagout-Kit sicher getragen werden kann .
8. Weitere Informationen zu den auf den folgenden Seiten aufgeführten Teilen finden Sie im Montagediagramm dieses Handbuchs. Packen Sie alle Teile in einem sauberen Arbeitsbereich aus und trennen Sie sie.

Vorsichtsmaßnahmen treffen

1. SETZEN ODER STELLEN SIE SICH NICHT AUF DIESEN GEGENSTAND.
2. Dieses Produkt ist kein Spielzeug. Erlauben Sie Kindern nicht, mit oder in der Nähe dieses Artikels zu spielen.
3. Kapazitäten nicht überschreiten.
4. Lockout-Tagout-Kit sicher tragen kann .
5. Nur bestimmungsgemäß verwenden.
6. Vor jedem Gebrauch prüfen; nicht verwenden, wenn Teile lose oder beschädigt sind.

BEWAHREN SIE DIESES HANDBUCH AUF

PRODUCT PARAMETER

Modell	BY001
Anzahl der Sets	58
Produktgröße	558*393*65 mm

PARTS LIST

- 14** Security Padlocks
with 2 keys per lock

58 
Lockout Tagout
Set Included

- 1** Lockout Tagout Station

- 4** Lockout Tagout Hasps
2 x 1-inch; 2 x 1.5-inch

- 40** Lockout Tagout Tags

- 40** Nylon Zip Ties



INSTRUCTIONS

■ COMBINED LOCKOUT STATION



Made from engineering plastic PC. Integrated design, strong and durable.

Thickness: 65mm

■ SAFETY PADLOCK



Unit: mm




■ PA COATED STEEL HASP

- Made from Engineering plastic nylon PA injection molding, galvanized rustproof surface.
- Lock hole diameter: 10.5mm(2/5").
- Lock shackle diameter: 25mm(1") & 38mm (1.5").

PART CODE	SPECIFICATION
BD-K01	Lock shackle 25mm(1")
BD-K02	Lock shackle 38mm(1.5")



■ LOCKOUT TAGOUT



Thickness: 0.45mm
Material: PVC

Hersteller: Shanghaimuxinmuyeyouxiangongsi

Adresse: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi
Shanghai

Nach AUS importiert: SIHAO PTY LTD, 1 ROKEVA
STREETEASTWOOD NSW 2122 Australien

In die USA importiert: Sanven Technology Ltd.
Suite 250 , 9166 Anaheim Place, Rancho Cucamonga, CA 91730



SHUNSHUN GmbH
Römeräcker 9 Z2021,76351
Linkenheim-Hochstetten,Germany
euvertreter@gmail.com
+49 1727041930



Pooledas Group Ltd
Unit 5 Albert Edward House, The
Pavilions Preston, United Kingdom
pooledas123@gmail.com
Tel: 01772418127

In China hergestellt

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technisch Support und E-Garantie-Zertifikat

www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technique Certificat d'assistance et de garantie électronique

www.vevor.com/support

KIT DE VERROUILLAGE ET D'ÉTIQUETAGE MANUEL D' utilisation

MODÈLE: BY001

We continue to be committed to provide you tools with competitive price.


"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

LOCKOUT TAGOUT KIT

MODÈLE: BY001



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

SAFETY INSTRUCTIONS

AVERTISSEMENT:

Lisez ce document avant d'utiliser ce produit. Le non-respect de ces instructions peut entraîner des blessures graves.

Précautions de montage

1. Assembler uniquement selon ces instructions. Un assemblage incorrect peut créer des dangers.
2. Portez des lunettes de sécurité et des gants de travail pendant l'assemblage.
3. Gardez la zone de montage propre et bien éclairée.
4. Gardez les spectateurs hors de la zone pendant le montage.
5. Ne pas monter si vous êtes fatigué ou sous l'influence de l'alcool, de drogues ou de médicaments.
6. Les capacités du produit s'appliquent uniquement aux produits correctement et entièrement assemblés.
7. Assemblez-le sur une surface plane, de niveau, dure et lisse capable de supporter en toute sécurité le kit de verrouillage et d'étiquetage .
8. Pour plus d'informations sur les pièces répertoriées dans les pages suivantes, reportez-vous au schéma d'assemblage de ce manuel.
Déballez et séparez toutes les pièces dans un espace de travail propre.

Précautions d'emploi

1. NE PAS S'ASSEOIR OU SE TENIR DEBOUT SUR CET ARTICLE.
2. Ce produit n'est pas un jouet. Ne laissez pas les enfants jouer avec ou à proximité de cet article.
3. Ne pas dépasser les capacités.
4. Utiliser uniquement sur une surface plane, dure et lisse capable de supporter en toute sécurité un kit de verrouillage et d'étiquetage entièrement chargé .
5. Utiliser uniquement comme prévu.

6. Inspectez avant chaque utilisation ; ne pas utiliser si des pièces sont desserrées ou endommagées.

CONSERVER CE MANUEL

PRODUCT PARAMETER

Modèle	BY001
Nombre d' ensembles	58
Taille du produit	558*393*65 mm

PARTS LIST

14 Security Padlocks
with 2 keys per lock

58 
Lockout Tagout
Set Included

1 Lockout Tagout Station

4 Lockout Tagout Hasps
2 x 1-inch; 2 x 1.5-inch

40 Lockout Tagout Tags

40 Nylon Zip Ties



INSTRUCTIONS

■ COMBINED LOCKOUT STATION



Made from engineering plastic PC. Integrated design, strong and durable.

Thickness: 65mm

■ SAFETY PADLOCK



Unit: mm




■ PA COATED STEEL HASP

- Made from Engineering plastic nylon PA injection molding, galvanized rustproof surface.
- Lock hole diameter: 10.5mm(2/5").
- Lock shackle diameter: 25mm(1") & 38mm (1.5").

PART CODE	SPECIFICATION
BD-K01	Lock shackle 25mm(1")
BD-K02	Lock shackle 38mm(1.5")



■ LOCKOUT TAGOUT



Thickness: 0.45mm
Material: PVC

Fabricant : Shanghaimuxinmuyeyouxiangongsi

Adresse : Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi
Shanghai

Importé en Australie : SIHAO PTY LTD, 1 ROKEVA STREET, ASTWOOD
NSW 2122 Australie

Importé aux États-Unis : Sanven Technology Ltd.

Suite 250 , 9166 Anaheim Place, Rancho Cucamonga, CA 91730



SHUNSHUN GmbH

Römeräcker 9 Z2021,76351

Linkenheim-Hochstetten, Germany

euvertreter@gmail.com

+49 1727041930



Pooledas Group Ltd

Unit 5 Albert Edward House, The

Pavilions Preston, United Kingdom

pooledas123@gmail.com

Tel: 01772418127

Fabriqué en Chine

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technique Certificat d'assistance et de garantie électronique
www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technisch Ondersteuning en E-garantiecertificaat

www.vevor.com/support

LOCKOUT TAGOUT-KIT

Gebruikershandleiding

MODEL: BY001

We continue to be committed to provide you tools with competitive price.


"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

LOCKOUT TAGOUT KIT

MODEL: DOOR001



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

SAFETY INSTRUCTIONS

WAARSCHUWING:

Lees dit materiaal voordat u dit product gebruikt. Als u dit niet doet, kan dit leiden tot ernstig letsel.

Voorzorgsmaatregelen bij de montage

1. Monteer alleen volgens deze instructies. Onjuiste montage kan gevaren opleveren.
2. Draag tijdens de montage een veiligheidsbril en werkhandschoenen.
3. Zorg ervoor dat de verzamelplaats schoon en goed verlicht is.
4. Houd omstanders uit de buurt tijdens de montage.
5. Kom niet bijeen als u moe bent of onder invloed van alcohol, drugs of medicijnen.
6. De producteigenschappen gelden uitsluitend voor correct en volledig gemonteerde producten.
7. Lockout Tagout Kit veilig kan dragen .
8. Voor aanvullende informatie over de onderdelen die op de volgende pagina's worden vermeld, raadpleegt u het montageschema van deze handleiding. Pak alle onderdelen uit en scheid ze in een schone werkruimte.


Neem voorzorgsmaatregelen

1. NIET OP DIT ARTIKEL ZITTEN OF STAAN.
2. Dit product is geen speelgoed. Laat kinderen niet met of in de buurt van dit item spelen.
3. Overschrijd de capaciteit niet.
4. Lockout Tagout Kit veilig kan dragen .
5. Alleen gebruiken zoals bedoeld.
6. Controleer het product voor elk gebruik. Gebruik het niet als er onderdelen loszitten of beschadigd zijn.

BEWAAR DEZE HANDLEIDING

INSTRUCTIONS

■ COMBINED LOCKOUT STATION



Made from engineering plastic PC. Integrated design, strong and durable.

Thickness: 65mm

■ SAFETY PADLOCK



Unit: mm




■ PA COATED STEEL HASP

- Made from Engineering plastic nylon PA injection molding, galvanized rustproof surface.
- Lock hole diameter: 10.5mm(2/5").
- Lock shackle diameter: 25mm(1") & 38mm (1.5").

PART CODE	SPECIFICATION
BD-K01	Lock shackle 25mm(1")
BD-K02	Lock shackle 38mm(1.5")



■ LOCKOUT TAGOUT



Thickness: 0.45mm
Material: PVC

Fabrikant: Shanghaimuxinmuyeyouxiangongsi

Adres: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi
Shanghai

Geïmporteerd naar AUS: SIHAO PTY LTD, 1 ROKEVA
STREETEASTWOOD NSW 2122 Australië

Geïmporteerd naar de VS: Sanven Technology Ltd.
Suite 250 , 9166 Anaheim Place, Rancho Cucamonga, CA 91730



SHUNSHUN GmbH
Römeräcker 9 Z2021,76351
Linkenheim-Hochstetten,Germany
euvertreter@gmail.com
+49 1727041930



Pooledas Group Ltd
Unit 5 Albert Edward House, The
Pavilions Preston, United Kingdom
pooledas123@gmail.com
Tel: 01772418127

Gemaakt in China

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technisch Ondersteuning en E-garantiecertificaat

www.vevor.com/support

VEVOR®

TOUGH TOOLS, HALF PRICE

Teknisk Support och e-garanticertifikat

www.vevor.com/support

LOCKOUT TAGOUT KIT

Användarmanual

MODELL: BY001

We continue to be committed to provide you tools with competitive price.


"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

LOCKOUT TAGOUT KIT

MODELL: BY001



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

SAFETY INSTRUCTIONS

WARNING:

Läs detta material innan du använder denna produkt. Underlåtenhet att göra det kan resultera i allvarliga skador.

Försiktighetsåtgärder vid montering

1. Montera endast enligt dessa instruktioner. Felaktig montering kan skapa faror.
2. Använd skyddsglasögon och arbetshandskar vid montering.
3. Håll monteringsområdet rent och väl upplyst.
4. Håll åskådare borta från området under monteringen.
5. Sätt dig inte ihop när du är trött eller påverkad av alkohol, droger eller mediciner.
6. Produkttegenskaperna gäller endast för korrekt och färdigmonterade produkter.
7. Montera på en plan, jämn, hård och slät yta som säkert kan stödja Lockout Tagout Kit .
8. För ytterligare information om delarna som listas på följande sidor, se monteringsdiagrammet i denna manual. Packa upp och separera alla delar på ett rent arbetsområde.

Använd försiktighetsåtgärder

1. SIT ELLER STÅ INTE PÅ DETTA FÖREMÅL.
2. Denna produkt är inte en leksak. Låt inte barn leka med eller nära detta föremål.
3. Överskrid inte kapaciteten.
4. Använd endast på en plan, jämn, hård och slät yta som säkert kan bära upp ett fullt laddat Lockout Tagout Kit .
5. Använd endast som avsett.
6. Inspektera före varje användning; Använd inte om delar är lösa eller skadade.

SPARA DENNA MANUAL

PRODUCT PARAMETER

Modell	BY001
Antal O f S ets	58
Produktstorlek	558*393*65 mm

PARTS LIST

- 14** Security Padlocks
with 2 keys per lock

58 
Lockout Tagout
Set Included

- 1** Lockout Tagout Station

- 4** Lockout Tagout Hasps
2 x 1-inch; 2 x 1.5-inch

- 40** Lockout Tagout Tags

- 40** Nylon Zip Ties



INSTRUCTIONS

■ COMBINED LOCKOUT STATION



Made from engineering plastic PC. Integrated design, strong and durable.

Thickness: 65mm

■ SAFETY PADLOCK



Unit: mm




■ PA COATED STEEL HASP

- Made from Engineering plastic nylon PA injection molding, galvanized rustproof surface.
- Lock hole diameter: 10.5mm(2/5").
- Lock shackle diameter: 25mm(1") & 38mm (1.5").

PART CODE	SPECIFICATION
BD-K01	Lock shackle 25mm(1")
BD-K02	Lock shackle 38mm(1.5")



■ LOCKOUT TAGOUT



Thickness: 0.45mm
Material: PVC

Tillverkare: Shanghaimuxinmuyeyouxiangongsi

Adress: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi
Shanghai

Importerad till AUS: SIHAO PTY LTD, 1 ROKEVA STREETEASTWOOD
NSW 2122 Australien

Importerad till USA: Sanven Technology Ltd.

Suite 250 , 9166 Anaheim Place, Rancho Cucamonga, CA 91730



SHUNSHUN GmbH

Römeräcker 9 Z2021,76351

Linkenheim-Hochstetten, Germany

euvertreter@gmail.com

+49 1727041930



Pooledas Group Ltd

Unit 5 Albert Edward House, The

Pavilions Preston, United Kingdom

pooledas123@gmail.com

Tel: 01772418127

Tillverkad i Kina

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Teknisk Support och e-garanticertifikat

www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Técnico Certificado de soporte y garantía electrónica

www.vevor.com/support

KIT DE BLOQUEO Y ETIQUETADO

MANUAL DE usuario

MODELO: BY001

We continue to be committed to provide you tools with competitive price.


"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR[®]

TOUGH TOOLS, HALF PRICE

LOCKOUT TAGOUT KIT

MODELO: POR001



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

SAFETY INSTRUCTIONS

ADVERTENCIA:

Lea este material antes de utilizar este producto. No hacerlo puede provocar lesiones graves.

Precauciones de montaje

1. Realice el montaje únicamente de acuerdo con estas instrucciones. Un montaje inadecuado puede generar peligros.
2. Utilice gafas de seguridad y guantes de trabajo durante el montaje.
3. Mantenga el área de reunión limpia y bien iluminada.
4. Mantenga a los transeúntes fuera del área durante el montaje.
5. No se reúna cuando esté cansado o bajo la influencia del alcohol, drogas o medicamentos.
6. Las capacidades del producto se aplican únicamente a productos ensamblados de forma correcta y completa.
7. Móntelo sobre una superficie plana, nivelada, dura y lisa capaz de soportar de forma segura el kit de bloqueo y etiquetado .
8. Para obtener información adicional sobre las piezas que se enumeran en las páginas siguientes, consulte el diagrama de ensamblaje de este manual. Desembale y separe todas las piezas en un área de trabajo limpia.

Tome precauciones

1. NO SE SIENTA NI SE PARE SOBRE ESTE ARTÍCULO.
2. Este producto no es un juguete. No permita que los niños jueguen con este artículo ni cerca de él.
3. No exceder las capacidades.
4. Úselo únicamente sobre una superficie plana, nivelada, dura y lisa capaz de soportar de forma segura un kit de bloqueo y etiquetado completamente cargado .
5. Úselo únicamente según lo previsto.
6. Inspeccione antes de cada uso; no utilice si las piezas están sueltas o dañadas.

GUARDE ESTE MANUAL

PRODUCT PARAMETER

Modelo	POR001
Número de conjuntos	58
Tamaño del producto	558*393*65 milímetros

PARTS LIST

14 Security Padlocks
 with 2 keys per lock

58 
 Lockout Tagout
 Set Included

1 Lockout Tagout Station

4 Lockout Tagout Hasps
 2 x 1-inch; 2 x 1.5-inch

40 Lockout Tagout Tags

40 Nylon Zip Ties



INSTRUCTIONS

■ COMBINED LOCKOUT STATION



Made from engineering plastic PC. Integrated design, strong and durable.

Thickness: 65mm

■ SAFETY PADLOCK



Unit: mm




■ PA COATED STEEL HASP

- Made from Engineering plastic nylon PA injection molding, galvanized rustproof surface.
- Lock hole diameter: 10.5mm(2/5").
- Lock shackle diameter: 25mm(1") & 38mm (1.5").

PART CODE	SPECIFICATION
BD-K01	Lock shackle 25mm(1")
BD-K02	Lock shackle 38mm(1.5")



■ LOCKOUT TAGOUT



Thickness: 0.45mm
Material: PVC

Fabricante: Shanghaimuxinmuyeyouxiangongsi

Dirección: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi
Shanghai

Importado a AUS: SIHAO PTY LTD, 1 ROKEVA STREETEASTWOOD
NSW 2122 Australia

Importado a EE. UU.: Sanven Technology Ltd.

Suite 250 , 9166 Anaheim Place, Rancho Cucamonga, CA 91730



SHUNSHUN GmbH

Römeräcker 9 Z2021,76351

Linkenheim-Hochstetten, Germany

euvertreter@gmail.com

+49 1727041930



Pooledas Group Ltd

Unit 5 Albert Edward House, The

Pavilions Preston, United Kingdom

pooledas123@gmail.com

Tel: 01772418127

Hecho en china

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Técnico Certificado de soporte y garantía electrónica

www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Tecnico Supporto e certificato di garanzia elettronica

www.vevor.com/support

KIT DI BLOCCO E DISATTIVAZIONE MANUALE D' uso

MODELLO: BY001

We continue to be committed to provide you tools with competitive price.


"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

LOCKOUT TAGOUT KIT

MODELLO: BY001



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

SAFETY INSTRUCTIONS

AVVERTIMENTO:

Leggere questo materiale prima di utilizzare questo prodotto. La mancata osservanza di questa precauzione può causare gravi lesioni.

Precauzioni di montaggio

1. Montare solo secondo queste istruzioni. Un montaggio improprio può creare pericoli.
2. Durante il montaggio indossare occhiali protettivi e guanti da lavoro.
3. Mantenere l'area di riunione pulita e ben illuminata.
4. Durante l'assemblea, tenere gli astanti lontani dall'area.
5. Non riunirsi quando si è stanchi o sotto l'effetto di alcol, droghe o farmaci.
6. Le capacità del prodotto si applicano solo ai prodotti correttamente e completamente assemblati.
7. Montare su una superficie piana, livellata, dura e liscia in grado di sostenere in modo sicuro il kit Lockout Tagout .
8. Per ulteriori informazioni sulle parti elencate nelle pagine seguenti, fare riferimento allo schema di montaggio di questo manuale. Disimballare e separare tutte le parti in un'area di lavoro pulita.

Usare precauzioni

1. NON SEDERSI O STARE IN PIEDI SU QUESTO OGGETTO.
2. Questo prodotto non è un giocattolo. Non permettere ai bambini di giocare con o vicino a questo articolo.
3. Non superare le capacità.
4. Utilizzare solo su una superficie piana, livellata, dura e liscia in grado di sostenere in modo sicuro un kit Lockout Tagout completamente carico .
5. Utilizzare solo come previsto.
6. Ispezionare prima di ogni utilizzo; non utilizzare se le parti sono allentate o danneggiate.

SALVA QUESTO MANUALE

PRODUCT PARAMETER

Modello	BY001
Numero di set	58
Dimensioni del prodotto	558*393*65 millimetri

PARTS LIST

14 Security Padlocks
with 2 keys per lock

58 

Lockout Tagout
Set Included

1 Lockout Tagout Station

4 Lockout Tagout Hasps
2 x 1-inch; 2 x 1.5-inch

40 Lockout Tagout Tags

40 Nylon Zip Ties



INSTRUCTIONS

■ COMBINED LOCKOUT STATION



Made from engineering plastic PC. Integrated design, strong and durable.

Thickness: 65mm

■ SAFETY PADLOCK



Unit: mm




■ PA COATED STEEL HASP

- Made from Engineering plastic nylon PA injection molding, galvanized rustproof surface.
- Lock hole diameter: 10.5mm(2/5").
- Lock shackle diameter: 25mm(1") & 38mm (1.5").

PART CODE	SPECIFICATION
BD-K01	Lock shackle 25mm(1")
BD-K02	Lock shackle 38mm(1.5")



■ LOCKOUT TAGOUT



Thickness: 0.45mm
Material: PVC

Produttore: Shanghaimuxinmuyeyouxiangongsi

Indirizzo: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi
Shanghai

Importato in AUS: SIHAO PTY LTD, 1 ROKEVA STREETEASTWOOD
NSW 2122 Australia

Importato negli USA: Sanven Technology Ltd.

Suite 250 , 9166 Anaheim Place, Rancho Cucamonga, CA 91730



SHUNSHUN GmbH

Römeräcker 9 Z2021,76351

Linkenheim-Hochstetten, Germany

euvertreter@gmail.com

+49 1727041930



Pooledas Group Ltd

Unit 5 Albert Edward House, The

Pavilions Preston, United Kingdom

pooledas123@gmail.com

Tel: 01772418127

Made in China

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Tecnico Supporto e certificato di garanzia elettronica

www.vevor.com/support