

Technical Support and E-Warranty Certificate www.vevor.com/support

STAINLESS STEEL CORNER GUARDS OPERATING INSTRUCTIONS

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.



STAINLESS STEEL CORNER GUARDS



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

INSTALLATION

1. Please keep the wall clean to avoid affecting the using effect It suitable for clean and smooth painted wall, metal surface, lass surface and plastic surface. (Vertical wall) 90°



2. Tear off the protective film and press straight against the wall Usage temperature of adhesive:21 $^{\circ}$ C-38 $^{\circ}$ C.



PS: Please read the product instructions carefully before use. If the product is not used correctly according to the instructions, resulting in accidental damage in the process,we will not bear relevant responsibility.

Parts List

| | | Components | | Parameter | |
|----|----------------------------|----------------------|-------------------|------------|------------|
| No | Fits Model# | Corner Guard s | Adhesiv e Tape | Length | Width |
| 1 | YF-BXGHJ-0.5*0.5-10P CS | 10pcs | 2pcs | 1200m m | 12.7m m |
| 2 | YF-BXGHJ-1.5*1.5-5PC S | 5pcs | 2pcs | 1200m m | 38.1m m |
| 3 | YF-BXGHJ-1.5*1.5-10P CS | 10pcs | 2pcs | 1200m m | 38.1m m |
| 4 | YF-BXGHJ-2*2-2PCS | 2pcs | 2pcs | 1200m m | 50.8m m |
| 5 | YF-BXGHJ-2*2-10PCS | 10pcs | 2pcs | 1200m m | 50.8m m |
| 6 | YF-BXGHJ-1*1-10PCS | 10pcs | 2pcs | 1200m m | 25.4m m |
| 7 | YF-BXGHJ-0.5*0.5-5PC S | 5pcs | 2pcs | 1200m m | 12.7m m |
| 8 | YF-BXGHJ-2*2-20PCS | 20pcs | 2pcs | 1200m m | 50.8m m |
| 9 | YF-BXGHJ-1.5*1.5-24P CS | 24pcs | 2pcs | 1200m m | 38.1m m |
| 10 | YF-BXGHJ-1*1-20PCS | 20pcs | 2pcs | 1200m m | 25.4m m |

Address: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi

Shanghai

Imported to AUS: SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD

NSW 2122 Australia

Imported to USA: Sanven Technology Ltd. Suite 250, 9166 Anaheim

Place, Rancho Cucamonga, CA 91730

EC REP

SHUNSHUN GmbH Römeräcker 9 Z2021,76351 Linkenheim-Hochstetten,Germany

UK REP

Pooledas Group Ltd Unit 5 Albert Edward House, The Pavilions Preston, United Kingdom

Made In China



TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate www.vevor.com/support